


Agricultural 'Marketing Service

Fruit and Vegetable Division

Milled Peanuts

(Shelled Stock and Cleaned Virginia Type in the Shell)

Inspection Instructions



			Q
			U
			۵
			ú

Milled Peanuts Inspection Instructions (Shelled Stock and Cleaned Virginia Type in the Shell)

These inspection instructions are specifically developed and designed by the Fresh Products Branch to assist officially licensed inspectors in the interpretation and application of the:

- U.S. Standards for Grades of Shelled Runner Type Peanuts, 7CFR, Section 51.2710;
- U.S. Standards for Grades of Shelled Spanish Type Peanuts, 7CFR, Section 51.2730;
- U.S. Standards for Grades of Shelled Virginia Type Peanuts, 7CFR, Section 51.2750; and
- U.S. Standards for Grades of Cleaned Virginia Type Peanuts in the Shell, 7CFR, Section 51.1235.

These inspection instructions do not establish any substantial rule not legally authorized by the official grade standards. This publication supersedes any milled peanut inspection instructions previously issued.

Refer to General Inspection Instructions for additional information pertaining to date, inspection point, carrier, condition of carrier, lading, etc. not covered in these instructions. (Reference to General Inspection Instructions in all Fresh Products Branch publications refers to any or all of the following: General Shipping Point Inspection Instructions, General Market Inspection Instructions, or Fresh Fruit and Vegetable Certificate Writing Handbooks).

August 2004

Replaces instructions dated June 1993

This publication may be duplicated without authorization from USDA

TABLE OF CONTENTS

Part I Inspection of Milled Peanuts

(1) Introduction	1
(2) Description of Types	1
Spanish Type	1
Runner Type	1
Virginia Type	1
Valencia Type	. 1
(3) Inspection Equipment	2
Scales	2
(4) Sampling	3
Shelled Peanuts in Burlap Sacks	3
Trier Sampling	4
Bulk Loads, Fiberboard Bins and Tote Sacks (Super Sacks)	4
Drawing Samples from Bulk Containers with a Shop-Vac Sampler	5
Samplers	5
Bulk Container Sampling Pattern	6
Drawing Samples with the Whitaker/Slate Sampler	6
In-Line Automatic Sampling Devices	7
Paper Bags	7
In-Shell Peanuts	7
(5) Mailing Samples for Inspection	7
Marking Samples	7
Mailing Samples	8
(6) Mixing and Dividing Samples	8
Hand Divider	8
Cleaned Peanuts in the Shell	9
(7) Weighing the Analysis Sample	. 9
Sample Size – Edible Quality Shelled and In-Shell Peanuts	. 9
(8) Check Samples	10
(9) Analyzing Shelled Peanut Samples	10
Seed Peanuts Treated with Fungicide	10
Count per Pound or Ounce	10
Sample Size for Count per Pound or Ounce	10
Counting Splits	10
Screening	11
Mechanical Shaker	11
Hand Screening	11
Sorting the Screenings	12
Splits	12

	Broken Kernels	
	Small Whole Kernels	
	Peanuts and Portions Passing Through Screen	
	Whole Kernels in Splits	
	Sorting Kernels Riding the Screen	
	Other Types	
	Defects	
	Mechanical Splitting	
	Scoring Minor Defects and Damage	
	Applying Visual Aids to Split, Broken and Whole Kernels	
	Skin Discoloration	
	Flesh Discoloration	
	Scoring Surface Flesh Discoloration (Other than Spots or Pits)	
•	Flesh Discoloration Occurring as Spots or Pits	
	Scoring Flesh Discoloration Occurring as Spots or Pits	
	Chalky White Spots or Pits	
	Pale or Light Yellow Spots or Pits	
	Dark Yellow or Brown Spots or Pits	
	Dark Brown or Black Spots or Pits	
	Scoring Flesh Discoloration Occurring in Peanuts with Hollow Centers	
	Summary for Scoring Spots, Pits, Surface Discoloration & Flesh Discoloration	
	Sprouted Peanuts	
	Dirt	
	Adhering Material	
	Rancidity or Decay	
	Mold	
	Insects, Worm Cuts, Web, or Frass	
	Freezing Injury	
	Unshelled Kernels	
	Foreign Material (FM)	
	Minimum Sample Size for Determining FM	
,	Describing FM	
	Analyzing a Larger Sample	
	Weighing Defects	
(10	0) Analyzing Cleaned In-Shell Virginia Type Samples	
	Count Per Pound	
	Weighing the Analysis Sample	
	Screening	
	Sorting for Shell Defects	
	Other Types	
	Pops	
	Cracked or Broken Shells	
	Discoloration or Staining of Shells	
	Adhering Dirt Affecting Shells	
	Paper Ends	

Shape	22
Undersize Kernels Free From Shell Defects	22
Loose Shelled Kernels (LSK's)	22
Foreign Material (FM)	23
Weighing External Defects	23
Examining Kernels for Defects When Hand Screening	23
Examining Kernels for Defects When Machine Shelling	23
Kernel Defects	24
Rancid or Decayed	24
Moldy	。 24
Insect Damage	24
Flesh Discoloration	24
Penetrating Flesh Discoloration	24
Sprouted	24
Dirty	. 24
Freezing	24
Skin Discoloration	24
Damaged LSK's	24
Weighing Peanuts with Damaged Kernels	25
Step-by-step Grading Procedure for In-Shell Peanuts	25
(11) Certifying Lots of Valencia Type Peanuts	26
(12) The Peanut Certificate - FV-184-9A / FV-184-9A-CG	26
Lot Identification	27
Multiple Screen Sizes	27
Example	27
Examples of Grade and Remarks Statements	28
Examples	28
Correcting Certificates	32
Voiding Certificates	32
(13) Reinspections	32
Change in Quality	32
Confirmation (Update) Inspections	32
Appeal Inspections	33
"Remarks" Statement Examples for Appeal Inspections	33
Fees for Appeal Inspections	33
Second Inspection in Market	34
(14) Reporting Moisture Content	34
Shipping Point	34
Market Offices	34
Delay in Running Moisture Test	35
(15) Distribution of the 184-9A Certificate	35

Part II Positive Lot Identification (PLI) of Milled Peanuts

(1) General		
(2) Purpose		
(3) Methods of Identification		٠
Lot-Numbered Tags for Individual Bags		
Sealing Loaded Conveyances		
(4) MOAB and CCC Lot Identification Requirements		•
Sack Lots		
Reuse of Tags is Prohibited		
Bulk Loads		
(5) PLI of Peanuts in Bulk Bins	•	
Condition of Bins	•	
PLI		
Application of Non-Bar Coded PLI Tags		
Bulk Bins		
Tote or Super Sacks		
Illustration 1		
Illustration 2		
Illustration 3	l	
Application of Bar Coded PLI Tags		
Tags	•	
Illustration 4		
Bags		
Bulk Bins		
Illustration 5		
Tote or Super Sacks		•
Illustration 6		
Bulk Lots in Rail Cars		
Illustration 7		
Illustration 8		
Applying PLI Tags to Transferred Out-of-State Lots		
(6) Method for Applying Tags		•
Stamp		
Inspector's Stamp		
Mill Identification Number		
Lot Identification Number	•	
Tags		
Stamping		
Tags Stamped When Inspected	•	
(7) Pre-Stamped Tags		
Tags Stamped Prior to Inspection		
Assigning Lot Numbers	**	

Attaching Tags	51
(8) Collecting Unused Pre-stamped Tags	52
(9) Recording Inspected Lots	52
(10) Closing Out Tag Inventory	53
(11) Record Sheet	53
Example	54
•	J 1
Part III	
The Notice of Sampling - Form FV-187/F	V-187-CG
(1) General	55
"Notice of Sampling"	55
(2) Completing the 187	55
Car, Truck or Ship	55
Applicant	55
Receiver	55
Shipper	55
Type	56
Contract Number	56
Weight of Lot and Number of Sacks	56
PLI Marks	56
Quality Designated by Shipper	56
Inspection Certificate Number	57
Sample Designations	57
Sample Sent To	57
Fees and Postage	57
(3) Distribution of Copies	57
(4) Voided 187's	. 58
Example – Handwritten 187	. 59
Example – Computer Generated 187	[*] 60
- Part IV	
Requirements of the USDA Marketing	Order
Administration Branch (MOAB), USDA Fa	
Agency (FSA), and Grades of American Pear	nut Shellers
Association (APSA)	
(1) General	71
(2) MOAB Minimum Quality Standards for Human Consumption	61
Aflatoxin Samples and Sample Designations	61
Sampling and Grinding Peanuts for Laboratory Analysis	61 .
(3) Disposition of Samples	62
(a) mobasition or panihics	62

Sample "#1"	62
Sample "#2"	62
Sample "#3"	63
Preparing Aflatoxin Samples	63
Cleaning the Subsampling Mill	63
Use of the Vertical Cutter Mill (VCM)	64
(4) Aflatoxin Sample Designations	64
MOAB Sampling Plan for Shelled Peanut Samples	
"1-AB," "2-AB" and "3-AB"	64
Subsample "l-AB"	64
Subsample "1-CD"	64
Example	65
Subsample "2-AB"	65
Subsample "3-AB"	65
Aflatoxin Sampling Plan	66
(5) Costs	67
Packing Samples	67
Subsamples Given to Applicant	67
Subsamples Designated as Appeal Sample "1-6"	67
(6) Aflatoxin Appeals – FSA Peanut Purchase Program	68
(7) Appeal Aflatoxin Sampling Plan	68
(8) Appeal Aflatoxin Sampling of Shelled Peanuts in Cartons, Bulk Bins or	
Tote/Super Sacks with the Dickens Pneumatic Aflatoxin Sampler	69
Minimum Number of Probes per Container	70
(9) Mechanical Device for Sampling Bulk Lots	71
(10) Drawing Appeal Aflatoxin Samples on Shelled Peanuts in Terminal Markets	71
The total sample weight must be approximately 144 pounds	72
Aflatoxin Sampling Requirements for Cleaned In-Shell Peanuts	72
Aflatoxin Sampling Procedure for Cleaned In-Shell Peanuts	72
Aflatoxin Samples from Imported Peanuts	73
Samples "1IMP," "2IMP," and "3IMP"	73
Aflatoxin Samples from Peanut Meal	73
Samples "M-1," "M-2," "M-3," and "M-4"	73
(11) Unofficial Aflatoxin Samples	73
(12) Summary of Unofficial Aflatoxin Samples	74
Samples "8," "9," "10" etc	75
Subsamples "8-CD," "9-CD," "10-CD" etc.	75
Samples "AF-8," "AF-9," etc.	75
Subsamples "AF-7CD," "AF-8CD," "AF-9CD," etc.	75
Subsamples "AF-8-CD-EX," "AF-9-CD-EX," etc.	75
(13) Moisture	76
(14) Size	76
Reporting Size	76

(15) MOAB Minimum Quality Standards – Peanuts for Human Consumption	77
Lots of Whole Kernels or Whole Kernels with Splits – Maximum Limitations	77
Lots of "Splits" – Maximum Limitations	77
(16) Summary of Tolerances – Peanuts for Human Consumption	78
U.S. Standards	78
MOAB Human Consumption Categories	79
(17) Maximum Lot Size for Edible Shipments	80
(18) MOAB Regulations for "Non-Edible Quality" Shelled Peanuts	80
(19) Lots Packed for, but Failing Human Consumption Requirements	80
Blanched	80
Remilled	81
Disposed of to any non-edible outlet	81
(20) Roasted Blanched Lots	81
(21) "Sheller Oil Stock" Quality	81
Sample Size	82
Inspection Procedure	82
(22) Shelled Peanuts Originating From Seg. I, II, or III Farmers' Stock	82
(23) Aflatoxin Samples for Non-Edible Quality Peanuts	82
(24) MOAB Requirements for Cleaned In-Shell Peanuts for Human Consumption	83
Moisture	83
Size	83
FM	83
Defects	83
(25) Storage Lots	83
(26) Inspecting Peanuts for the FSA Peanut Purchase Program	83
Table 1 – Peanut Grades for Peanut Butter and Peanut Granules	84
Table 2 – Peanut Grades and Minimum Sizes for Roasted Peanuts	84
(27) Official Trading Rules of the American Peanut Shellers Association (APSA)	86
Rule 1 – APSA Shelled Runner Peanuts - Grades	86
Rule 2 – APSA Shelled Spanish Peanuts - Grades	89
Rule 3 – APSA Shelled Virginia Peanuts - Grades	90
Definitions	93
Rule 4 – APSA In-Shell Virginia Peanuts - Grades	94
Definitions	95
Summary of U.S., APSA, and MOAB Screen Sizes & Tolerances	S
Summary of Screen Sizes and Tolerances (by weight) for	
U.S. Standards for Shelled Peanuts	96
Summary of Screen Sizes and Tolerances (by weight) for APSA &	70
U.S. Grades for Shelled Runner Peanuts	97
Summary of Screen Sizes and Tolerances (by weight) for APSA &	71
U.S. Grades for Shelled Spanish Peanuts	98
Summary of Screen Sizes and Tolerances (by weight) for APSA &) U
IIS Grades for Shelled Virginia Peanuts	00

Summary of Screen Sizes and Tolerances (by weight) for APSA &	
U.S. Grades for Cleaned Virginia Type Peanuts in the Shell	100
Summary of Screen Sizes and Tolerances (by weight) for MOAB Grades	
for Human Consumption (7CFR, Part 996)	101
Summary of Sheller Oil Stock Requirements	102
, , , , , , , , , , , , , , , , , , ,	
General Hand Written Certificate Examples	
Exhibit I	103
U.S. No. 1 Runner, APSA "Medium Runner" in Bulk.	
Exhibit II	104
Transfer Certificate on Exhibit I Lot.	
Exhibit III	105
Fails U.S. No. 1 Spanish Account Splits. Meets 7CFR, Part 996 for Spanish with Splits.	
Exhibit IV	106
Update Inspection on Interstate Shipment Reported on FV-300.	
Exhibit V	107
Screenings and Pick-outs. Meets 7CFR, Part 996 for Non-Edible Quality.	
Exhibit VI	108
Non-Edible Quality Lot.	•
Exhibit VII	109
U.S. No. 1 Runner, APSA "Medium Runner." Lot Packed in Fiberboard Bins.	
Exhibit VIII	110
Fails U.S. No. 1 Runner Account Split or Broken Kernels. Fails APSA "Medium Runner	r"
Account Split or Broken Kernels and Fall Through. Meets 7CFR, Part 996 for Human	
Consumption.	
Exhibit IX	111
U.S. No. 1 Runner. Fails to Meet Count as Marked.	
Exhibit X	112
U.S. No. 1 Runner. Count Certified With Grade.	
Exhibit XI	113
Fails U.S. No. I Runner Account Damage & Minor Defects. Meets APSA "No. 1 Runner	
Exhibit XII	114
U.S. No. 1 Runner. Meets APSA "No. 1 Runner."	
Exhibit XIII	115
U.S. Runner Splits. Meets APSA "Runner Splits."	
Exhibit XIV	116
U.S. No. 1 Runner. Meets APSA "Jumbo Runner."	
Exhibit XV	117
Fails U.S. No. 1 Runner Account Split or Broken Kernels. Fails APSA "Jumbo Runner"	
Account Split or Broken Kernels and Fall Through. Meets 7CFR, Part 996 for Runner	
with Splits.	110
	118
IIS No. 2 Runner Meets 7CFR Part 996 for Human Consumption	

Exhibit XVII	119
Fails U.S. Runner Splits Account Damage and Minor Defects. Meets APSA	
"Runner Splits" and 7CFR, Part 996 for Human Consumption.	
Exhibit XVIII	120
Fails U.S. Runner Splits Account Sound Whole Kernels. Meets APSA "Runner Splits"	
and 7CFR, Part 996 for Human Consumption.	
Exhibit XIX	121
Fails U.S. Runner Splits, APSA "Runner Splits" and 7CFR, Part 996 for Human	
Consumption Account Damage and Minor Defects.	
Exhibit XX	122
Oil Stock Lot. Meets 7CFR, Part 996 for Non-Edible Quality.	122
Exhibit XXI	123
FV-184-9A Used as a "Notice of Sampling" Only.	145
Exhibit XXII	124
Fails U.S. No. 2 Virginia Account Damage & Minor Defects. Meets 7CFR, Part 996	127
for No. 2 Virginia.	
Exhibit XXIII	125
U.S. Virginia Splits. Meets 7CFR, Part 996 for Human Consumption.	123
Exhibit XXIV	126
In-Shell Virginia Peanuts - U.S. Fancy Hand Picked. Meets 7CFR, Part 996 for	120
Human Consumption.	
Exhibit XXV	127
In-Shell Valencia Peanuts.	14/
Exhibit XXVI	128
Shelled Valencia's Certified Using Shelled Spanish Standard.	120
Canaral Computer Consected Cartificate Evenuelas	
General Computer Generated Certificate Examples	
Exhibit XXVII	129
Meets 7CFR, Part 996 for Blanched Peanuts.	
Exhibit XXVIII	130
Runner Type Peanuts. Meets 7CFR, Part 996 for Human Consumption.	150
Exhibit XXIX	131
U.S. No. 1 Runner. Meets APSA "Medium Runner."	
TO 1 OF C. WINDER	132
Blanched U.S. Runner Splits. Meets APSA "Runner Splits."	134
TO B OF COMPANY	133
FV-184-12-CG Transfer Clearance Certificate.	100
TO E 48 4, WESTERN	134
FV-187-CG "Notice of Sampling." No. 2 Aflatoxin Sample.	
13 8 48 4, Transport	135
Meets 7CFR, Part 996 for Non-Edible Quality.	100
THE RES. WYW.WWW.V	136
FV-184-12-CG Transfer Clearance Certificate on a Non-edible Quality Lot	

Part V

Guidelines for Lots Processed by USDA-Approved Blanchers and Remillers

Overview	13/
Blanching Out-of-Grade Lots – Memorandum of Understanding	139
Example A – Blanched Lot, Out on Grade	142
Example B – Blanched Lot, Out on Grade and Size	143
Example C – Blanched Lot, Out on Aflatoxin Only	144
Custom Remilling – Memorandum of Understanding	145
Example - Custom Remilled Lot	148
Further Processing of Lots Previously Certified as Meeting Human Consumption	
Requirements	149
Appendix I - U.S. Grade Standards	
Grades of Shelled Runner Type Peanuts	153
Grades of Shelled Spanish Type Peanuts	157
Grades of Shelled Virginia Type Peanuts	161
Grades of Cleaned Virginia Type in the Shell Peanuts	165
Appendix II - 7CFR, Part 996	
Part 996 – Minimum Quality and Handling Standards for Domestic and Imported Peanuts Marketed in the United States	171

Part I Inspection of Milled Peanuts

This section of the handbook is devoted to the basic guidelines for sampling and grading shelled peanuts and cleaned peanuts in the shell.

(1) Introduction

The inspection of peanuts differs from that of most fresh fruits and vegetables because peanut samples are usually drawn in one place and analyzed in another.

(2) Description of Types

The type of peanuts inspected must always be shown on the inspection certificate. This is done by either quoting the wording on the PLI tags or by declaration of the applicant, i.e., "Applicant States Runner Type," etc. However, the type or variety must never be *certified* on the certificate.

Spanish Type

Kernels of older varieties are generally small, while newer varieties are mostly medium size. All are inclined to be rounder than other types of peanuts. The skin is smooth and has a delicate texture. Kernel color ranges from pale pinkish buff when fresh to light brown during storage.

Runner Type

Kernels are small to medium and mostly somewhat elongated, many having blunt, flattened ends. The skin is usually a little thicker and less smooth than Spanish type peanuts. The color ranges from pinkish-brown when fresh to reddish brown during storage.

Virginia Type

Pods are large, plump and usually contain two kernels. Kernels are medium to large and generally elongated. Most kernels have a distinct taper at each end and a tendency to be pointed at the sprout end. The skin has about the same texture as Runners. Color ranges from light pinkish-tan when fresh to reddish-brown during storage.

Valencia Type

Pods are cylindrical, slender, and contain 2 to 4 kernels. Kernels are small to medium, with blocky, flattened ends. Color ranges from bright red when fresh to darker red during storage. Valencia's are grown almost exclusively in New Mexico for cleaned in-shell trade. For more information on how Valencia type peanuts are certified to grade, see page 26 and Exhibits XXV and XXVI on pages 127 and 128.

(3) Inspection Equipment

Inspectors must make certain that ALL equipment has been officially approved for use by the Fresh Products Branch (FPB) and that it is functioning properly. If there is any doubt as to approval or accuracy, consult the Federal Program Manager or State Supervisor.

The following is a list of items used in sampling and grading milled peanuts:

- Trier (13 to 15 inches in length) for shelled peanuts in sacks
- Dickens Pneumatic Grade sampler
- Dickens Pneumatic Aflatoxin sampler
- Whitaker/Slate Sampler
- Dickens Aflatoxin Subsampling Mill
- Vertical Cutter Mill
- Farmers' Stock Sheller
- Electronic Kernel Counter
- Buckets or sacks to hold samples
- Scales sensitive enough to accurately weigh and display weights in graduations of
 0.1 gram and which have a capacity of 5,000 grams with overload protection for up to
 15,000 grams (See next paragraph for detailed scale specifications)
- Hand divider and Dickens Mechanical Rotating divider
- Screens of various size openings. (Depending on the type of peanuts graded)
- Mechanical screen shaker for shelled kernels
- Electronic Moisture Meter
- Kernel Splitter
- Computer and applicable USDA-FPB approved software

Scales

Accurate scales are required for determining percentages of defects. Scales must be capable of weighing to 0.1 gram. All new digital scales purchased for official inspection purposes are required to be **National Type Evaluation Program (NTEP)** approved. Exceptions to other specifications may be granted by the Field Operations Section (FOS) in Washington, D.C. Any digital scale meeting the following specifications may be used for milled peanut inspections:

- 1. Must be NTEP approved.
- 2. Equipped to interface with a computer or have provisions for installation of an interface.
- 3. Equipped to interface with an on-line printer or have provisions for installation of an interface.
- 4. Instant "taring" capacity which automatically adjusts to zero balance by means of depressing a tare bar. Tare ranges of 0 to 1500 grams. Less than 1.5 seconds required to tare.
- Display readings in graduations of 0.1 gram.
- 6. Capable of weighing unknown weights up to 5,000 grams with over-load protection for loads up to 15,000 grams.
- 7. Contain a calibration mode by which it can accurately standardize to zero balance with official test weights. Calibration should always be carried out in the same manner regardless of the weight unit selected.
- 8. Digital display panel should not be less than 8 square inches and digits should be at least 1/2 inch in height. Must contain a stability detector that signals the final reading.
- 9. Designed to function properly in non-laboratory conditions during operation.
 - Temperatures 0° to 40° C.
 - Altitude 0 4000 m.
 - Relative humidity 15 to 85%
 - Vibration 0.3 m/second
- 10. Other technical requirements:
 - Stabilization time less than 3.0 seconds
 - Sensitivity drift 8 x 10 5 C
 - Display sequence less than 0.5 seconds
 - Power supply 115v/230v with a tolerance of ±10%
 - Frequency of 50 Hz to 60 Hz
 - Weighing to be reproducible within 0.05 grams

(4) Sampling

Shelled Peanuts in Burlap Sacks

All lots of shelled peanuts in burlap sacks must be sampled by means of a trier unless the lot can be sampled continuously by an approved, in-plant automatic sampler while sacks are being filled. A "trier" is a 13- to 15-inch long hollow probe that tapers to a sharp point. The end opposite the point is open, allowing for sampled peanuts to be poured from the probe.

Trier Sampling

At least 25% of the sacks (one out of four) throughout the lot must be sampled, doubling this rate for appeals. Sampling must be "representative," i.e., divided proportionately between the top, middle, and bottom portions of different sacks. Sacks should be raised or twisted in such a way as to relieve any tautness and to provide for some slack in the burlap near the area to be probed. This relieves some of the pressure on the peanuts, thereby reducing the likelihood of any kernels splitting. This is especially important when sampling larger peanuts, such as Extra Large Virginias. Insert the probe into the sack in an approximately horizontal position with the open side up. Force the trier in until only the last few inches remain exposed. If it appears sacks are under pressure in the stack where it is not possible to obtain any slack in the burlap, discard the first half-handful of peanuts that comes through the trier. This should eliminate kernels that may have been split only by the pressure of the trier.

Take approximately the same amount of peanuts from each sack sampled to ensure the sampling rate is uniform for all sacks. (Small lots may require more than one full trier per sack. In such cases, all sacks sampled must be sampled in the same uniform and representative manner). Visually observe the peanuts sampled in your hand as they come out of the trier before putting them into the sample. By doing this, it is possible to notice if the peanuts in the sack being sampled are of a decidedly different quality than those in the rest of the sacks. If such sacks are found and can be identified by different markings, any sample from them must be kept and graded separately from the others. If an inspector encounters a lot with some containers having identical markings, but are of a distinctly different quality (i.e. splits mixed in a lot of U.S. No. I's or No. I's with splits) they should notify the applicant that the containers with the distinctly different quality peanuts can NOT be sampled and combined into a composite sample with the other containers. Therefore, the shipper will have to remove all sacks from the lot that have peanuts of a distinctly different quality.

After sampling, the hole left by insertion of the trier should be closed. A few strokes across the opening with the point of the trier will bring the burlap threads back into place sufficiently enough to fill the opening. This must be done gently to avoid breaking additional threads and thus enlarging the size of the opening.

Bulk Loads, Fiberboard Bins and Tote Sacks (Super Sacks)

When and where possible, peanuts should be sampled by an approved in-line automatic sampler in the plant while the containers are being filled. Each shelling plant/mill should be encouraged to install automatic samplers. However, "cup sampling" (by hand) is permitted on a temporary or emergency basis, but only if first authorized by the State Supervisor, the Federal Program Manager, or FOS. Except for lots exceeding 120,000 pounds sampled prior to packaging, the sampling rate must be proportionately the same as that required for bagged lots. Under certain circumstances, bulk bins or cartons may be sampled with either the Dickens Pneumatic Grade Sampler or the Whitaker/Slate Sampler.

Sample size and sampling procedures for bulk containers are the same as previously outlined. A pneumatic sampler may be used to sample lots of oil stock in semi-trailers that have flat surface bottoms. Those with flat, multi-level surface bottoms may also be sampled provided

the sampling tube will reach the bottom of each level. Semi-trailers having two or more hopper compartments tapering to a flat surface bottom may also be sampled provided they exhibit the Federal-State Inspection Service (FSIS) seal of approval. Smaller vehicles, such as farm dryers, trailers, trucks, or grain wagons that have tapered or hopper compartments must not be sampled with the pneumatic sampler. Trailers must display the "FSIS Seal of Approval" or an F&V "cable" seal prior to sampling. (See Farmers' Stock Inspection Instructions). Seals can be purchased through the FPB Supply Depot.

Drawing Samples from Bulk Containers with a Shop-Vac Sampler

Samplers

There are three different types of shop-vac samplers available for sampling milled peanuts from bulk containers:

- 1. The aflatoxin sampler (1 inch diameter tube),
- 2. The Dickens Pneumatic Grade Sampler (1-3/8 inch diameter tube with special padding),
- 3. The Whitaker/Slate Sampler

Both the aflatoxin sampler and the Dickens Pneumatic Grade Sampler have a sampling tube attached to the bottom of the shop-vac. The Whitaker/Slate Sampler has a flexible tube extending from the top of the shop-vac attached to the sampling tube. It can be operated by setting the unit on the floor, reaching over the container, and inserting the tube into the peanuts. The aflatoxin sampler can <u>only</u> be used for drawing aflatoxin samples. It may <u>not</u> be used for grade samples. The Dickens Pneumatic Grade Sampler may be used for aflatoxin-only samples, update inspections, oil stock lots, and seed peanut lots. It may not be used for any other purpose without prior approval from FOS. Anytime the Dickens Pneumatic Grade Sampler is used to sample a lot where any grade factor is determined, the following statement must be made under "Remarks" on the certificate:

"Above lot sampled at applicant's request with a Dickens Pneumatic Grade Sampler, which may bias grade factor accuracy."


Further, all seed peanut lots must have the following statement made on the certificate under "Remarks:"

"Applicant states certified/registered seed."

NOTE: If a lot originally failed human consumption requirements account of quality and/or size, any subsequent inspection must be considered an "appeal" inspection and not an "update." Appeals for quality and/or size may **not** be drawn with the Dickens Pneumatic Grade Sampler.

Bulk Container Sampling Pattern

Bulk containers must be sampled according to the following probe pattern. If more than 9 containers are to be sampled in a lot, repeat the probe pattern until sampling is completed.



TOP VIEW OF CONTAINER - FORKLIFT TO THIS SIDE

NOTE: For appeal aflatoxin sampling, each container in the lot must be probed twice.

Drawing Samples with the Whitaker/Slate Sampler

The Whitaker/Slate shop-vac sampler is approved for all certifications including grade and size under the USDA-Marketing Order Administration Branch (MOAB) Domestic and Imported Peanut Regulations. The disclaimer statement that must be made under "Remarks" when sampling with the Dickens Pneumatic Grade Sampler does **not** have to be made when using this sampling device. This sampler may be used on bulk bins and mini bulk bags using the probe pattern above.

The Whitaker/Slate shop-vac sampler may also be used on totes/super sacks provided that the entire contents are accessible. This is done by either moving the throat of the sampler around or by making cuts in the sack, provided conditions are safe for the person doing the sampling. If the person sampling totes/super sacks can not safely reach over the container, then some kind of safe platform must be provided. The Dickens Pneumatic Grade Sampler is **not** approved for use on totes or super sacks because the bulk of its weight is attached to the top of the sampling tube, making its use very dangerous for these types of containers.

NOTE: The Whitaker/Slate sampler is **not** meant to replace the in-line automatic sampler. It is only intended to be used for updates and in facilities, such as seed mills and blanchers, where in-line automatic samplers are not installed because there is not a regular demand/need for one. Any facility where samples are drawn on a regular basis should be strongly encouraged to install an in-line automatic sampling device.

In-Line Automatic Sampling Devices

In-line automatic sampling devices must be officially approved by USDA/FSIS prior to being used to draw official samples. All sampling devices must bear the FSIS Seal of Approval or F&V cable seal, which also carries an assigned accountability number. The seal is usually affixed in close proximity to the sampling device. If for any reason the sampling device does not bear the seal of approval or is not marked to indicate official approval, promptly notify the immediate supervisor. Sampler approval (following testing) must be obtained through FOS, which bases the decision to approve/reject a sampler on testing conducted by the Agricultural Research Service (ARS) office located at North Carolina State University.

The opening of the automatic sampler must be set at not less than 1-1/2 inches to ensure that an accurate assessment of foreign material is determined. The inline automatic sampling rate should be at the highest rate attainable (at least one sample cut per every 500 pounds). For lots exceeding 120,000 pounds, the rate may be reduced to one cut per every 800 pounds provided that the lot is sampled prior to packaging.

Paper Bags

Multi-wall paper bags must not be sampled with a trier unless some method is available to ensure that bags will not leak or tear. Only sample paper bags by trier if a strong durable adhesive tape is available for sealing the holes left by the trier. Paper bags may be sampled by hand from the tops of each as described in the following paragraph. Another method for sampling paper bags is to use the short or long trier in the tops of bags while holding the bag at an angle approaching 90 degrees (practically horizontal or on its side).

In-Shell Peanuts

There is no alternate device similar to the trier for sampling cleaned in-shell peanuts. Sampling must be done by hand or by an approved automatic in-line sampler. Samples must be drawn from at least one-tenth (or more) of the bags in the lot, making sure to double the sampling rate for appeals. For hand-sampling, cut the stitches or loosen the sewing string to open the top of the bag. Slip an open hand as far down into the bag as possible, grasping and extracting a large handful of peanuts. Repeat as necessary

(5) Mailing Samples for Inspection

Marking Samples

All pertinent information about the lot must be recorded and submitted with the sample. This is done by including a copy of the FV-187/FV-187-CG, Notice of Sampling (187)in each sample container. This form should include the brand, name, weight, and grade as marked on each of the containers being sampled as well as the mill and lot number listed on the positive lot identification (PLI) tag. (See page 55 for instructions on completing the 187).

Mailing Samples

In some instances, such as in market offices, an inspection may be requested from an office not equipped with the equipment necessary for grading milled peanut samples. In such cases, inspectors should inform applicants that circumstances make it necessary to mail a sample to a properly equipped office that can weigh and screen the peanuts and that this will probably cause a delay of two or more days for completion of the inspection. If the applicant agrees to this procedure, the inspector must draw the sample in the manner previously described.

Samples must be placed in a double paper bag or cloth sack, packed in a sturdy container with ample protective padding, and mailed to the nearest inspection office equipped for milled peanut analyses. A 187 must be completed and mailed to the office that will analyze the sample. Further, a copy of the 187 must also be enclosed in the mailed sample. If one is not available, then a letter or memorandum must be completed containing the name and address of applicant and shipper as well as the time and place of sampling. A copy of this letter must be enclosed in the sample, with all other copies mailed to the analyzing office.

The office receiving the sample will analyze it, issue the certificate, and report the results to the applicant via the inspection office that drew the sample. The certificate must quote the various identifying marks and count reported by the sampling inspector. Under "Remarks," the date the sample was drawn, the identification of the conveyance (rail car/truck number or warehouse name), and the name of the USDA inspector who drew the sample (or the inspection office they are from) must also be shown.

(6) Mixing and Dividing Samples

The sample drawn for grade and aflatoxin analysis must be thoroughly mixed and divided by means of a Dickens Mechanical Rotating Divider. This device divides the sample into equal representative aflatoxin, grade, and check samples.

Hand Divider

Pour the entire grade analysis sample into the divider hopper and level it off. Pull back the sliding gate rapidly to divide the sample into two approximately equal parts. Run the sample through the divider 2 or 3 times to ensure a thorough mixing. If the portion in one of the divider "drawers" is close in weight to the amount needed for sample analysis, no further cut is necessary. However, if each drawer contains about twice as many peanuts as needed for the analysis sample, the contents of one of the drawers must be emptied into the hopper and divided a second time. In rare instances, it may be necessary to cut down the sample a third time to arrive at the quantity needed for analysis. A portion of the remainder of the sample equal to TWICE the size of the grade analysis sample must be retained as a check sample.

Cleaned Peanuts in the Shell

These peanuts cannot be readily mixed and divided in the sample divider used for shelled peanuts because of their large size. Instead, thoroughly mix cleaned peanuts in the shell by pouring them gently from one large container to another, four or five times. Then, empty them onto a flat surface, "sweeping" the portion of the lot to be weighed for sample analysis into a scale pan. This will ensure that a fair amount of any smaller material in the sample is obtained. If available, a Farmers' Stock Peanuts sample divider may also be used.

(7) Weighing the Analysis Sample

After the mixed sample has been reduced to the approximate size required for analysis, the exact amount (in grams) required for analysis must be weighed. Sample size is based on the overall size of the lot. (See the table below). Keep in mind that the minimum sample sizes listed in the table pertain only to amounts required for grade analysis. Additional peanuts must be drawn if aflatoxin samples or other types of "quality control" samples are requested by the applicant.

Sample Size - Edible Quality Shelled and In-Shell Peanuts

Size of Load or Lot (Pounds)	Minimum Number Containers Sampled	Minimum Sample Drawn (Grams)	Minimum Sample Analyzed (Grams) 1,2
Up to 57,500	3	4,000	1,000
57,501 to 100,000	3	8,000	2,000
100,001 to 150,000	3	12,000	3,000
150,001 to 200,000	3	16,000	4,000

¹ The minimum sample size for grade analysis for all lots is 1,000 grams. However, for lots of U.S. Splits, "Virginia No. 2's" containing 70% or more splits, or blanched peanut lots that weigh over 57,500 pounds, the minimum sample analyzed may be reduced by one-half the amount shown in this column.

^{2.} **FOREIGN MATERIAL (FM)** - The minimum sample size analyzed for FM for U.S. No. 1 or better grades must be double the amount shown in this column (or "approximately double" for lots reported on computer-generated certificates). For grades lower than U.S. No. 1, the sample size may be doubled at an applicant's request and/or supervisors' discretion.

³ Shelled peanut lots must be sampled at a 25 percent minimum sampling rate (1 out of every four containers), while in-shell lots must be sampled at a 10 percent minimum sampling rate (1 out of every 10 containers). For lots larger than 120,000 pounds sampled with an in-line automatic sampling device prior to packaging, the minimum sampling rate is at least one sample cut per every 800 pounds of peanuts.

(8) Check Samples

When the sample is mixed and divided to obtain an analysis portion, another representative portion of the original sample must be saved and held as a "check sample." The size of the check sample must be twice that analyzed for grade, i.e., 2,000 grams if 1,000 grams was used for analysis.

The check sample must be retained along with the foreign material, damage, and minor defects from the analysis sample for a period of 15 days. During that time, it is available for review in the event the inspection results are questioned. The container holding the sample must be marked with sufficient identification as well as the date. It must be stored in such a way that it is protected as much as possible from rodents, insects, moisture or heat. It may be discarded at the end of the 15-day holding period. Where storage space is limited, supervisors may permit disposal after a shorter holding time.

(9) Analyzing Shelled Peanut Samples

Seed Peanuts Treated with Fungicide

Requests for sampling and/or inspection of seed peanuts that have been treated with a fungicide must be denied. The toxicity of fungicides presents a potential health hazard and both sampling and grading equipment could be contaminated by them. Further, size, moisture, and defects cannot be accurately determined on peanuts treated with fungicides.

Count per Pound or Ounce

Only the U.S. Virginia Type Peanut Standards have requirements for count per pound. However, even though count is not a requirement of the U.S. Runner or U.S. Spanish Grades, shellers frequently request that count per pound or ounce be determined. Count determination includes all kernels in the sample **before** it is screened. Where available, an electronic eye counter may be used for official grading work. Count per pound or ounce is specified to the nearest whole kernel; i.e., 512.5 would be reported as 513 whole kernels per pound or 32 kernels per ounce.

Sample Size for Count per Pound or Ounce

A minimum sample size of 2 pounds from the total sample must be counted and the count per pound or ounce based on the number of kernels in the 2-pound sample. After counting, the 2-pound sample should be returned to the original sample. To conserve time, it is permissible to use kernels from the check sample *or* the additional portion of the sample analyzed for foreign material *if* count is determined by an electronic counter.

Counting Splits

In counting kernels, a split (half kernel) is counted as one-half, while two splits count as a whole kernel.

Screening

Samples are screened to determine the amount of kernels smaller than the minimum size specified for a given grade. When available, a mechanical screen shaker must be used. If not, the sample must be hand screened. Care must be taken to use the correct screen having the size opening prescribed for the type and grade of kernels. The sample used for screening should include the same kernels used in determining count per pound.

Mechanical Shaker

The shaker is presumed to be working properly if peanut kernels spread uniformly over the screen surface and do not noticeably "bounce." If not, it is possible that the peanuts will not be completely/accurately screened. Corrections of the screen action may be made by adjusting the length of the thrust developed by the eccentric. This is done by either changing the tension on the brace (in the center of the screen) that affects the up and down vibration or by changing the tilt of the entire shaker.

When using a screen with slot openings, always place the screen in the shaker head with the slots running lengthwise to the shaker. In other words, the long dimension of the slots must run in the same direction as the thrust of the shaker as indicated by the rod connecting the eccentric bearing with the shaker head.

Place only enough of the sample on the screen to partially cover it with a single layer of kernels. The best action will be attained if the screen is about three-fourths to four-fifths covered. The size of the screen frame used on the shaker will govern the amount of peanuts that the machine can accommodate at one time. When using the 13 x 13 inch screen for a 1,000 gram sample, it is essential that the sample be screened in three separate portions to avoid overloading.

When using the *slot screens* specified for grades for whole peanuts, the shaker must run for <u>20 seconds</u>. When using the *round-hole screens* specified for Whole Kernels, Splits and Two's, the shaking time must be increased to <u>40 seconds</u>. The longer shaking time is required because of the difficulty of getting the elongated, small, whole kernels to pass through the round openings. The key to accurate screen sizing of shelled peanuts is to ensure that each peanut in the sample has an "opportunity" to pass through the screen openings. Again, take care not to overload the screen.

Hand Screening

Offices where peanut inspections are rarely made usually are not equipped with a mechanical shaker. In such instances, screening must be done by hand. Care must be taken to use the screen with the proper size opening. The sample must be screened in several portions so that the screen is not more than two-thirds to three-fourths covered with a single layer of kernels at any time.

The method of shaking the screen is important. Move the screen with a short, slow motion from side to side and from front to rear, tilting it slightly to aid the movement of kernels. Pause the shaking motion every few seconds to permit small kernels to fall through the openings. Continue the gentle shaking and stopping routine until no more kernels fall through.

If a large number of small kernels become wedged in the slotted screen, a slight up-and-down motion of the screen will help to dislodge some of them. The screen must not be bumped against a hard surface nor should the kernels lodged in the screen be forced through in any other manner. Kernels which remain lodged in the screen when the process is over are kept with those that rode the screen.

In using the round hole screen for Whole Kernels, Splits or Two's, it may be necessary to give the screen a lot of up-and-down motion in addition to horizontal shaking in order to induce the long slender kernels to pass through. Considerably more time is required to screen these types, especially Virginia Two's.

Sorting the Screenings

For shelled peanuts of any type or grade, all kernels passing through the screen must be sorted into various categories. These separations will vary somewhat depending on the grade you are working. The various grade factors and how each is handled is described in the following paragraphs.

Splits

The standards define a "split" as the separated half of a peanut kernel. Sound splits are separated out when grading No. 1 Runner, Spanish, or Virginia types, or Medium or Extra Large grades of Virginia type. Splits are generally found in the screenings. Any found riding the screen must be placed with the sound splits. If defective kernels are found in splits, they must be separated out and scored as minor defects or damage. (See pages 13 through 19.)

Broken Kernels

All kernels with more than one-half, but less than three-quarters of the original kernel present are classed as "broken." Small pieces consisting of less than one-half of a kernel are also classed as broken. Kernels having <u>one-fourth or less</u> of their original volume broken off are classed as whole kernels. In grading No. 1 Runner, Spanish, or Virginia types, or Medium or Extra Large Virginia's, sound broken kernels are placed with the sound splits. Any defective broken kernels are placed with the other defective kernels. (See pages 13 through 19.)

Small Whole Kernels

Small whole kernels that pass through the screen out of No. I, Medium or Extra Large grades must be examined for defects. Those which are visibly sound must be split to ascertain that they are in fact sound. After all defective kernels have been removed and placed with the other defects, those remaining are considered as the sound whole kernels (SWK) that pass through the screen.

Peanuts and Portions Passing Through Screen

For grading U.S. Virginia Splits and U.S. No. 2 Virginia grades, all kernels that pass through the prescribed round-hole screen and are sound are counted against the tolerances for fall-through, regardless of whether they are whole kernels, small splits or small pieces.

Whole Kernels in Splits

The U.S. Splits grade for Runner and Spanish peanuts requires that the kernels be practically all splits with only small tolerances for whole kernels. Whether the whole kernels ride or pass through the screen, they count against the SWK tolerance. Both the Runner and Spanish Splits grades provide a tolerance of 4.00 percent for SWK without regard to their size. Defective whole kernels are scored with the minor defects or damage and are not included with the sound whole kernels. The Virginia Splits grade does not provide a tolerance for whole kernels, but does limit their number indirectly by requiring that at least 90.0 percent, by weight, must be splits. In determining the percentage of splits, all splits, including defective splits, and all fall-through splits are totaled together. After the percentage of splits has been calculated, any defective splits and/or fall-through splits are placed in their proper categories, i.e., with other defective and other fall-through kernels respectively.

Sorting Kernels Riding the Screen

All kernels riding the screen must be examined individually in order to determine those that are defective or those that are of another varietal type.

Other Types

Kernels which are unmistakably of another type than the majority in the lot being graded and which stand out in "conspicuous contrast" with the lot, are scored as "other types." Such a contrast may be found when Runner kernels are mixed with Spanish. Exercise caution for mistaking minor variations of size, shape or color of kernels as other varieties/types. Do not score kernels as other types unless approved to do so by your immediate supervisor.

Defects

When grading whole peanuts, all externally visible defects must be picked out before the whole kernels are run through the splitter. When a splitter is not used, the inspector must analyze the sample and pick out kernels that are externally defective before starting to cut the kernels to look for "concealed" defects.

Mechanical Splitting

All externally defective kernels and borderline defects must be removed from the whole kernels before the lot is run through the kernel splitter. If this is not done, some of the external defects will become obliterated in the splitter, making them impossible to detect and score.

To ensure the greatest splitting efficiency, adjust the splitter speed control knob to as slow a speed as possible that will split a majority of the kernels. High speeds tend to excessively shatter or crush the kernels, making detection of small pieces of defective kernels difficult and

thus likely to be overlooked. Some kernels do not split, possibly because of the position in which they strike the metal wall of the splitter. These kernels should be poured back into the splitter and run through again at the same speed. If a few kernels still remain unsplit after the second time through, increase the speed of the splitter and run the remaining unsplit kernels through the splitter a third time. Any kernels that remain unsplit, (usually small, tough kernels), must be manually cut open using a sharp knife blade.

Both sides of each half of every split kernel must be examined to determine whether they are defective. Some splitters have a belt mechanism that automatically turns each split over, displaying both sides. For those that do not, it usually is necessary to turn each split kernels over manually in order to see both sides of the split. All minor defects and damaged kernels must be picked out.

Scoring Minor Defects and Damage

Certain kinds of defects occurring in peanuts are considered less objectionable than others. These lesser defects are designated as "minor defects" while defective kernels of a more objectionable nature are designated as "damage." If a peanut is affected by a damage factor as well as a minor defect factor, it is scored as damage. Special tolerances are provided for minor defects and damage in each of the No. 1 grades and in the Virginia Medium and Extra Large grades. NOTE: For all grades, the tolerance for damage may NOT be increased by any "unused" portion of the minor defects tolerance. For example, the grade you are working has a 2.00% tolerance for total damage <u>and</u> minor defects, including up to 1.50% for damage. Essentially, this means that in addition to 1.50% damaged kernels, the sample may also contain up to 0.50% minor defects and still meet grade requirements (1.50% + 0.50% = 2.00%). If it is determined that the sample contained only 0.20% minor defects, the remaining 0.30% that was not used for minor defects can <u>NOT</u> be "added" to the 1.50% tolerance for damaged kernels, for a total of 1.80% damage. (In this instance, damage is "capped" at 1.50%).

However, if the sample contained only 0.20% damage, the remaining 1.30% <u>CAN</u> be added to the minor defects up to the total 2.00% tolerance (or whatever the tolerance is for the grade you are working) for damage and minor defects combined. In this case, if only 0.20% damage was found, the sample could contain up to 1.80% minor defects and still meet the 2.00% total tolerance for damage and minor defects.

Applying Visual Aids to Split, Broken and Whole Kernels

The amount of any defect shown on a kernel in any of the visual aides used for peanuts is the amount allowed for **one side** of a whole peanut. In other words, for a whole peanut, the reverse side is also allowed the same amount shown in the visual aid, although no one side may be affected more than that shown in the visual aid. For splits and broken kernels, the kernel may only be affected to the extent that the one side shown in the visual aid is affected. Therefore, if the original exterior surface of the kernel is affected to the extent that the visual aid is affected, then any amount of the defect on the reverse side would cause the kernel to be scored. If any surface of a split or broken kernel is affected to the extent that it is more objectionable than that shown in the visual aid, then the kernel must be scored.

Skin Discoloration

In all grades and types of shelled peanuts, kernels with discolored skins are classed as **minor defects** when the discoloration is of a dark shade and covers more than 1/4 of the outer surface of the kernel or split (See illustration below). Color comparator PN-1 illustrates the shade and intensity of color considered as "dark." **Discoloration is defined as dark brown, dark gray, dark blue or black.** If more than 1/4 of the peanuts' skin appears as dark or darker than the brown, gray, blue or purple colors shown on PN-1, it is scored <u>only</u> as a minor defect. Kernels or portions exhibiting lighter shades of skin discoloration are not scoreable, regardless of the amount of the surface affected.





Whole Kernel

Split

Flesh Discoloration

Peanuts exhibiting flesh discoloration sufficient enough to materially or seriously affect appearance are scored as either minor defects or damage respectively, depending on the severity of the discoloration. In some cases, the discoloration may actually be early stages of rancidity or decay. However, due to the minute area affected, this is often difficult to determine. Discolored kernels generally fall into three classes: (1) Those with yellow, brown or gray discoloration over the surface of the flesh; (2) those with yellowish or brownish spots or "pits" which penetrate the flesh to some degree; or (3) those with hollow and discolored centers.

Scoring Surface Flesh Discoloration (Other than Spots or Pits)

Kernels or splits that are darker than a light yellow color or some darker, more objectionable color, (such as purple or green), on enough of the surface to materially affect the kernels' appearance are scored as **minor defects**. This yellow color should not be confused with a separate, inner layer of the skin that is sometimes exposed and exhibits a yellowish-brown color. If the appearance of the kernel or split is materially affected **and** the discoloration penetrates more than 1/16 inch into the flesh *or* a distance equal to 1/2 the thickness of the kernel or split, score as **damage**. (See color phōtographs PN-CP-1, PNT-CP-9, and PNT-CP-10).

Flesh Discoloration Occurring as Spots or Pits

Spots or pits sometime occur in peanuts from certain localities or in certain years and are more frequently found in Spanish peanuts than other types. The kernel's skin must be removed to determine the extent of the injury. Most affected kernels will show some externally visible evidence of this defect, such as very small, slightly sunken areas; puckered skins; or slightly off-colored areas of skin.

Scoring Flesh Discoloration Occurring as Spots or Pits

Chalky White Spots or Pits

Score as a **minor defect** when the aggregate area of all spots exceeds 1/2 of the outer surface area of the kernel or split and as **damage** when exceeding 3/4 of the outer surface area.

Pale or Light Yellow Spots or Pits

Score as a **minor defect** when the aggregate area of all spots exceeds the area of a circle 3/16 inch in diameter on a whole kernel or 1/8 inch on a split. Score as **damage** when the aggregate area exceeds 1/4 the outer area *or* when any spot or pit penetrates a distance equal to 1/2 the greatest thickness of the kernel or split.

Dark Yellow or Brown Spots or Pits

Score as a **minor defect** when the aggregate area of all spots or pits exceeds the area of a circle 1/8 inch in diameter on a whole kernel, 3/32 inch on a split, or when any spot penetrates a distance equal to 1/4 of the greatest thickness of the kernel or split. Score as **damage** when the aggregate area exceeds 3/16 inch on a whole kernel, 1/8 inch on a split **or** any spot or pit penetrates a distance equal to 1/2 the greatest thickness of the kernel or split.

Dark Brown or Black Spots or Pits

Score as a minor defect when the aggregate area of all spots or pits exceeds the area of a circle 3/32 inch in diameter on a whole kernel, 1/16 inch on a split, or when any spot penetrates a distance equal to 1/4 of the greatest thickness of the kernel or split. Score as damage when the aggregate area exceeds 1/8 inch on a whole kernel, 3/32 inch on a split, or when any spot or pit penetrates a distance equal to 1/2 of the greatest thickness of the kernel or split.

Scoring Flesh Discoloration Occurring in Peanuts with Hollow Centers

The width, depth and size of the hollow space in the center of the kernel should not be considered as an important factor even though the cavity may be fairly large. Flesh color is the deciding factor. If the flesh is white or light yellow, the kernel should be passed. Score as a **minor defect** if the flesh has a definite mustard yellow color. Light to dark brown color over a large area may also be scored when **readily noticeable**. When the discoloration is present over a very small area, break the half-kernel crosswise and examine the inner flesh. If the discoloration penetrates into the flesh, score as a **minor defect**.

Generally speaking, kernels with very conspicuously discolored centers should be classed as **minor defects**. Kernels or splits are scored as **damage** only when the discoloration is dark brown or a darker, more objectionable, color *and* penetrates more than 1/16 inch into the flesh *or* a distance equal to 1/2 the thickness of the kernel or split.

Summary for Scoring Spots, Pits, Surface Discoloration & Flesh Discoloration

Type of Spotting or Pitting	Aggregate Area for Whole Kernels	Aggregate Area for Splits	. Depth
CHALKY WHITE			
SPOTS/PITS	_		
MINOR DEFECT	Over 1/2 surface	Over 1/2 surface	N/A
DAMAGE	Over 3/4 surface	Over 3/4 surface	N/A
PALE OR LIGHT YELLOW SPOTS/PITS		·	
MINOR DEFECT	Over 3/16" dia	Over 1/8" dia	· N/A
DAMAGE	Over 1/4 surface	Over 1/4 surface (OR Any spot penetrates "distance" equal to 1/2 of greatest thickness of
DARK YELLOW OR			kernel or split.
BROWN SPOTS/PITS			
MINOR DEFECT	Over 1/8" dia.	Over 3/32" dia. (OR 1/4 "distance"
DAMAGE	Over 3/16" dia.	Over 1/8" dia.	OR 1/2 "distance"
	`		
DARK BROWN OR			
BLACK SPOTS/PITS			
MINOR DEFECT	Over 3/32" dia.	Over 1/16" dia. (OR 1/4 "distance"
DAMAGE	Over 1/8" dia.	Over 3/32" dia. <i>C</i>	OR 1/2 "distance"

SCORING SURFACE DISCOLORATION AS:

MINOR DEFECTS:

1. Kernels/portions that are darker than a light yellow color *or* some darker, more objectionable color, such as purple or green, on enough of the surface to materially affect appearance, but <u>does not</u> penetrate more than 1/16" into the flesh. (See Visual Aides PN-CP-1, PNT-CP-9, and PNT-CP-10).

DAMAGE:

1. Same as for Minor Defect above, except discoloration <u>must</u> penetrate more than 1/16" into the flesh *or* a distance equal to 1/2 the thickness of the kernel or split.

SCORING FLESH DISCOLORATION IN PEANUTS WITH HOLLOW CENTERS AS: MINOR DEFECTS:

- 1. Ignore width, depth, and size of hollow space.
- 2. Color of affected flesh must be mustard yellow, light brown, or a darker color over an area large enough to be **READILY NOTICABLE**.
- 3. For borderline cases, a half kernel must be broken crosswise and examined. If discoloration penetrates into the flesh, score as a minor defect.

DAMAGE:

1. When discoloration is dark brown or a darker, more objectionable color AND penetrates more than 1/16 inch or more into the flesh or a distance equal to 1/2 the thickness of the kernel or split.

Sprouted Peanuts

A peanut which is sprouted is considered a **minor defect** if the sprout is more than 1/8 inch long and the kernel or sprout is not damaged by rancidity, etc. To determine sprout length, measure from the tip end of the kernel where the sprout protrudes. If the length of the sprout is 1/8 inch or less, the kernel should **not** be scored as sprouted. Kernels with scoreable sprouts must also be checked for damage by other means and scored if found.

NOTE: If any part of the sprout is affected by noticeable rancidity, mold, or decay, then the peanut must be scored as damage.

Dirt

A kernel (split, broken, or whole) that is distinctly covered with dirt which materially affects its appearance is classed as a **minor defect**. When the surface of the kernel is heavily smeared, thickly flecked, or coated with dirt so that its appearance is seriously affected, it is scored as **damage**. Use visual aid PN-CP-2 for scoring dirt.

Adhering Material

When the surface of the kernel (split, broken, or whole) is heavily smeared, thickly flecked, or coated with any material other than dirt so that its appearance is seriously affected, it is scored as a **minor defect** for adhering material. The only difference between "damage by dirt" and a "minor defect by adhering material" is the type of material affecting the kernel. **Adhering material is never scored as damage.** Use visual aid PN-CP-5 for scoring adhering material.

NOTE: Adhering material will usually contain some dirt. If the adhering material is predominantly dirt, score it as such. Otherwise, score as adhering material.

Rancidity or Decay

In most cases, rancid and decayed kernels are easily detected by their appearance. However, kernels may only have a slightly translucent appearance in early stages of rancidity.

This condition is frequently found following freezing injury. The inspector should taste a small portion of questionable kernels from time to time in order to guard against scoring peanuts with slightly abnormal flesh color and only a slightly stale flavor. Only peanuts with a decidedly rancid flavor are scored as rancid.

Mold

Any kernel that exhibits mold is scored as **damage**. If there is any doubt that mold is present, do not score the kernel as damaged by mold. It may be scored for some other factor if it is otherwise defective.

Insects, Worm Cuts, Web, or Frass

Peanuts that show any definite effects of insects are scored as damage. This includes an insect in the kernel, frass or web attached to the kernel, worm holes, or worm "cuts." Kernels whose surface shows only slight injury that could be either a worm cut or a mechanical abrasion, but cannot be positively identified as a worm cut must *not* be scored.

Freezing Injury

Carefully review visual aid PEN-CP-6 "Peanuts Showing Characteristics of Freeze Damage" (Revised 9/89). Kernels affected by freezing or having characteristics of freezing injury usually have an abnormal appearance of the skin. It is slightly faded and usually dull in color, but is very different from the ordinary stain-type discoloration. The peanuts' veins are frequently brown and conspicuous.

Affected kernels must be peeled or split to determine the extent of injury before being scored as damage. The flesh of the half kernel must have an indication of freeze damage to be scored. The flesh will have a glassy or an abnormal dull appearance and may also show a noticeable yellow, brownish or grayish discoloration. Kernels having only a glassy appearance with no discoloration are scored as **damage** only if hard, brittle and/or have a distinctly objectionable taste. If the peanut has a definite rancid flavor, score it as damage regardless of skin or flesh color.

Unshelled Kernels

The term "unshelled kernels" is applied to developed peanuts (not raisins or twisters) that have all or portions of the shell attached. The shell of an unshelled kernel is not considered foreign material. Therefore, the peanut and shell are weighed together with the damaged kernels when determining the percentage of damaged and unshelled kernels.

Foreign Material (FM)

Generally speaking, FM is defined as anything other than peanut kernels. Materials most commonly found are stones, empty shells, sticks, pieces of vine (hay), lumps of dirt, seeds and raisins or twisters. Raisins or twisters are names applied to very immature peanut shells that are small, shriveled, tough and contain extremely small undeveloped kernels (Visual Aid PN-CP-8 is used to identify raisins or twisters for both milled and Farmers' Stock peanuts).

Because of the very small amount of FM present in shelled peanuts, it is unlikely that the sample customarily used for analysis will contain the proportionate amount of FM actually in the lot. In fact, the majority of samples analyzed are found to contain no FM, although it is almost a certainty that every shipment of peanuts contains at least small traces.

Minimum Sample Size for Determining FM

In order to maintain accuracy in lots graded U.S. No. 1 or better, the minimum size sample for determining FM is <u>double</u> the amount required for grade analysis (or "approximately double" for grades reported on computer-generated certificates). This is due to the fact that FM tolerances are so small. When doubling the FM analysis portion, the certificate must show that FM content was based on a 2,000 gram (or larger) analysis.

Describing FM

The kinds of FM and the number of pieces found in the sample may be reported on the certificate at an applicant's request. If unusual FM, such as glass, metal, etc., is found, it should always be noted on the inspection notesheet.

Analyzing a Larger Sample

With the exception of appeals, the size of the analysis sample is based on the size of the lot. (See chart on page 9). Analysis portions listed in the chart must be **doubled** for all appeals.

In instances where the analysis sample is adulterated, spilled, or otherwise unusable, another like-sized sample must be cut from the check sample. A larger sample is not required.

Weighing Defects

Carefully weigh all defective kernels and other classes of kernels sorted from the sample to the nearest one-tenth gram and calculate percentages to the nearest hundredth (second decimal point). A high degree of precision is required in peanut grading because of the relatively small tolerances involved.

(10) Analyzing Cleaned In-Shell Virginia Type Samples

Count Per Pound

To determine count per pound, take at least 4 half-pound "sub" samples from the thoroughly mixed main sample. (A half-pound is equal to 226.8 grams). Count the number of pods in each half-pound sample and base the count per pound on the *average* of these counts. A peanut with a hull only long enough to contain one kernel is counted as one-half peanut. Any loose shelled kernels (LSK's) or FM found in the sample must be excluded when weighing the half-pound portions, (but included when the sample is analyzed).

Weighing the Analysis Sample

As previously mention, the amount of sample drawn and analyzed is based on the overall size of the lot. For the minimum size sample for analysis, see the chart on page 9 of these instructions. A check sample **twice** the size of the grade analysis sample must also be weighed, set aside in a properly marked container, and held in storage for a period of 15 days. (See page 10.)

Screening

Because in-shell peanuts are difficult to size, they require a great deal of shaking to allow small peanuts the opportunity to fall through the sizing screen. Whether the sample analyzed is intended for a Fancy or Jumbo grade, make sure that the correct screen is used. Note: The screen must not be completely covered with peanuts as it is shaken.

The screen should be moved gently from side to side and from front to back. Frequent short, up-and-down shaking motions are needed to dislodge peanuts that tend to become wedged in the screen slots. Shake the screen until no more peanuts fall through. When the screen shaking has been completed, any peanuts that remain lodged in the slots should be tested by hand to determine whether they will pass through the screen slots when turned in another position. **DO NOT force peanuts through the screen openings.**

Sorting for Shell Defects

Peanuts that rode the screen and those that passed through the screen must be sorted to pick out those with grade defects affecting the shell. Each peanut must be picked up individually and turned over so that its entire surface may be seen. Any defective peanuts that rode the screen are combined and weighed with those defective peanuts that passed through the screen to determine total shell defects. The various types of shell defects are discussed in the following paragraphs.

Other Types

The standards require that the peanuts be "Virginia type," which includes many different varieties. Virginia type peanuts must not be mixed with Spanish, Runner, or Valencia types. The large screen openings usually prevent the smaller types from being mixed in a milled product. Generally speaking, this factor is rarely encountered.

Pops

Pops are peanut shells containing kernels that are so underdeveloped and/or badly shriveled as to be of practically no food value. In most cases, pops are removed from the heavier peanuts by suction during the milling process. Pops may be detected by the very light weight of a peanut when picked up individually. However, it is necessary to open the shell to verify that it is a pop. If a peanut contains one or more fairly well developed kernels, it should not be classed as a pop.

Cracked or Broken Shells

Present methods used for handling peanuts cause many to have cracked or broken shells; a very common defect. Only cracks or broken areas causing conspicuous openings or which seriously weaken a large portion of the shell, especially if the kernel inside is easily visible without application of pressure to force the edges of the crack apart, are scored as damage. Peanut Photo No. 7 illustrates the scoring line for cracked or broken shells.

Discoloration or Staining of Shells

A great many/majority of the shells in some lots show some light discoloration contrasting to the ideal buff color. The discoloration is generally due to either soil stain or to surface mildew that developed during the curing period. To be scorable as a grade defect, at least 50 percent of the shell surface, in the aggregate, must be affected by discoloration of a medium gray, medium brown, or a darker, more objectionable color. A peanut with less than 50 percent of its surface affected can not be scored as damage, even though the discoloration may be extremely dark and conspicuous. Color photo PEN-CP-4 is used for scoring shell discoloration. Application of pale grayish talc powder to the shells to lighten the color and improve the appearance of in-shell lots was a very common practice in the past, and still may be done at the buyer's request. When grading lots that have been "powdered" in such a manner, the talc must not be removed to determine the amount of shell discoloration. Instead, judge each peanut on the basis of its appearance with the talc adhering to its surface.

Adhering Dirt Affecting Shells

Adhering dirt affecting shells is scored as damage when readily apparent, dirt is caked, and its thickness is level with or above the natural veining of the shell.

Paper Ends

This term refers to peanuts that failed to develop a normal shell at the end opposite the stem. In some lots, many peanuts have shells that are comparatively thin and weak at the tip end. Score as a grade defect only when this condition is serious, i.e., when approximately 1/3 or more of the length of the peanut has a very undeveloped appearance and the shell is very thin and weak.

Shape

This is not a grade factor for in-shell peanuts and therefore is ignored, no matter how unusual a peanuts' shape may be.

Undersize Kernels Free From Shell Defects

After peanuts with external or shell defects (in addition to loose shelled peanuts and FM) have been picked out from the screenings, those remaining that have undamaged shells must be weighed and reported as "Peanuts with undamaged shells passing through ______."

(The "prescribed" screen for the grade being determined).

Loose Shelled Kernels (LSK's)

Any shelled kernels found in a sample of in-shell peanuts are classed as grade defects. They must be examined to determine whether any are damaged. (See pages 13 - 19). If not damaged, the kernels are combined with the peanuts with defective shells and both are weighed together. Any damaged LSK's present must be picked out and combined/weighed with peanuts having damaged kernels.

Foreign Material (FM)

Any dirt or other FM found in the sample must be picked out and weighed separately. The weight of the FM is then added to that of the peanuts scored for having defective shells. Although it is counted against the general tolerance for external defects, there is also a restrictive tolerance of one-half of one percent for FM. Broken, empty shells must also be included with the FM.

Weighing External Defects

When screening and sorting has been completed, all sorted items must be weighed and the weights recorded. This includes:

- 1. Undersize peanuts with shells that are not grade defects.
- 2. FM (Report zero if none present.)
- 3. Peanuts with defective shells and any undamaged LSK's. Those with defective shells that passed through the prescribed screen are weighed with those that rode the screen. Damaged LSK's must be set aside and later combined with peanuts having damaged kernels.

Examining Kernels for Defects When Hand Shelling

All in-shell peanuts in the analysis sample must be opened to examine the kernels for defects. The determination of internal quality is separate and distinct from that of the external quality and there are separate tolerances. A damaged kernel or kernels makes the entire peanut scorable against the tolerance for peanuts with damaged kernels even if one kernel in the pod is not damaged. In shelling the peanuts, special attention must be given those peanuts with defective shells because they are considered more likely to contain damaged kernels. It is advisable to open these first to get an idea of how the sample may be affected by kernel defects.

Examining Kernels for Defects When Machine Shelling

When machine shelling peanuts, it is practically impossible to keep the kernels and their corresponding shells together. Therefore, each time a damaged kernel is found among the shelled kernels, one-half (1/2) of a peanut shell must be taken from the shells and placed with the damaged kernel for scoring. This is done because most peanuts contain two kernels, thus making the ratio one-half of a shell to one kernel.

To conserve time on bulk loads it will be permissible to weigh an additional sample of the exact same weight as the original to determine and report the kernel grade factors. This would allow one sample to be shelled for the kernel grade factors while the original sample is used to determine external grade factors and size.

Kernel Defects

The standards for cleaned in-shell peanuts list six different kinds of defects as damage. Except for skin discoloration, all defects previously mentioned for shelled peanuts are scored the same way for the In-shell Virginia Jumbo and Fancy grades. The interpretations for scoring these kernel defects are provided in the instructions for grading shelled peanuts. The following defects specifically listed in the standards include:

Rancid or Decayed

(See page 18)

Moldy

(See page 18)

Insect Damage

(See page 19)

Flesh Discoloration

Surface flesh discoloration. Kernels that have a yellow or some darker, more objectionable color, such as purple or green, on enough of the surface to materially affect its appearance are scored as damage. (See color photograph for minor defects of shelled stock).

Penetrating Flesh Discoloration

Kernels that have a dark yellow or darker color penetrating the flesh, or yellow pitting extending deep into the kernel are scored as damage. (As a guide, see pages 15 - 17).

Sprouted

(Same as for minor defect. See page 18)

Dirty

(Same as for minor defect or damage. See page 18)

Freezing

(Not mentioned in standard, but scored as damage under general definition of damage. See page 19).

Skin Discoloration

Discoloration of the peanut <u>skin</u> is not a grade factor in the standards for cleaned in-shell peanuts. Peanuts having only discolored skins must <u>not</u> be scored as damaged.

Damaged LSK's

Any LSK's previously picked out of the screenings that are damaged by any of the factors listed must be included with peanuts having damaged kernels.

Weighing Peanuts with Damaged Kernels

Internally defective materials are only weighed once. This includes all kernels scored as damage, their shells, and any undamaged kernels that might have been contained in the same shell. In the case of machine shelled lots, shells must be placed with the damaged kernels at the ratio of 1/2 shell to 1 kernel. Also include any damaged LSK's found in the sample, but not sound or undamaged LSK's.

Step-by-step Grading Procedure for In-Shell Peanuts

To grade a sample of cleaned in-shell peanuts, take the following steps:

- 1. Thoroughly mix sample.
- Set aside and mark check sample.
- 3. Weigh analysis sample.
- 4. Determine count per pound.
- 5. Screen analysis sample.
- 6. Sort out peanuts with defective shells from those passing through screen.
- 7. Weigh and record weight of peanuts with undamaged shells passing screen
- 8. Sort out LSK's and separate into damaged and sound portions.
- 9. Sort out peanuts with defective shells from those riding screen.
- 10. Weigh and record weight of peanuts with defective shells plus undamaged LSK's.
- 11. Sort out, weigh, and record weight of FM.
- 12. Open all peanut shells for kernel examination.
- 13. Determine and record kernel moisture content.
- 14. (Optional) Weigh and record weight of split and broken kernels.
- 15. (Optional) Weigh and record total weight of kernels.
- 16. Pick out visibly damaged kernels and set aside (Note: Split and broken kernels should already have been set aside at this point if steps 14 and 15 were followed).
- 17. Split all remaining whole kernels and examine for damage.
- 18. Weigh and record weight of peanuts with damaged kernels plus damaged LSK's.

NOTE: A statement must be made in the "Remarks" section of the certificate when showing the results of optional Steps 14 and 15, adding "determined and reported at applicant's request."

(11) Certifying Lots of Valencia Type Peanuts

There are no established U.S. Grade Standards for grades of cleaned in-shell Valencia type peanuts. However, AMS-MOAB has established minimum specification for moisture, FM, and damaged kernels for Valencia-type peanuts shipped for human consumption.

For all lots of cleaned in-shell Valencia peanuts, damaged kernels must be based on the U.S. Standards for Cleaned Virginia Type Peanuts in the Shell. For determining shell discoloration, use USDA Visual Aid PN-2. For cracked/broken and other shell defects, unless otherwise specified by the applicant, use the USDA official "Guide for scoring Virginia type peanuts in the shell, Revised No. 7." The following statements must be made under "Remarks" on the peanut certificate for in-shell Valencia peanut lots:

"Cracked or broken shells, foreign material, and peanuts with damaged kernels based on U.S. Standards for Cleaned Virginia Type Peanuts in the Shell."

"Cracked or broken shells and discolored shells reported at applicant's request."

See Exhibit XXV for an example of an in-shell Valencia certificate.

There are also no established U.S. Standards for grades of shelled Valencia type peanuts. However, these peanuts can be certified based on the U.S. Standards for Grades of Shelled Spanish Type Peanuts at an applicant's request. The following statement must be made on the peanut certificate for shelled Valencia peanut lots:

GRADE: No Established U.S. Grade Standards

REMARKS: "Meets requirements of U.S. No. 1 grade based on U.S. Standards for Shelled Spanish Type Peanuts at applicant's request."

See Exhibit XXVI for an example of a shelled Valencia certificate.

(12) The Peanut Certificate - FV-184-9A/FV-184-9A-CG

Certificates used for peanuts may either be handwritten (FV-184-9A) or computer generated (FV-184-9A-CG). For the sake of simplicity, both certificates will hereafter be referred to simply as the "184-9A." This certificate differs from those used for most other commodities. The main differences include:

- 1. The hour/date sampling began and hour/date the analysis was completed is reported. In some cases, when the sheller is milling special sizes, it may take several days to accumulate enough containers for the desired lot size. The sampling time is the date and hour sampling first began;
- 2. Temperatures are **not** reported;
- 3. Grade factors are reported in tabular form; and
- 4. File copies of these certificates must be retained for a minimum of 3 years.

lo	1	Ide	ntii	fica	ition	
LV		IUC	7 I I L I	116		ı

A full description of the tags attached to a lot of peanuts must be made part of the certificate covering the grade of given lot. This is a vital link in the positive lot identification (PLI) procedure. The description must quote the FSIS stamp as well as the mill number, lot number and crop year. The color of the tags must also be reported.

Multiple Screen Sizes

When reporting a percentage of whole kernels riding a specified screen size, report the total percentage riding that screen size, including any kernels riding a larger screen size. For example: An American Peanut Shellers Association (APSA) "Medium Runner" lot contains 10% riding the 21/64 x 3/4 inch screen and 1% riding the 22/64 x 3/4 inch screen and the applicant requests this information be reported on the certificate. Report this lot as illustrated below:

Example
SIZE <u>2.00%</u> SOUND WHOLE KERNELS PASSING THROUGH <u>16/64 X 3/4</u> INCH <u>3/4 SLOT</u> SCREEN.
SOUND WHOLE KERNELS PASSING THROUGHINCHSCREEN.
11% XXXXX WHOLE KERNELS RIDING 21/64 X 3/4 INCH SLOT SCREEN INCLUDING 1% XXXXX WHOLE KERNELS RIDING 22/64 X 3/4 INCH SLOT SCREEN.
1% XXXXXXXXXXXXXXX X SOUND PORTIONS OF KERNELS PASSING THROUGH 17/64 INCH ROUND SCREEN.
% PEANUTS WITH UNDAMAGED SHELLS PASSING THROUGH INCH SCREEN.
COUNT AVERAGES PER POUND / OUNCE.
If the applicant requests that the percentage riding the larger screen not be included in the total percentage, an additional statement must be shown under the "SIZE" heading of the certificate as shown below.
SIZESOUND WHOLE KERNELS PASSING THROUGHINCH SCREEN.
% SOUND WHOLE KERNELS PASSING THROUGH INCH SCREEN.
1% XXXXX WHOLE KERNELS RIDING 22/64 X 3/4 INCH SLOT SCREEN.

$\underline{10\%}$ XXXXX WHOLE KERNELS RIDING $\underline{21/64}$ x $\underline{3/4}$ INCH SLOT SCREEN AND PASSING THROUGH 22/64 X 3/4 INCH SLOT SCREEN.

% SOUND WHOLE KERNELS AND PORTIONS OF KERNELS PASSING								
THROUGH INCH	SCREEN.							
COUNT AVERAGES	PER POUND / OUNCE.							

Examples of Grade and Remarks Statements

For all lots of peanuts offered for inspection that have U.S.-, MOAB-, or APSA-defined grades printed on the PLI tags or containers, the following will apply:

The grade statement must show if the lot meets or fails to meet the designated grade and the "Remarks" statement must show compliance or non-compliance with the MOAB minimum quality and handling standards for domestic and imported peanuts (7CFR, Part 996). If the lot fails to grade and/or fails MOAB requirements, "See Remarks" should always follow the grade statement. Further, anytime a lot fails to meet either the tagged grade or the requirements of the MOAB regulations, a statement must be made giving the reason the lot failed. If additional screen sizes are shown that are not requirements of the grade determined or the MOAB minimum quality requirements, an asterisk (*) must be shown to the left of that screen size and noted under "Remarks" that these sizes were reported at the applicant's request. (Unless a letter from the applicant requesting this information be reported on all certificates is on file with FSIS and/or FOS).

NOTE: Each certificate must indicate whether or not the lot meets MOAB human consumption or non-edible quality requirements as referenced in the Regulations. If the certificate shows the lot meets a "human consumption" grade, then no further mention of human consumption quality is necessary. However, if the lot fails to grade for any reason or is certified as meeting human consumption requirements with no grade referenced, but the lot meets MOAB Minimum Quality Standards, then a statement must be made under "Remarks" as follows: "Meets 7CFR, Part 996 for Human Consumption." If the lot is certified as meeting non-edible requirements, then the "Remarks" statement must read as follows: "Meets 7CFR, Part 996 for Non-Edible Quality."

Examples:

(Tagged U.S. No. 1 Runner)

(1) GRADE:

U.S. No. 1 Runner - See Remarks

REMARKS:

Meets requirements of 7CFR, Part 996 for Human Consumption.

(Tagged for U.S. No. 1 Spanish)

(2) GRADE:

Fails to grade U.S. No. 1 Spanish account split or broken -

See Remarks.

REMARKS:

Meets requirements of 7CFR, Part 996 for "Spanish with Splits."

(Tagged U.S. Runner Splits and Runner Splits)

(3) GRADE:

U.S. Runner Splits - Meets APSA "Runner Splits"

REMARKS:

Meets requirements of 7CFR, Part 996 for Human Consumption.

OR

GRADE:

U.S. Runner Splits - Fails to meet APSA requirements for

"Runner Splits" account damage - See Remarks.

REMARKS:

Meets requirements of 7CFR, Part 996 for Runner "Splits."

(Tagged U.S. No. 1 Runner & Jumbo Runner)

(4) GRADE:

U.S. No. 1 Runner - Meets APSA "Jumbo Runner."

REMARKS:

Meets requirements of 7CFR, Part 996 for Human Consumption.

OR

GRADE:

U.S. No. 1 Runner - Fails to meet APSA requirements for "Jumbo

Runner" account fall through. See Remarks.

REMARKS:

Meets requirements of 7CFR, Part 996 for Human Consumption.

(Tagged U.S. No. 2 Virginia)

(5) GRADE:

Fails to grade U.S. No. 2 Virginia account damage and minor

defects - See Remarks.

REMARKS:

Meets requirements of 7CFR, Part 996 for "No. 2 Virginia."

OR

GRADE:

Fails to grade U.S. No. 2 Virginia account damage and minor

defects - See Remarks.

REMARKS:

Fails to meet requirements of 7CFR, Part 996 for "No. 2 Virginia"

account damage."

OR

GRADE:

U.S. No. 2 Virginia - See Remarks.

REMARKS:

Fails to meet requirements of 7CFR, Part 996 for "No. 2 Virginia"

account damage.

(Tagged U.S. No. 1 Runner - Applicant requested count be certified with grade)

(6) GRADE:

U.S. No. 1 Runner - 36 count per ounce.

REMARKS:

Meets requirements of 7CFR, Part 996 for Human Consumption.

(If the above lot had been tagged to a higher count range, such as "38-42 count" or simply "38-42," then the lot would have failed to meet count as marked.)

(Tagged U.S. Runner Splits & Runner Splits)

(7) GRADE:

Fails to grade U.S. Runner Splits and APSA "Runner Splits"

account damage and minor defects - See Remarks.

REMARKS:

Meets requirements of 7CFR, Part 996 for Runner "Splits."

OR

GRADE:

Fails to grade U.S. Runner Splits and APSA Runner Splits account

fall through - See Remarks.

REMARKS:

Meets requirements of 7CFR, Part 996 for Runner "Splits."

OR

GRADE:

U.S. Runner Splits. Fails to meet APSA requirements for

"Runner Splits account damage. - See Remarks.

REMARKS:

Meets requirements of 7CFR, Part 996 for Runner "Splits."

(Tagged U.S. No. 2 Virginia and/or No. 2 Virginia)

(8) GRADE:

U.S. No. 2 Virginia.

REMARKS:

Meets requirements of 7CFR, Part 996 for "No. 2 Virginia."

For all lots of peanuts offered for inspection that have no grade designation on tags or for bulk lots without tags, the following applies:

The grade statement must show if the lot meets or fails to meet the grade requested by the applicant and the "Remarks" statement must show compliance or non-compliance with MOAB Minimum Quality Regulations as well as any additional sizes reported at applicant's request. However, if the applicant asks that the *best possible grade* ("Jumbo Runner," "Medium Runner," "No. 1 Runner," etc.) be determined for a lot of peanuts, it is permissible to show only the highest grade the lot meets under the grade statement. In such cases, an asterisk (*) must be shown next to the grade statement with an additional statement made under "Remarks" that the grade was determined at the applicant's request *unless* a letter from the applicant is on file requesting the highest grade be determined on all lots graded at that facility or for that company.

Examples:

Lot sized over the 21/64 inch screen for APSA "Jumbo Runner" and contained excess fall through for that grade, but met the requirements of the Medium Runner grade.

(1) GRADE:

* Meets APSA Medium Runner

REMARKS:

Meets requirements of 7CFR, Part 996 for Human Consumption,

* Size and grade determined and reported at applicant's request.

OR

(2) GRADE:

* See Remarks

REMARKS:

Meets requirements of 7CFR, Part 996 for "Runner with Splits."

* Size and grade determined and reported at applicant's request.

For lots known to be destined for the FSA PP-9 peanut purchase program, use the following statement(s) under "Remarks" in addition to those listed above:

REMARKS:

Meets requirements of 7CFR, Part 996 for Human Consumption.

Meets requirements of FSA Announcement PP-9 for <u>peanut butter</u>. (or <u>peanut granules</u> or <u>roasted peanuts</u>, whichever applies).

Correcting Certificates

Every possible effort should be made to enter accurate statements and data on certificates. However, if a mistake is made on a handwritten certificate necessitating a correction, care must be taken to show that the change is official. Any change must be accompanied by the initials of the inspector. Do not erase or obliterate any incorrect data. Instead, draw a single line through the error, initial the error, and record the correct data, in ink, as close as possible to the change. Computer generated certificates must be voided or superseded and then reprinted with the correct information/data.

Voiding Certificates

If a serious mistake or several minor mistakes have been made, it is preferable to void the certificate and subsequently issue another one. In such cases, the word "Void" must be written diagonally across the face of the certificate. Voids must be kept on file with copies of issued certificates. If copies have been issued and left the sight of the inspector, the certificate must be superceded, not voided, regardless of whether or not all copies are returned.

(13) Reinspections

Change in Quality

Although peanuts are a fairly stable commodity, there will be instances when changes occur between the time of inspection and their final use. Inspectors must always check with the Federal Program Manager or State Supervisor prior to reporting the results of a reinspection. If supervisors have doubts as to what position to take regarding reinspections, they should contact FOS for guidance.

Confirmation (Update) Inspections

A receiver may request a subsequent inspection in order to ascertain that the quality of peanuts is satisfactory. In such cases, the applicant is not contesting the results of the original inspection, but only wants another inspection to ensure that the quality of the peanuts has not deteriorated since the original inspection.

When inspecting a shipment of peanuts showing evidence of a previous inspection, the inspector must obtain information about the results of the first inspection. If the results of the second inspection are generally in agreement with those of the first inspection, the certificate may be issued with reference to the previous certificate made under "Remarks."

However, if the second inspection results are in conflict with the first inspection by a significant amount, the inspector must contact their supervisor for guidance, after which FOS must be contacted for a decision as to whether an "appeal situation" exists. Generally, an appeal situation exists if the conflict between the two inspections is due to a factor(s) that could not have changed since the first inspection or if the difference between the two inspections is due to a progressive "condition" factor (wetness, mold, etc.) and is so great that the elapsed time between

the two inspections can not account for the difference. In such instances, the results of the first inspection are discarded and the applicant is given the option of requesting an appeal inspection. If FOS decides that an appeal situation does not exist, the results of the original inspection will stand.

If the identity of the lot is not clearly tied to the shipping point inspection certificate by some form of lot identification, the shipping point certificate may be ignored and a new certificate issued without reference to it.

Appeal Inspections

Any financially interested party may request an appeal inspection if it is believed that the original inspection report is in error. In such cases, if lot identification cannot be established with a reasonable degree of certainty, i.e., via PLI, USDA/FSIS seals, tags, or in some cases, car numbers or trailer licenses, then there is not sufficient basis for handling the inspection as an appeal.

Appeal inspections on **Intrastate Shipments** (those remaining in the boundaries of a State) must be computer generated, typed, or legibly handwritten and reported on the a 184-9A. Whenever possible, appeals should be conducted by two licensees, one of which must be approved for supervisory work.

Appeal inspections on Interstate Shipments (those moved to another State) must be reported on an FV-300 certificate and must be performed by an inspector who at least has "collaborator" status. The Federal Program Manager, or in their absence, the State Supervisor, must be notified and receive a copy of all appeals. Request for authority to reverse or sustain must be directed to FOS prior to reporting the results to the applicant or issuing the appeal certificate. An appeal inspection certificate must include a statement under "Remarks" showing whether the grade is sustained or reversed.

"Remarks" Statement Examples for Appeal Inspections

Sustained Lot. "This certif	ficate covers an appeal inspection of the above described lot
that was previously inspecte	ed November 10, 2003, and reported on Georgia Federal-Stat
certificate number	which is hereby sustained."
	d on Georgia Federal-State certificate number
which is hereby reversed as	to percentage of damage and minor defects."

Fees for Appeal Inspections

The standard procedure for billing appeal inspections is to make no charge for an inspection that reverses the original inspection except for mileage, per diem, overtime, or related expenses. However, if the original inspection is sustained, the customary fee charges are applied.

Second Inspection in Market

When a reinspection is requested on a lot previously inspected in the market, it must be handled as an appeal unless there are some unusual circumstances justifying a new inspection. Such an appeal inspection must be handled in the same manner as described for handling appeal inspections on **interstate** shipments, with an entirely new sample drawn for the inspection.

(14) Reporting Moisture Content

There are no moisture requirements in the U.S. Standards for Grades of Shelled or Cleaned in the Shell Peanuts. However, a moisture determination is required on all peanuts subject to MOAB Regulations or APSA grades. A well mixed portion from the grade sample is used for the moisture test. Moisture content must be determined by an officially approved electric moisture tester and the actual percentage reported in hundredths. **EXAMPLE**: 6.45%.

Shipping Point

All offices are equipped with electronic moisture testers for determining moisture content. Approved moisture testers include three Dickey-john models (GAC-II, GAC-2000, and GAC 2100) and four Steinlite models (DMP, SL-95, PT-2B, and G.) Refer to the Farmers' Stock Handbook for details on the procedure for performing a moisture test. If a lot fails to meet the requirements of the MOAB Regulations account of moisture and is offered for reinspection at a later date, a complete grade analysis must be performed. Since the drying process can cause additional splits and/or fall-through, it is not permissible to restrict such subsequent inspections to "moisture only."

Market Offices

Moisture testers are not available in market inspection offices. Therefore, moisture determinations are made only upon request by an applicant. If so requested, a moisture sample of at least 300 grams must be placed in an airtight, closed container for shipment to the laboratory. This will prevent any change in moisture content during the interval between sampling, transit, and analysis.

Analyses for moisture content can be made in one of two ways - electric meter or air oven (the standard reference method). If the applicant requests analysis using an electric meter, send the sample to the FSIS office where the peanuts originated from. (If unsure, contact FOS for guidance). However, if the applicant requests analysis using the air oven method, properly identified samples must be sent to the USDA, AMS, Science and Technology Programs (STP) laboratory in Blakely, Georgia. Their address is: USDA, AMS, STP, Blakely Aflatoxin Laboratory, 959 North Main Street, Blakely, GA. 39823-2030, Phone (229) 723-4570, Fax (229) 723-3294.

Moisture results are reported under the "Quality" heading on the certificate as follows: "Moisture content (by oven, if requested) 8.78%." Further, a statement that the applicant requested the moisture test must be made under "Remarks." An additional fee must also be

charged for moisture analysis. Check with your immediate supervisor for the current fee schedule.

Provisions will be made by FOS to transfer moisture test fees to the STP. In cases where *only* a moisture determination is required, the applicant should be billed the current moisture analysis fee *plus* an hourly charge for the time required to draw the sample and send it to the STP Laboratory.

Delay in Running Moisture Test

In cases where a delay of more than one-half day transpires prior to analysis, moisture content might be affected due to warm, dry air in the grading room. Because of this, inspectors must make every effort to run moisture analyses at the time samples are first brought into the office or grading room. However, when this cannot be done and the moisture test is run on a different date than the analysis date, report the following under "Remarks:" "Moisture determined on __(DATE)__."

(15) Distribution of the 184-9A Certificate

Use the following as a guide for distributing copies of handwritten 184-9A certificates:

ORIGINAL (White) Applicant

1st Copy (Yellow) FSIS File

2nd Copy (Blue) MOAB / MOAB Designee

3rd Copy (Pink) Aflatoxin Laboratory (Attached with lab sample)

4th Copy (Green) Aflatoxin Laboratory (Lab Copy)

5th Copy (Salmon) Applicant

6th Copy (Buff) FSIS District Office

7th Copy (Goldenrod) Receiver or Applicant (Or attach to oil sample)

Where in-plant grading is not performed, it may be necessary for the 4th copy (green) to accompany the ground meal sample to the lab. Be sure to include all pertinent information and lot identification. The grade information and/or factor analysis need not be included in order to forward this copy to the lab. In such cases, the size, quality, and grade portion of the certificate should be crossed out and the sampler must sign their name under the "Remarks" section.

The 3rd copy (Pink), with complete grade information, must be forwarded to the STP lab upon completion of the inspection. STP will match up the green and pink copies, print aflatoxin analysis results on each, and forward the pink copy to MOAB (or their designee). Copies of the 184-9A must be sent to MOAB on all lots that fail to meet human consumption requirements. However, to assist in readily identifying these lots, MOAB requests that the words "Fails Human Consumption" be written or stamped in large letters on their copy of the certificate, (both handwritten and computer generated), preferably with red ink.

Use the following as a guide for distributing copies of *computer generated* 184-9A certificates:

- 1. Applicant
- 2. FSIS File (Main Office)
- 3. FSIS District Office / File
- 4. MOAB / MOAB Designee
- 5. Aflatoxin Laboratory
- 6. Aflatoxin Laboratory
- 7. Oil Analysis

NOTE: For computer generated 184-9A's, 6 certificates are printed for all lots except oil analysis lots, for which 7 certificates are printed.

Copies of all milled peanut inspection certificates must be sent to MOAB in Washington D.C. or, in lieu of that, to a representative designated by MOAB. This includes lots that meet as well as those that fail to meet the requirements of 7CFR part 996. As of August 2004, MOAB has requested that certificate copies be sent to their designated representative, Tabb & Associates. Their address is:

Tabb & Associates 2537 Lafayette Plaza Drive Suite A Albany, GA 31707

Of course, this could change at some future date. In light of this, make sure to check with your supervisor to ascertain where to send certificate copies for any specific growing and marketing season. If copies must be sent directly to MOAB, their address is:

Office of the Chief USDA-AMS Fruit and Vegetable Programs Marketing Order Administrative Branch P.O. Box 96456, Room 2523 South Building Washington, D.C. 20090-6456

Part II Positive Lot Identification (PLI) of Milled Peanuts

(1) General

This part of the handbook outlines the general procedure to follow for maintaining PLI of milled peanuts (cleaned in-shell and shelled stock). Included are instructions pertaining to the issuance of pre-stamped tags, tag accountability, assignment of lot numbers, and sampling. Any major deviation from these instructions must be approved by FOS.

(2) Purpose

Positive identification of a lot of shelled/in-shell peanuts in connection with inspection is intended to tie the inspection certificate to the lot. This is done so that there can be no doubt that the peanuts delivered are the same as those described on a certificate.

(3) Methods of Identification

Lot-Numbered Tags for Individual Bags

This method consists of attaching a lot-numbered tag bearing the official stamp of the Inspection Service to each filled bag in the lot. This is the only approved method of PLIing bags.

Sealing Loaded Conveyances

This method of maintaining a lot's identity consists of loading a lot (other than bags) into a closed vehicle during or after sampling. After closing the door(s) of the vehicle, serially numbered seals are applied by the inspector or under their supervision. The serial numbers used are then reported on the certificate along with all other facts describing the lot. Only Federal or Federal-State issued seals may be used. Under no circumstances will company or industry seals be permitted.

(4) MOAB and CCC Lot Identification Requirements

All milled peanut lots shipped to the edible trade are required to be inspected and PLI'd.

NOTE: Lots that have been previously inspected and certified as meeting MOAB regulations and are reconstituted at the request of the receiver do <u>not</u> have to be reinspected, nor do they have to be PLI'd when shipped.

Sack Lots

For sacked peanuts, a lot-numbered tag bearing the official stamp of the Inspection Service must be attached to each filled sack in the lot. For shelled peanuts, the tag must be machine sewn into the closure of the sack. In-shell peanuts are permitted to be packed in hand sewn burlap or open mesh sacks. If heat-sealed plastic bags are used, the tag must be inserted inside the bag prior to sealing so that the official stamp is visible.

Reuse of Tags is Prohibited

Tags showing evidence of previous use, such as needle holes or a line perforation from a prior sewing, may not be used. Any deviation from this policy must be approved by FOS.

MOAB regulations require that "the crop year that is shown on the positive lot tag must accurately describe the crop year in which the peanuts were produced rather than the calendar year." If the accuracy of the crop year listed on the PLI tags is questionable, inspectors must notify their supervisor so that they can subsequently alert MOAB or their designee.

Bulk Loads

Lots shipped in bulk, such as in hopper cars, must have their lot identity maintained by sealing the conveyance. A lot number must also be assigned. (Exception: See "Note" at bottom of previous page).

(5) PLI of Peanuts In Bulk Bins

The Inspection Service recognizes there is no fool proof method of identifying bulk bins. The present system of taping tags to the bins is satisfactory, provided the system is carefully monitored. It is the Inspection Service's responsibility to adequately train inspectors as well as industry personnel in properly applying tape and tags to lids and bins to ensure that the PLI policies are being followed. In order to maintain the credibility and integrity of PLI, the following basic requirements must be adhered to:

Condition of Bins

Inspectors should periodically check bins prior to use to ensure they are in a sanitary condition and free from filth, such as bird or rodent droppings, wood scraps, paper, plastic or metal fragments, etc. If bins are found to be unsatisfactory, the inspector must advise the appropriate plant personnel. If no attempt is made to correct this condition, inspectors should notify their immediate supervisor.

While the Inspection Service does not require that bins be new, they must at least be in fairly good condition. PLI can be refused if the containers cannot properly hold peanuts or if the containers rigidity/shape has been compromised to the point that tags, tape and/or strapping cannot be properly applied. Contact your supervisor if unsure whether bins are in a suitable condition to receive product and be PLI'd.

PLI

As a licensed inspector, you are responsible for maintaining the PLI of each bulk lot certified to ensure that the certificate represents the same lot that was sampled and graded by FSIS.

PLI must be applied immediately after containers are filled, sampled, and lidded. If containers have to be moved unlidded to another area or location in the plant, it must be done under continuous surveillance of the Inspection Service.

To maintain and certify PLI of peanuts in large, bulk holding bins, the following procedure must be followed:

- 1. Check the container to see that is it empty prior to filling.
- 2. Check the top of the container to ensure peanuts are going into the correct container.
- 3. To maintain PLI, use an FSIS lock or seal to secure the bottom of the container.
- 4. During the production of the lot, periodically monitor the official sampler, sample bin, and the conveyer dumping peanuts into the container.
- 5. Upon completion of the lot, PLI must be maintained until the lot has been certified as meeting the USDA, MOAB regulations for quality and aflatoxin or until such time as the applicant reconstitutes a passing lot and requests that PLI no longer be maintained.
- 6. If the bulk container(s) have a lid, then it must be PLI'd with a seal or lock. In lieu of this, the licensee at the inspection site must maintain surveillance of the lot to ensure PLI.
- 7. Any time the licensee is absent from the inspection site, the top of the container(s) must be secured and PLI'd or the conveyance (elevator/conveyor) that moves the product into the container(s) must be secured with an FSIS lock or seal to prevent movement of peanuts into any of the bulk containers.
- 8. After the lot has been certified by FSIS, licenses must maintain close communications with the applicant's representative concerning maintaining PLI, especially if the licensee(s) will be leaving the inspection site.

Supervisors must ensure that all licensees receive, read, and comply with these instructions.

Application of Non-Bar Coded PLI Tags

Bulk Bins

For non-barcode-type PLI tags, individual containers are considered PLI'd when tagged with two (2) FSIS lot tags and taped. Tape can be applied over the tag and lid in one of two ways:

- 1. Tape on and over lids, over the tags and down the side of the container. (Illustrations 1 and 3)
- 2. Tape is tucked under the lid allowing for expansion of the lid when containers are moved. (Illustration 2)


It is essential to use a clear tape that allows the tag to be seen through any portion of the tape.


Two straps must be applied. Although strapping does not constitute PLI, it is necessary for PLI to be maintained. The only exception to this two strap requirement is for lots that are going for manufacture on the same premises as the shelling operation. For these lots, only one strap is required. If the tape comes loose from the containers, the lot will lose its PLI and must be resampled.

Tote or Super Sacks

Bring flaps together, twist, and tie with either twine or plastic clips that can be tightened over the TOP flap. The bottom opening is not sealed.


PLI is a critical factor with the peanut industry and its credibility and significance can only be maintained through alertness by all responsible for it. Nothing must be taken for granted. Even the most conscientious operator does not know where their help is at times. Inspection Service personnel must realize that they are heavily involved in PLI and the peanut industry places unqualified trust in us that it can be managed error free.





Notice tag is attached by tape to lid & box. Tag is put 1/2 under strap leaving room for tape To secure tag to box & lid.

DO NOT LET TAPE TOUCH STRAP



Application of Bar Coded PLI Tags

Tags

Some PLI tags have been designed to include bar coding as another way to monitor/track PLI tags and lots. (See Illustration 4 below). Bar coded PLI tags must include all the information required by the USDA for PLI and must include bar codes as determined by the e-Commerce Committee of the American Peanut Council. Generally, tags for tote/bulk sacks and bulk bins will have an adhesive backing, while bag tags will not.



Illustration 4

Bags

The bar coded PLI tag must be sewn onto each bag in the lot at the time the bag is sewn shut. The stitching on the tag must be approximately one inch from the edge of the tag on the end with the most space devoid of print. The stitching must be sewn parallel to the edge of the tag in such a way that it does not cross the bar code and the tag is securely fastened to the bag.

Bulk Bins

Two tags must be applied to each bulk bin. One tag is used for PLI purposes and must also be accessible to a bar code reader. This tag must be placed on one side of the bin where the strap has been applied vertically around the bin and must be heat sealed or secured with a permanent seal. The adhesive backing must be removed and the end with the most space devoid of print must be placed on the strap with approximately one inch of overlap. The overlap then is folded back under the strap with at least 1/4 inch of the overlap adhering to the back of the tag. The remainder of the tag is then pressed and adhered onto the side of the bulk bins' lid. The second tag must be placed on the side of the lid of the bilk bin and on the opposite side of the tag used for PLI. This tag must be accessible to a bar code reader, but will not be acceptable for PLI purposes (if not attached to the strap as mentioned above). See Illustration 5 on following page.




Illustration 5

Tote or Super Sacks

One tag must be used on the tie-string used to close the sack. Once the sack is filled and closed, the tie-string must be tied as close to the sack as possible. The end of the tag with the most space devoid of print must have approximately 2 inches of backing removed and must be placed on the strap with approximately one inch of overlap. The overlap is then folded back under the tie-string with at least 1/4 inch of the tag being adhered onto the back of the tag. This allows the tag to be used for PLI purposes while also allowing for bar code scanning. An additional tag may be used for bar code purposes only at an applicant's request. This tag may be applied in any way acceptable to the applicant. See Illustration 6 below.





Illustration 6

Bulk Lots in Rail Cars

Official USDA PLI car seals must be used for applying PLI to rail cars. One tag for each lot in an individual rail car must be provided to the applicant. These tags are subsequently required to be placed on the placard of the rail car for bar code reader accessibility.


Locations for Bar Coded PLI Tag and Scannable Identification Tag on Cardboard Bins

(Both tags are identical with duplicate sequential numbers)



Locations for Bar Code PLI & Scannable Identification Tag on Tote or Super Sacks

(Both tags are identical with duplicate sequential numbers)



Applying PLI Tags to Transferred Out-of-State Lots

Three methods of PLI are approved for tagging out-of-state peanut lots that are transferred from one type of container (bags, bins, totes, super sacks, etc) to another. They are:

- 1. Apply your own State's PLI tag once the lot is transferred;
- 2. Request PLI tags from the originating State to apply to the transferred lot. (This method may cause some delays.); or
- 3. Create a PLI tag that actually states that the lot is a "transfer."

Option three may prove beneficial in cases where the transfer takes place at a cold storage facility for which no house number exists. At the supervisor's discretion, a house number may be assigned to a cold storage facility or, as an alternative, the abbreviation "CS" may be used as the house number.

In all cases, make sure that it is clear that the lot was originally graded and certified in another State as it is imperative that the transferred lot not be misrepresented as to its State of origin. This can be accomplished by adding the following statement in the "Remarks" section of the transfer certificate (FV-184-12):

REMARKS: "Lot originally certified by (State of Origin) Federal-State Inspection Service."

(6) Method for Applying Tags

Stamp

An approved rubber stamp of uniform design, save for the name of the cooperating State, must be used to mark the bag tags for identification. This stamp includes changeable plant numbers and lot numbers.

Inspector's Stamp

Each shipping point inspector who is required to PLI lots must be issued an inspection stamp. It will be assigned to the inspector for the duration of their assignment in that particular office or until the stamp is reassigned. Inspectors must keep the stamp exclusively in their possession and be responsible for it as long as it is on issue to them.

Mill Identification Number

Each peanut shelling plant, in the State must be assigned a number. Plants are not permitted to use a mill number that has been assigned to another plant, even in the case of multiplant operations under one company name. The PLI tags must show the plant number where the actual milling or remilling is being done.

Lot Identification Number

Each lot must be assigned a number and the tag on every container in that lot must bear the same lot number. A specific lot number must **not** be used more than once at any one mill during a specific crop marketing year. This will ensure that every lot will have its own distinct number.

Tags

The tags used to identify the containers in the lot must be supplied by the sheller (or other applicant for inspection). They may be printed with the sheller's name and the weight and grade of the peanuts, but the reverse side of the tags must bear no printing in order to allow room for the impression of the stamp.

Stamping

The tag on every container in the lot must bear the inspection stamp mark. The tags may be stamped after they are sewn on the bags as the inspector draws the sample or they may be stamped before they are sewn on the bags. Whichever method is used should be agreed upon by the sheller and the Inspection Service and is subject to certain basic precautions to ensure the effectiveness of the system.

Tags Stamped When Inspected

If the tags will be lot-number stamped as the lot is inspected, the sheller must stack the entire lot's tagged sacks so that both ends of each sack are exposed to view. Thus, all of the sewn-on tags will be accessible. The inspector must (a) sample the lot in the prescribed manner, (b) stamp every tag in the lot with the appropriate plant number and a specific lot number, and (c) determine the exact number of sacks in the lot to be reported on the certificate. Records on such lots must be maintained in the same manner as described for lots using pre-stamped tags.

If all of the sacks in the lot inspected and covered by the certificate are not shipped, the certificate will be just as valid for the lesser number, whatever it may be. However, the certificate cannot be used to represent a greater number of sacks than the number shown on its face. If some of the sacks in the lot are not shipped, they may be handled as instructed under "Maximum Lot Size for Edible Shipments." (See page 80.)

(7) Pre-Stamped Tags

Tags Stamped Prior To Inspection

In most cases, it is impractical to attempt to stamp tags after they have been placed onto the containers. Consequently, a system has been devised whereby the sheller may be supplied with a specific number of pre-stamped tags to be sewn onto sacks or attached to bulk containers as they are filled and closed to await sampling and analysis by the inspector.

The procedure to be followed for this type of inspection is outlined below:

- (a) The sheller orders pre-stamped tags from the Inspection Service in advance, specifying the type, grade or quality, and the number of containers they intend to pack in each lot. Orders will usually consist of sets of tags for several separate lots.
- (b) Upon receipt of the order, all necessary information is recorded and a lot number assigned to each lot. (See the suggested recording sheet on page 54).
- (c) The tags are then prepared by the Inspection Service. The FSIS inspection stamp, mill number, assigned lot number, and crop-year are imprinted on each tag. The tags are carefully counted to ensure the number conforms to the number requested by the applicant for that lot, plus a specified number (usually 15) of extra tags for FSIS or emergency use. One additional tag must be stamped and retained for the office records. The date the tags are issued is also recorded.
- (d) Packaging the tags consists of binding each set securely together and, if several sets are placed in a larger package, the package must be marked to describe the sets of tags included therein. The sets of tags are then delivered to the sheller. The sheller (or their representative) must sign a form acknowledging receipt of the tags with each delivery. The receipt form should list and briefly describe each lot of tags and the date issued. The signed receipt form must be filed with the sample tag under the name of the shelling plant to which the tags were issued. Each inspection office must systematically maintain records of all transactions involving "pre-stamped" tags. These records must be entered in a book similar to the inspection car record or certificate record book.

Shellers must be advised that they are held accountable by the Inspection Service for all pre-stamped tags issued to them. When more than 10 tags cannot be accounted for, the applicant must provide a written explanation to the FSIS office as to why the tags are missing. Subsequently, FSIS must forward a copy of the letter of explanation to FOS.

Tags that are to be pre-stamped may be provided by the Inspection Service or by the sheller, depending upon local arrangements. Recommended material for the tags is strong, thin cardboard, approximately 4 x 8 inches in size. The color of tags may be varied to signify different types and/or grades of peanuts as designated by industry groups or individuals. One side of the tag may be printed in advance with information identifying the shipper and describing the quality and quantity of the contents of the container to which it will be attached.

Assigning Lot Numbers

There are several methods of assigning PLI lot numbers. Two methods are shown in the following paragraphs. However, regardless of the method used, extreme care must be taken to avoid duplication of lot numbers.

- (a) Starting at the beginning of the crop year with lot No. 1, the lot, grade, and type of peanuts from each mill is assigned a consecutive number. For example, a mill will have lot No. 1 Extra Large Grade, and lot No. 1 Medium Grade, and lot No. 1 U.S. No. 1 Grade, etc. Similarly, another mill will have lots No. 1 for Spanish and Runner U.S. No. 1 Grade, etc. However, no two lots of the same grade and type from one mill must bear the same lot number during a single crop-year.
 - To avoid confusion and possible duplication of lot numbers, separate record sheets must be used for listing lot numbers (and number of tags issued for that lot) assigned for each different type and grade at each shelling plant.
- (b) Another method of assigning lot numbers to an individual mill is to start with lot No. 1 at the beginning of the crop-year and use consecutive numbering for the remainder of that year, regardless of type or grade of the lots.
- (c) Even though lot tags are not issued on bulk carriers (hopper cars or bulk loads), it will be necessary to assign lot numbers in order to assist handlers and MOAB in handling potential complaints. Therefore, a lot number must be assigned to each load by the Inspection Service or the applicant. The lot number must be preceded by the letter "B" to denote "bulk" and must also appear on the certificate.

Attaching Tags

The sheller must attach a pre-stamped tag to each container as they are closed after filling. For sacks, the sewing machine operator holds the tag against the sack in front of the machine in a position so that it is firmly stitched to the sacks. Tags must be held so that the stitching will cross them about an inch or more from the end, thus reducing the likelihood of the tags being accidentally torn off in handling.

The sheller must stack containers together in such a way that they are easily accessible for sampling. (Example: For sacks, both ends of each sack must be exposed. This avoids potential confusion or commingling with other lots that may be stored in the same area).

Any stamped tags not attached to containers after the entire lot has been filled and closed must be returned to the inspector who will destroy them after they are properly counted and recorded. The lot number assigned to this lot will not be used again.

The inspector must inspect and draw samples at random from containers scattered throughout the lot in the prescribed manner. At the same time, they must examine the PLI tags on as many or more containers than were sampled to ascertain that all bear tags with the same lot identification. The inspector also must make a count of the containers, making sure they do not exceed the number of pre-stamped tags previously prepared for the lot.

Lastly, the inspector must analyze a sample and issue a certificate reporting the grade, the brand marks on the containers, information on the tags, including the three identifying numbers, and the exact number of containers in the lot if sampled after packaging or an approximate count of containers in the lot if sampled with an in-line automatic sampler during packaging.

(8) Collecting Unused Pre-stamped Tags

Inspectors must obtain any unused pre-stamped tags for the lot being sampled from the sheller. The inspector must know in advance the exact number of tags issued to the sheller for that particular lot. For example, if the records show that the number of pre-stamped tags originally issued for lot No. 27 was 415 and there are only 400 sacks in lot No. 27, then the sheller must return the 15 unused tags or give a reasonable explanation of why some or all of them are missing.

<u>All</u> unused tags must be returned to the inspection office. The number of tags returned must be entered on the record sheet opposite the number of tags originally issued to the sheller. The number of sacks reported on the inspection certificate plus the number of unused tags returned must equal the number of pre-stamped tags originally issued to the sheller for that lot. Unused tags must be destroyed after the records are complete. This must only be done by the Inspection Service, not by the sheller.

(9) Recording Inspected Lots

As soon as the inspection is completed, the following information must be entered on the record sheet opposite the entries made when the pre-stamped tags were originally issued for that lot:

- Date of inspection
- Certificate number
- Conformity to MOAB minimum quality and handling requirements
- Number of containers in the lot
- Number of unused tags returned
- Remarks (if any)

By law, lots that fail to meet MOAB requirements may not be shipped to buyers for edible use. Failing lots must either be remilled in an attempt to bring them up to minimum MOAB standards or diverted for domestic or export crushing. When a lot fails to meet MOAB requirements, a notation stating this fact must be made on the record sheet in the appropriate space. Also, a copy of the grade certificate must be sent to MOAB in Washington, D.C. (or their designated representative). If the lot is sold for oil stock or non-edible quality, the attached tags may be left on the sacks for identification purposes provided that a certificate is issued certifying that the lot meets MOAB requirements for non-edible quality. The Inspection Service must inform applicants that PLI tags used on lots that are not inspected must be returned to FSIS for accountability.

(10) Closing Out Tag Inventory

All unused lots of pre-stamped tags must be reclaimed, accounted for, and destroyed at the end of the crop-year milling operation. When a shelling plant has completed its milling operation for the crop-year, the Inspection Service must review the record sheets to determine whether any lot(s) or pre-stamped tags issued to that plant are unaccounted for.

Any such unused tags must be obtained from the mill by the local inspector or supervisor and taken to the inspection office where they are counted, recorded on the record sheet, and subsequently destroyed. As previously noted, the Inspection Service requires a written explanation from the sheller for any unused lot tags not accounted for at the time. If the Inspection Service feels that the sheller's explanation is insufficient, that steps have not been taken to rectify the problem, and/or that the integrity of the PLI program has been jeopardized, that facility may have to be issued a written warning requiring corrections to their PLI tag accountability system that are acceptable to AMS/FSIS or face the possibility that PLI tags will have to be issued for future lots on a lot-by-lot basis.

(11) Record Sheet

A sample of a record sheet is illustrated on the following page. It shows the suggested arrangement of columns for recording the information necessary for use of the PLI system. In lieu of maintaining a physical (hard copy) PLI Record Sheet, records may be stored electronically on computers.

Example

RECORD OF PEANUT POSITIVE LOT IDENTIFICATION TAGS

LOCATION:

APPLICANT:

HOUSE #:

												-
	١											
							÷					
		·										
2.												
			·									
			٠			-						
								,				
												-
											·	,
										·		
·									3			

Part III The Notice of Sampling - Form FV-187/FV-187-CG

(1) General

The Notice of Sampling is a form used for identifying a sample of peanuts being sent to a laboratory for aflatoxin analysis. It also serves to provide a detailed description of a peanut lot sampled for grade as well as other products sampled for grade and/or chemical analysis. The Notice of Sampling may either be handwritten (FV-187) or computer generated (FV-187-CG). For the sake of simplicity, both forms will hereafter be referred to simply as the "187."

Because of the large number of samples analyzed in marketing peanuts in the U.S., it is considered essential that complete information accompany each sample to the laboratory.

"Notice of Sampling"

The 187 (or the 184-9A, which also incorporates an abridged version of the 187) must be issued by the Inspection Service for every sample of peanuts sent to a laboratory for aflatoxin analysis. This includes samples sent to USDA-approved laboratories as well as those operated by USDA-STP. Part IV of these instructions should be reviewed for special instructions for the various types of samples that may be requested.

(2) Completing the 187

The following instructions cover the procedures to follow for completing the 187. The headings are mentioned in the order in which they appear on the form.

Car, Truck or Ship

Leave blank if the lot is not loaded into the conveyance or write in "Lot Inspection."

Applicant -

The name of the party to be billed for the laboratory analysis must be entered here. In most cases, the name will be that of the sheller. In cases where the lot has been sold at the time of inspection, the buyer may be the applicant. Though unusual, if the request comes from MOAB, they are considered the applicant.

Receiver

In many cases, the lot may not have been sold at the time of sampling. The inspector must obtain and write in the name of the buyer if one exists. Otherwise, enter "Not Given."

Shipper

The sheller and shipper will usually be the same entity, but under some circumstances could be different companies or individuals.

Type

Check the appropriate block to indicate the type of peanuts in the lot. (Runner, Spanish, Virginia or Valencia).

Contract Number

If the sheller has a sales contract covering the lot of peanuts, enter the number. Otherwise, leave this space blank.

Weight of Lot and Number of Sacks

These figures must always be entered on the form because they are important to financially interested parties. They will usually be the shellers' figures, but the inspector must still verify that the number of containers in the lot is generally accurate.

PLI Marks

These 5 blocks are provided for quoting information from the PLI tags. As this information is extremely important, great care must be taken to ensure these blocks are accurately completed.

Quality Designated by Shipper

An accurate description is needed of the grade and size of the peanuts in each lot intended for the edible market.

Enter the description of the lot in the space for "Quality Designated by Shipper." The shipper's verbal statement or the printing on the tags may or may not adequately describe the grade/quality of the lot. If the lot fails to meet the designated grade, the lower quality must be noted by checking the block indicating the highest quality determined. Even though the lot meets the quality designated, it will be necessary to check the appropriate block showing the highest quality determined.

One of the following quality blocks must be checked for each lot to be tested:

CHECK HIGHEST QUALITY DETERMINED:								
RUNNER NO. 1 OR BETTER	U.S. SPLITS	EXPORT CRUSHING (Fragmented)						
SPANISH NO. 1 OR BETTER	"EDIBLE QUALITY"	OTHER (Specify):						
VIRGINIA NO. 1 OR BETTER	FAILS "EDIBLE QUALITY"							
PAC "WITH SPLITS"	Domestic Crushing							

If a lot fails to meet the grade intended or as tagged, but qualifies for a lower grade, that lower grade must be shown on the 187. For example, a lot tagged U.S. No. 1 Runner fails to grade only account of having 10% splits would qualify as "Runner with Splits." However, if the lot contained more than 15% splits, the quality designation would drop to "Meets 7CFR, Part 996 for Human Consumption."

NOTE: PAC "With Splits" is no longer a valid grade. Instead, draw a line-through the word PAC and replace with MOAB. Further, both "Domestic Crushing" and "Export Crushing (Fragmented)" are obsolete categories and therefore should not used. Any lot(s) that are crushed, fragmented, destined for non-human consumption, wildlife feed, etc, should be reported using the "Other (Specify)" block. When using this block, also show some other form of descriptive term (if known) that further describes the lot, such as "LSKs," "fall through," "pick-outs," "screenings," etc. **Examples:** "Non-Edible Quality – screenings," "Non-edible quality - LSK's," or "Wildlife Feed - Pick-outs." Lastly, if the sample is stated to be from Segregation (Seg.) 3 Farmers' Stock, this fact must be noted on the 187. **Example:** "Applicant states above lot from Seg. 3 stock."

Inspection Certificate Number

The space provided for this item must be completed if the certificate number used for the lot is known. However, if the laboratory samples are packaged and shipped before the certificate number can be ascertained, this space may be left blank. In such cases, the certificate number must be entered on the 4 remaining copies of the 187 prior to distribution.

Sample Designations

This space is provided to indicate the type of sample sent to the laboratory for analysis. See PART IV of this handbook for details on sample designations.

Sample Sent To

These spaces must be filled in with the name and address of the laboratory as well as the date the sample was sent.

Fees and Postage

Charges for sampling services are determined by each individual FSIS program. In some cases, the service may be furnished in connection with inspection and without additional charge. In case a sample is drawn for the sole purpose of having it sent to the laboratory, a special fee should be charged at a previously established rate. Fees shown on this form do <u>not</u> include the inspection fee.

Any postage that is prepaid by the Inspection Service must be shown on the form. If the cost of mailing a sample to a specific location is known at the time the 187 is completed, include the amount on the 187. If this information will not be available until the package is taken to the post office, then the copy of the form placed inside the sample container will show nothing in the space for "postage." In such instances, any mailing charges must then be entered on the remaining four copies of the form prior to distribution.

(3) Distribution of Copies

The 187 is prepared in sets of 8 copies and sets are serially numbered. Distribution and number of copies required may vary as sampling plan changes are adopted by MOAB.

Distribute handwritten copies of the 187 as follows:

ORIGINAL: Lab with analysis sample

1st copy: FSIS File

2nd copy: MOAB / MOAB Designee

3rd copy: Sheller - Shipper

4th copy: Laboratory

5th copy: FSIS District Office

6th copy: FSIS District Office

7th copy: Sheller - Buyer

If the identity of the buyer is unknown at the time, that copy must be given to the applicant for possible later disposal. MOAB's copies must be mailed to them (or to a representative designated by them), at frequent intervals (one mailing every two or three days), unless otherwise instructed by the supervisor. As of August 2004, send MOAB copies to:

Tabb & Associates 2537 Lafayette Plaza Drive Suite A Albany, GA 31707

For *computer generated* 187's, 4 certificates must be printed for all edible, non-edible, appeal 1-6, and quality control samples. Distribute as follows:

- 1. Applicant
- 2. FSIS Office
- 3. District FSIS Office / File
- 4. Laboratory

(4) Voided 187's

If a mistake is made in some critical section of the 187, it must be voided by the same method used for other certificates, i.e., writing "VOID" in large letters diagonally across the face of the 187. Items considered critical that must not be marked through or changed are:

Weight of lot, Date, Number of sacks/bins, Mill number, Lot number, and Crop year.

A new 187 must then be correctly completed to replace a voided 187. Since the 187 is serially numbered, any voided forms must be kept on file in numerical order with copies of the completed forms.

Example - Handwritten 187

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL OR FEDERAL - STATE INSPECTION SERVICE

NOTICE OF SAMPLING (FOR GRADE OR CHEMICAL ANALYSIS)

F 409145

THIS IS TO CERTIFY That, in compliance with the regulations of the Secretary of Agriculture governing the inspection of fruits, vegetables and nuts pursuant to the Agricultural Marketing Act of 1946, as amended, 7 U.S.C. 1621 et seq.). I the undersigned, a duly authorized inspector of the United States Department of Agriculture, do hereby certify that, on the date indicated, samples drawn believed by me to be representative of the lot were as described below: SAMPLE DRAWN AT: Jony, state) MILL OR WAREHOUSE NAME SAMPLING FOR Grade MCCLESKEY PEANUTS, L.P SMITHVILLE, GA Chemical Analysis TRUCK NO. NAME AND ADDRESS OF APPLICANT (Zip Code) PEANUTS NOT GIVEN RECEIVER MCCLESKEY PEANUTS, L.P. PRODUCT - PEANUTS: CONTRACT NO. CLEANED IN THE SHELL PEANUTS. "SPANISH" DESIGNATED AS TYPE: "VIRGINIA" SHELLED PEANUTS. CROP YEAR WEIGHT OF LOT NUMBER OF COLOR TAGS STATE MILL NO. LOT NO. ☐ SACKS Seins 21 51 US, 150 165 QUALITY DESIGNATED BY SHIPP PINK 03 93 8076 GRADE INSPECTION CERTIFICATE MEETS QUALITY DESIGNATED HUMAN CONSUMPTION CHECK HIGHEST QUALITY DETERMINED: FAILS QUALITY DESIGNATED Dus SPUTS EXPORT CRUSHING Fragmented DRUNNER NO. 1 OR BETTER OTHER EDIBLE QUALITY" OTHER (Specify) ... SPANISH NO. 1 OR BETTER FARS "OTHER EDIBLE QUALITY" UNINGINIA NO. 1 OR BETTER DOMESTIC CRUSHING DP.A.C. "WITH SPUTS" Z 2-AB THIS SAMPLE IS DESIGNATED AS: O I AB □ 1-co 3.48 DAPPEAL OTHER: T-AB | (reph) RESULTS FROM PREVIOUS SAMPLES: 2-A8 [ppb] PRODUCT: (Other than peanuts) WEIGHT OF LOT SHELLED PISTACHIO NUTS NUMBER OF SACKS JIN-SHELL BRAZIL NUTS DIN-SHELL PISTACHIO HUTS OTHER SHIPPER'S MARKS TYPE OF AMALYSIS SAMPLE SHIPPED APPROX. WT. OF SAMPLE RESULT OF ANALYSIS TO BE: KERNEL AND SHELL PHONED OR WIRED COLLECT RERNEL ONLY MAKED TO APPLICANT REMARKS: SAMPLE SENT TO: (Name of Laboratory) 959 North Main St Binkely, 64 39823 USDA-AMS-STA LAB 11/13/03 SIGNATURE OF FEE POȘTAGE INSPECTOR: TRANSPORTATION CHARGE ADDRESS OF TOTAL INSPECTOR:

(Formerly FVQ Form 187 (3-90) which

Example - Computer Generated 187

FV-187-CG

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FRUIT AND VEGETABLE PROGRAMS

NOTICE OF SAMPLING

G9301501

(FOR GRADE OR CHEMICAL ANALYSIS) THIS IS TO CERTIFY That, in compliance with the regulations of the Secretary of Agriculture governing the inspection of fruits, vegetables, and nuts pursuant to the Agricultural Marketing Act of 1946, as amended, (7 U.S.C. 1621 elseq.) I, the undersigned, a duly authorized inspector of the Unded States Department of Agriculture, do hereby certify that, on the date indicated, samples drawn believed by me to be representative of the lot were as described below:

Sampling Started: 11/13/2003

Sampling for: Chemical Analysis

Applicant:

MCCLESKEY PEANUTS L.P.

Sampled at:

MCCLESKEY PEANUTS, L.P.

13070

SMITHVILLE, GA

736

SMITHVILLE, GA

Receiver:

NOT GIVEN

Shipper:

MCCLESKEY PEANUTS, L.P.

SMITHVILLE, GA

Applicant States: 45,150 Lbs. Shelled Runner Type Peanuts in 21 Fiberboard Bins

Tagged Lot:

Lot tagged with Pink tags inscribed:

House 93 Lot 8076

USDA - GEORGIA Federal-State Inspected

Crop 03

Product of USA

Splits (Runner Type) McCleskey Peanuts, L.P.

Smithville, GA

Quality Designated by Shipper: HUMAN CONSUMPTION Certificate: G9307200 Meets Quality Designated

Highest Quality Determined: U.S. Splits Sample Designated as: 2-AB Sample

Results from Previous Samples:

11 ppb 1-AB

PLI and Returned to Applicant's Agent. 11/17/2003

Remarks:

Charges 10.00 2-AB

10.00 Total

FV-187-CG (10-99) (Previous oditions may be used)

SIGNATURE OF INSPECTOR:

Monthly

Part IV

Requirements of the USDA Marketing Order Administration Branch (MOAB), USDA Farm Service Agency (FSA), and Grades of the American Peanut Shellers Association (APSA)

(1) General

The following outlines procedures for inspecting milled peanuts subject to MOAB Regulations, FSA requirements for the peanut purchase program, and/or APSA grades.

(2) MOAB Minimum Quality Standards for Human Consumption

Aflatoxin Samples and Sample Designations

Every lot of shelled peanuts marketed for edible trade as well as lots of cleaned in-shell peanuts that exceed 1.00 percent damaged kernels by mold, are required by MOAB regulations to be pre-tested for the presence of aflatoxin. Samples are required to be sent to either a USDA or USDA-approved laboratory.

In addition to the official MOAB samples, manufacturers may request that "Quality Control Samples" be analyzed for a more thorough check on the overall quality of the lot. The size of quality control samples vary from a single 5-pound sample to three 48-pound samples per lot. In order to furnish processors with additional samples upon request without drawing additional peanuts from a lot, most subsampling machines have been modified to provide an extra subsample of ground peanuts from the official Sample "#1" aflatoxin sample. However, such samples must not be furnished from official Samples "#2" or "#3" unless it can be confirmed by the laboratory performing-the Sample #1 (official) analysis that these samples will not be needed. When reporting the various types of peanut samples on the 187, it is important that uniformity be maintained regarding sample designation. Use the sample designations described in Category I or II on the following pages, which are reported under the "Remarks" heading of each 187.

Sampling and Grinding Peanuts for Laboratory Analysis

The following paragraphs outline the procedures required when sampling shelled peanuts for aflatoxin. (See pages 68 through 72 for aflatoxin sampling from bulk containers).

Draw a representative sample from at least 25 percent of the bags to total approximately 160 pounds. Of this amount, 144 pounds is used for aflatoxin analysis, while the remaining 16 pounds is used for a grade and a grade check sample.

Prior to shipment to the laboratory, the 144-pound aflatoxin sample must be further divided into 3 smaller samples (approximately 48 pounds each) by use of the Dickens mechanical rotating divider. This device is designed to divide the sample into 4 parts.

Each of the three 48-pound samples then must be placed in new burlap sacks or other suitable approved containers and tagged by either inserting or sewing a PLI tag to each sample container, conspicuously identifying them as Sample "#1," Sample "#2," and Sample "#3." The inspector's signature or some other type of identification must appear on each tag to ensure that the samples are/have not been tampered with. The original handwritten copy (or *any* computer generated copy) of the 187 must be enclosed with the first 48-pound sample and designated as Sample "#1." Per MOAB Regulations, USDA or USDA-approved laboratories are permitted to grind Sample "#1" in lieu of the Inspection Service.

Detailed procedures for dividing and identifying the sample(s) are provided in the following paragraphs.

(3) Disposition of Samples

Sample "#1"

This sample must be taken directly to a grinding station and the ground subsample prepared for laboratory analysis unless the applicant specifically requests that the sample be returned for testing at a later date or that the sample be returned to the applicant so that they may send it to a laboratory of their choice.

Sample "#2"

This sample must be returned to the sheller at the time of sampling unless specifically requested to be taken to a grinding station at that time. In most cases, Sample "#2" will be left at the shelling plant and the sheller will either store or ship the sample with the lot of peanuts. If the average results of laboratory tests "l-A" and "l-B" is 9 parts per billion (ppb) to and including 45 ppb, the applicant will request the Inspection Service to prepare for delivery and/or send Sample "#2" to the lab. If a high percentage of the sheller's lots are showing levels of aflatoxin requiring Sample "#2," the sheller may request both Sample "#1" and "#2" (and possibly Sample "#3") be taken to the grinding station at the same time to avoid delay in laboratory results. If a 187 is issued on a different date than the date the sample is sent to the laboratory, then the "issue date" must be stated under "Remarks."

Sample "#3"

The sheller's options for handling this sample are the same as for Sample "#2," except that Sample "#3" must be prepared for laboratory analysis when the average results of laboratory tests for "l-A," "2-A," "l-B" and "2-B" is 13 ppb to and including 23 ppb.

Preparing Aflatoxin Samples

The 48-pound aflatoxin sample(s) must be prepared as follows: Grind the entire 48pound sample with a Dickens Subsampling Mill. The amount from the subsample output should be about 1,100 grams. However, in order to allow for variation in sample size from the subsampling mill, ground samples between 900 and 1,300 grams will be accepted by the laboratory. This will require an unground sample range of approximately 40 to 57 pounds if the subsampling mill is operating properly. USDA-approved laboratories have been instructed to return samples outside this range to the submitting inspection office and report all unacceptable samples to FOS. The entire amount of the ground subsample must be placed in a plastic bag or other suitable container and marked or labeled with the appropriate sample number and other necessary identification such as lot number, mill number, date, etc. Keep in mind you are not permitted to discard any portion of the ground sample to comply with the above requirements. Complete a 187 or a 184-9A and enclose a copy with each subsample sent to the laboratory. The date entered in the upper right corner of the form must be the date sampling began. When the sampling date is different from the date the subsample is prepared, it must be noted on the 187 in the "Date Sent" block. (Warning: Ground samples received with less than 900 or more than 1,300 grams may be returned, which could prove cause for the lot having to be resampled.)

Cleaning the Subsampling Mill

- 1. After grinding a sample, let the mill run long enough to completely clean out the grinding chamber before stopping.
- 2. Remove the grinding chamber and carefully remove and discard all material from the screen, funnel, etc. Some type of air pressure is necessary to clean these parts.
- 3. Lift the hinged cover over the subsampling section and use a long-handled brush to sweep all material from inside the subsampling section and spout into the subsample pan.
- 4. Remove the subsample pan with the subsample from the mill.
- 5. Clean the inside edges of the vertical vanes to make sure no loose particles fall onto the grinding chamber platform after cleaning or when the grinding chamber is replaced. Carefully sweep all material from the blades of the mill and from the grinding chamber platform. The blades may be rotated by hand to expose the entire platform.
- 6. Reclean the hinged top, the subsampling section, and the spout to make sure no loose particles are present. Close the cover.
- 7. Replace the grinding chamber and lock it in place with thumbscrews.
- 8. Clean the subsampling pan and return it to the mill.
- 9. A complete cleaning of the subsampling mill is required after grinding each sample.
- 10. The 1/4 inch screen is the largest opening permitted for official samples.

Use of the Vertical Cutter Mill (VCM)

In addition to the Dickens Subsampling Mill, the VCM is also approved for grinding aflatoxin samples. This device produces a paste-like substance as opposed to the peanut meal produced by the Dickens mill. Unlike the Dickens Mill, the VCM has no subsampling capability. Once the entire 48-pound aflatoxin sample is ground, the inspector must use a spoon or spatula to take small amounts of paste from various locations of the resulting mixture, eventually obtaining a portion of approximately 1,100 grams. (Again, labs may return samples outside the 900 to 1,300 gram range). This sample must be placed in an air tight, non-leaking container (zip lock bag, etc) for shipment to the lab for analysis. All other paperwork (187 or 184-9A) must be completed just as if using the Dickens Mill. Make sure that the entire VCM mixing apparatus is thoroughly cleaned before grinding the next sample.

(4) Aflatoxin Sample Designations

Designations for Ground Subsamples and Laboratory Tests

CATEGORY I

THE DESIGNATIONS IN THIS CATEGORY ARE THE ONLY AFLATOXIN SAMPLES OFFICIALLY RECOGNIZED BY FPB, MOAB, AND FSA.

MOAB Sampling Plan for Shelled Peanut Samples "1-AB," "2-AB," and "3-AB"

These are the ground subsamples from the initial three 48-pound official samples required by MOAB for aflatoxin analysis.

Subsample "1-AB"

"1-AB" is the designation used to identify the ground subsample extracted from the 48-pound Sample "#1." The two laboratory tests from this sample are identified as "1-A" and "1-B" and are analyzed by a USDA or USDA-approved lab. The original copy of the 187 or designated copies of the 184-9A must be enclosed with subsample "1-AB." A fee charge must be shown on the 187, to be paid by the handler or receiver of the lot. If any additional costs are involved for sampling or preparation of subsample "1-AB," it should be charged on the 184-9A.

Subsample "1-CD"

"1-CD" must be used to identify the second subsample from the 48-pound Sample "#I," which is extracted at the same time as subsample "I-AB," by use of the two spout grinder. The "I-CD" subsample is furnished only upon request. The two tests from this sample are identified as "I-C" and "I-D" and are analyzed by a USDA-approved manufacturers' lab. When subsample "I-CD" has been requested, it will be necessary for the Inspection Service to hold Subsample "I-AB" until notified whether it will be required. The "I-AB" sample will be required when the average test results "I-C" and "I-D" is reported to be more than 8 ppb or at applicant's request. If this occurs, only an USDA-approved lab may be used to analyze Sample 1-AB.

It will be necessary to fill out a separate 187 for subsample "1-CD" and "1-AB." If known, the results of the two laboratory tests from subsample "1-CD" must be reported under the appropriate heading of the 187 for subsample "1-AB."

Example:

If the average ppb for "1-C" + "1-D" is reported to be more than 8 ppb, the results must be reported on the 187 and the original enclosed with subsample "1-AB" for delivery to the laboratory. However, if the average ppb for "1-C" + "1-D" is reported to be 8 ppb or less, state the following on the 187 for "1-AB": "(Name of Lab) reported as negative on (Date)." The original copy of the 187 must be filed in the FSIS office. Then, with the applicant's approval, subsample "1-AB" may be discarded.


Subsample "2-AB"

"2-AB" is used to identify the ground subsample extracted from the 48-pound "#2" sample. The two laboratory tests from this sample are identified a "2-A" and "2-B." This subsample must be sent to a USDA or USDA-approved lab when the average test results for "1-A" + "1-B" is reported to be 9 ppb up to and including 45 ppb.

Enter the sheller (or any other financially interested party requesting aflatoxin sampling) as the applicant on the 187 and charge for normal costs of sample preparation for subsample "2-AB." If extra expenses are involved due to retrieving the 48-pound sample from a location other than the sheller's premises, then the sheller must be charged the additional cost. The original copy of the 187 must be mailed to the applicant and a copy enclosed with subsample "2-AB." The average ppb as reported by the laboratory for "1-A" + "1-B" must also be shown under the "Remarks" heading of the 187.

Subsample "3-AB"

"3-AB" is used to identify the ground subsample extracted from the 48-pound Sample "#3." The two laboratory tests from this sample are identified as "3-A" and "3-B." This subsample is to be sent to a USDA or USDA-approved lab when the average test results of "1-A" + "1-B" + "2-A" + "2-B" is reported to be 13 ppb up to and including 23 ppb. The sheller will be listed as the applicant on the 187 and charged for normal costs involving sample preparation. The original copy of the 187 must be mailed to the applicant and a copy enclosed with subsample "3-AB." If the average ppb for "2-A" + "2-B" is reported by the lab, then this value must be shown in the "2-AB" heading in the sample designation area of the 187. If the average of "1-A" + "1-B" + "2-A" + "2-B" is given, then that value must be entered in the "2-AB" heading, including the word "average" (or the abbreviation "ave."). See the following page for diagram of sampling plan.



(5) Costs

All costs involved in sampling and testing "Subsample 1-CD" are for the account of the buyer(s) of the lot. The cost of the assay on "Subsample 1-AB" and a portion of the cost of drawing the three 48-pound samples, grinding Sample #1, and preparation and delivery of "Subsample 1-AB" (or Sample #1) to the laboratory are for the account of the applicant.

The following costs are also for the account of the applicant:

- 1. Cost of grinding and subsampling Sample #2 and delivering "Subsample 2-AB" to the lab.
- 2. Cost of lab analysis for tests "2-A" and "2-B."
- 3. Cost of grinding and subsampling Sample #3 and delivering "Subsample 3-AB" to the lab.
- 4. Cost of lab analysis for tests "3-A" and "3-B."

If any of the samples/subsamples are lost, misplaced, or spoiled and replacement samples are needed, the entire cost of drawing new samples are also for the account of the applicant.

Packing Samples

Be sure that all containers are packed and closed securely before mailing or transporting to the laboratory.

Subsamples Given to Applicant

Turning subsamples over to the applicant for delivery to the lab should be discouraged unless there is justification for doing so. When it is deemed necessary to give subsamples to the applicant for delivery to the lab, they must be bagged, sewn, and/or sealed in a manner in accordance with official PLI procedures.

Subsamples Designated as Appeal Sample "1-6"

These samples are analyzed when the result of the original analysis is in question. Such samples may be drawn at shipping point or at destination. The sampling procedure and sample preparation for "Appeal Samples" is basically the same as outlined for subsample "1-AB," "2-AB," and "3-AB," except as follows:

- 1. Sample must be drawn from at least 50 percent of the bags. (See pages 68 through 72 for procedures when drawing samples from bulk containers or bulk trailers and cars).
- 2. The entire 144-pound sample must be ground and only 1 subsample (the total output from the subsampling mill approximately 3,300 grams), must be sent to the lab for analysis.

If a Dickens Subsampling Mill is not available at destination, the unground 144-pound sample may be sent to the lab. The laboratory will run 6 analyses for all appeals.

- 3. The sample container must be marked "Appeal Sample 1-6." If the sample consists of more than one container, mark them as "l of 6," "2 of 6," "3 of 6," etc.
- 4. Check the "Appeal" block under the "Sample Designated" section.
- 5. All costs are charged to the account of the applicant.
- 6. Appeal samples must <u>only</u> sent to USDA or USDA-approved laboratories. See the following for instructions.

(6) Aflatoxin Appeals - FSA Peanut Purchase Program

FSA requires that all lots offered for the Peanut Purchase Program must be pre-tested for aflatoxin in accordance with MOAB regulations. If a lot's initial aflatoxin certificate was negative, it is acceptable for the Peanut Purchase Program and will not have to be updated. If the lot has been certified positive for aflatoxin, it may either be appealed or blanched. A failing lot that is blanched must have its PLI maintained throughout the blanching process and then must be retested for aflatoxin.

(7) Appeal Aflatoxin Sampling Plan

In addition to the initial sampling and testing pursuant to the official "Sampling Plan" on any lot of shelled peanuts, any financially interested party may request an "appeal" sample for aflatoxin purposes. Such requests must be made to a licensed inspector, FSIS, or the Federal Program Manager.

"Appeal" sampling may be applied to lots of peanuts packed in bags, bulk containers, or bulk railcars or trailers and before or after shipment from the handler's premises. For bagged lots, appeal samples must be drawn from at least 50 percent of the bags in the lot. If the lot is packed in bulk containers, railcars, or trailers, the appeal sample may be drawn by using an inline mechanical sampler (while the initial sample is being drawn) provided that the sampling rate is at least one sample cut from every 250 pounds of product at the handler's premises and held by the inspector or (under PLI procedures) by the handler. The appeal sample may also be drawn by the inspector at the manufacturer's plant provided that a mechanical device approved by the Inspection Service that is capable of extracting an appropriate sample is made available to the inspector and further provided that PLI has been maintained on the lot. PLI is considered to have been maintained on bulk carriers if the official seals remain intact on the latches of the doors of all openings (normally used for unloading cargo) at the bottom of the bulk carrier.

The gross amount of peanuts drawn in each official appeal sample must be at least 144 pounds. The entire 144-pound sample must be forwarded by the inspector to the lab. If an approved subsampling mill is made available, the entire 144-pound sample may be ground and subsampled with the entire portion of the ground material diverted by the subsampling mill (approximately 3300 grams) forwarded to the lab. In order to allow for variation in sample size from the subsampling mill, ground samples weighing between 2,700 and 3,900 grams will be acceptable. USDA and USDA-approved laboratories have been instructed to return samples outside this range to the submitting inspection office and report all unacceptable samples to FOS. (WARNING: Samples received with less than 2,700 or more than 3,900 grams may be returned by the lab, which would require the lot(s) to be resampled.)

Either a 187 or a copy of the 184-9A must accompany the 144-pound sample (or 3,300 gram subsample) to the lab. Only USDA or USDA-approved labs are eligible to analyze official appeal samples.

The entire subsample can analyzed as three subsamples of approximately 1,100 grams each with two tests on each subsample, OR as six subsamples of half that size with a test on each subsample. Regardless of the analysis method, six test results must be shown on the certificate, listing the individual test results as: Subsample #1, Subsample #2, Subsample #3, Subsample #4, Subsample #5, and Subsample #6.

All costs involved in appeal sampling and testing are for the account of the applicant. Accordingly, lab certificates must be issued to them in their name.

(8) Appeal Aflatoxin Sampling of Shelled Peanuts in Cartons, Bulk Bins, or Tote/Super Sacks with the Dickens Pneumatic Aflatoxin Sampler

J.W. Dickens of ARS developed a method and procedure for drawing aflatoxin samples from bulk bins, cartons or tote/super sacks. Samples drawn by this method must be used only for aflatoxin testing. It is the applicant's responsibility to furnish the sampler outside of peanut producing areas.

The approved sampler consists of a 5 foot by 1 inch (inside diameter) thin walled aluminum (or steel) sample tube, a 15 foot by 1 inch (inside diameter) flexible hose with smooth bore, and a shop-vac with casters. The sample tube is connected to the flexible hose which is mounted to the intake of the shop-vac.

The sampling tube, flexible hose and fittings to connect the flexible hose to the shop-vac may be purchased from Georgia Federal-State Shipping Point Inspection Service, Inc., P.O. Box 71767, Albany, Georgia, 31708-1767, Phone: 229-432-6201. The shop-vac may be purchased directly from a supplier. Contact your local FSIS office for a list of suppliers.

The pneumatic grade sampler may also be used to draw aflatoxin samples. However, a pneumatic aflatoxin sampler cannot be used to draw grade samples. The following procedure must be used when aflatoxin samples are drawn from bins, cartons or tote/super sacks.

For appeal samples to have official status, containers must be PLI'd. Inspectors must check containers prior to sampling to assure that PLI has been maintained and the cover and/or taping of the PLI tags has not been removed.

The applicant is responsible for making containers accessible so the Dickens or Whitaker/Slate Pneumatic sampler can be rolled to at least one side of the carton.

Openings must be made for the sample tube by cutting crosses in the tops of the containers. Each cut should be approximately 3 inches long. In addition to providing entry for the sample tube, the opening must also provide for entry of the air removed by the sampler. If this is not done, the sampler will not function properly. **NOTE**: After probes are taken, you must close each opening with tape in order to maintain PLI of the lot.

With the fan operating, insert the sample tube through the opening in the top of the container and take a vertical probe from top to bottom of the container. Push the tube downward rapidly enough to avoid extracting an excessive quantity of peanuts. When the tube reaches the bottom, the fan may be stopped to prevent drawing additional peanuts as the tube is retracted. (Note: If the extra peanuts will not make the sample too large, the tube may be extracted with the fan operating). The quantity of peanuts taken per probe can be controlled by the rate at which the probe is inserted and withdrawn. Experience will enable the operator to draw the desired quantity of peanuts with one probe per container. The rate of sampling must be the same from top to bottom of a container and the same quantity must be taken from each container sampled. CAUTION: It is the inspector's responsibility to ensure that the Dickens or Whitaker/Slate Pneumatic sampler is operating properly prior to its use. If the sampler is leaking air or otherwise damaged, it will not sample the peanuts properly. If the inspector believes that the sampler is not sampling correctly, they must have the air velocity checked before resuming use.

Minimum Number of Probes per Container

Alternate the position of successive probes so they are taken either 1/4, 1/2, or 3/4 the distance from the center to one side of the container. If the first container is probed 1/4 distance, probe the second 1/2 distance, the third 3/4 distance, etc. The second probe in a container will be taken opposite the first probe and successive probes in the container will be taken on center lines equal distances from those of the previous probes. Multiple probes from the same container will be taken at different distances from the center of the container.

(9) Mechanical Device for Sampling Bulk Lots

A mechanical device is approved for use in drawing official appeal samples from bulk rail-cars or trailers. Availability and use of the device are as follows:

- 1. The sampler tube and accessories may be purchased from: Georgia Federal-State Shipping Point Inspection Service, Inc., P.O. Box 71767, Albany, Georgia 31708-1767, PH: 229-432-6201. A shop-vac with casters is also required.
- 2. The 25-foot flexible hose on the sampler tube allows the sample to be collected in the shop-vac container while it is located on the ground beside the railcar or trailer. Four-foot sections of the sampling tube are added as the probe is made from top to bottom of the shipment. These sections are then removed as the tube is withdrawn.
- 3. With the fan operating, take vertical probes from top to bottom of the shipment. Push the tube downward rapidly enough to avoid taking an excessive quantity of peanuts. The amount taken per probe can be controlled by the rate of insertion and withdrawal of the tube. Experience will enable the operator to draw the desired quantity of peanuts.
- 4. The rate of sampling must be the same from top to bottom and must also be the same through every loading hatch. In other words, at least one top-to-bottom probe must be made through every loading hatch and the same number of probes must be made through all hatches. The first probe should be in the center of the hatch. If a second probe is necessary, it should be taken at one side of the hatch.
- 5. If too much sample is drawn, the quantity may be reduced by properly subdividing the entire sample. If additional sample is needed after the first set of probes, another probe must be made through every hatch. The second set of probes must be made more rapidly so the quantity of peanuts taken is less than taken by the first set of probes. The desired additional quantity of peanuts may be subdivided from those taken by the second set of probes and added to the peanuts taken by the first set.

(10) Drawing Appeal Aflatoxin Samples on Shelled Peanuts in Terminal Markets

A minimum of 50 percent of the containers must be sampled from lots of bags and similar sized packages. However, if a request is made for both a grade and appeal aflatoxin samples, it will be necessary for the market inspectors to check with the appropriate shipping point office to determine if the lot was sampled with an automatic sampler. If an automatic sampler was used at shipping point, then 100 percent of the bags must be sampled at the terminal market. Take at least one probe from every container on bulk bins and tote/super sack lots.

The total sample weight must be approximately 144 pounds

The entire 144-pound sample or a ground subsample (approximately 3,300 grams) must be sent to an approved laboratory for analysis (see below). If requested to grind the 144-pound sample, the applicant must furnish a Dickens Subsampling Mill. The applicant (or their representative) may grind the sample, but it is the inspector's responsibility to ensure that the mill is thoroughly cleaned prior to grinding. Inspectors must observe the grinding process, with the subsample kept under their surveillance at all times. Those offices that have not previously furnished ground subsamples should contact FOS for additional instruction upon receiving the initial request to send a subsample in lieu of the 144-pound sample.

A 187 must be issued for each lot sampled. See Part III of this handbook for instructions on completing and distributing copies of this form. Under the "Remarks" heading of the 187, state "Appeal sample 1-6 sent to (<u>name of laboratory and address</u>)." The designation "Appeal sample 1-6" must be used for either the 144-pound sample or the ground subsample. If the applicant requests to be notified of the laboratory results, the phone number, fax number, mailing address, or e-mail address of the person to be contacted must be shown under "Remarks."

Unless instructed otherwise by FOS, appeal samples may be sent to <u>any</u> USDA or USDA-approved laboratory for analysis. Cost of shipping the sample must be paid at the point of shipment. If possible, arrange for the applicant to pay the charges, especially if an air freight service is used. The packaged sample must be turned over directly to the carrier by the Inspection Service. If it is necessary for the inspector to prepay the charges, the applicant will be billed for the cost.

Aflatoxin Sampling Requirements for Cleaned In-Shell Peanuts

MOAB regulations do not require cleaned in-shell peanuts be tested for aflatoxin unless they exceed 1.00 percent kernels damaged by mold. However, if tested, whether prior to or after shipment, the following plan must be used:

Aflatoxin Sampling Procedure for Cleaned In-Shell Peanuts

- 1. The applicant must contact the Federal or Federal-State Inspection Service and request that a sample be drawn. A minimum of 10 percent of the containers in the lot (20 percent for appeal samples) must be sampled. The in-shell sample drawn must be large enough to provide for 48 pounds of shelled kernels (approximately 70 pounds of in-shell peanuts). This sample is designated as "Sample #1."
- 2. In the event "Sample #2" or "Sample #3" is later requested, the inspector must resample the lot and provide for 48 pounds of kernels for each sample requested.
- 3. In some instances, the inspector may be requested by an applicant to draw a sample of sufficient size to provide for three 48-pound samples upon the initial sampling.
- 4. For appeals, all three samples must be drawn at the same time.

5. In each case, the 48-pound samples are designated as "Sample #1," "Sample #2," or "Sample #3." The samples must be analyzed using the existing pre-testing plan as described in the MOAB Regulations.

Aflatoxin Samples from Imported Peanuts

Samples "1IMP," "2IMP," and "3IMP"

These designations are used only for imported peanuts and alert aflatoxin lab personnel to treat the samples as imports. Similar to domestic peanuts, three 48-pound samples are used.

Aflatoxin Samples from Peanut Meal

Samples "M-1," "M-2," "M-3," and "M-4"

These are samples drawn from peanut meal. When requested to draw an aflatoxin sample from peanut meal, sample as follows:

Draw a sample from at least 25% of the bags of sufficient size to provide 20 pounds of meal for aflatoxin analysis. Divide the 20-pound sample into two 10-pound samples by using an officially approved divider. The two 10-pound samples must be packed in suitable containers with proper identification and marked as samples "M-1" and "M-2." The original copy of the 187 must be enclosed with sample "M-1." Both samples are then mailed to a USDA or USDA-approved laboratory.

Depending upon the laboratory results of sample "M-1" and "M-2" the sheller or crusher may request the meal be resampled. For such requests, follow the same procedure as outlined above, except the two new samples are designated as "M-3" and "M-4." On the second 187, state the aflatoxin results (in ppb) for the "M-1" and "M-2" samples and send a copy with the sample marked "M-3." When requested by applicant, samples "M-3" and "M-4" may be drawn at the same time samples "M-1" and "M-2" are drawn.

All cost involved in the sampling, preparation and delivery of the sample to the laboratory and all testing for peanut meal are for the account of the applicant.

(11) Unofficial Aflatoxin Samples

CATEGORY II

The sample designations in this category are used for "special request" samples. Even though these samples are officially drawn, they do not have official status as related to MOAB pre-testing requirements. When special requests are made for aflatoxin samples, inspectors should keep in mind that 1-AB, 2-AB, 3-AB, and numbers 1 through 6 are sample designations reserved only for samples officially recognized by MOAB.

(12) Summary of Unofficial Aflatoxin Samples

The following summary of sample designation codes and their corresponding meanings is provided to simplify reference as to the various sources and types of unofficial quality control samples.

The number "8" is the lowest "number" to be used when referring to unofficial quality control samples, *except* when the "l-CD" is not requested and an extra ground sample is furnished from the second spout of Sample #1. Then, it is designated as "AF-7-CD."

If only 1 analysis is requested, designate the sample using the letter "C." If 2 analyses are requested, designate the sample using the letters "CD."

Code	Meaning
"AF-7-CD"	The ground subsamples from the second spout of a No. 1 aflatoxin sample when the "1-CD" has not been requested.
"8"	Whole peanuts drawn separately from the official 144-pound sample and submitted as whole peanuts. If peanuts are blanched, designate as "Blanched 8." This designation may also be used for samples submitted for lots destined for the European Union (E.U.)
"8C"	Same as above, except the sample has been ground and the 900 to 1,300 gram subsample is submitted for 1 analysis. If peanuts are blanched, designate as "Blanched 8C."
"8CD"	Same as above, except 2 analyses are requested. If peanuts are blanched, designate as "Blanched 8CD."
"AF"	Designations beginning with the prefix "AF" signifies samples from an <u>unused portion</u> of the official 144-pound sample. This designation may also be used for samples submitted for lots destined for the E.U.
"AF-EX"	Sample designations ending with the letters "EX" signifies that extra peanuts were drawn at the same time as the official 144-pound sample. These "extras" are in addition to the official 144-pound sample.

For the purpose of uniformity in reporting the various types of unofficial samples, the following designations have been adopted.

Samples "8," "9,", "10," etc.

These designations are used when additional peanuts are drawn separately from the official sample and the <u>unground</u> sample is sent to the laboratory. Begin the designations with number "8" and continue in numerical order. If peanuts are blanched, designate as "Blanched 8," "Blanched 9," "Blanched 10," etc. This designation may also be used for samples submitted for lots destined for the E.U.

Subsamples "8-CD," "9-CD," "10-CD," etc.

These designations are used when additional peanuts have been drawn separately from the three official samples and only the ground subsample is sent to the lab. Sending subsamples designated with the letters "CD" indicates to the lab that they are to run two separate analyses. If the applicant specifically requests that only one analysis be made, the samples are designated as "8-C," "9-C," "10-C," etc. If peanuts are blanched, designate as "Blanched 8-C," "Blanched 9-C," "Blanched 10-C," etc.

Samples "AF-8," "AF-9," etc.

When samples are furnished from an unused portion of the official 144-lb. aflatoxin sample, their designation must be prefixed with the letters "AF." For example, if official samples #2 and #3 were not required by the laboratory, but requested by the receiver, these samples would be designated "AF-8" and "AF-9" to indicate they were from the official aflatoxin samples 2 and 3. This designation may also be used for samples submitted for lots destined for the E.U.

Subsamples "AF-7CD," "AF-8CD," "AF-9CD," etc.

Ground subsamples furnished from a portion of the official 144-lb. aflatoxin sample are prefixed with the letters "AF" as follows: "AF-7CD," "AF-8CD," etc. This indicates that the subsample is from the second spout of the subsampling mill and was prepared at the same time as the "l-AB" sample. This subsample can only be furnished when the "l-CD" is **not** requested.

Subsamples "AF-8-CD-EX," "AF-9-CD-EX," etc.

When samples are furnished that are <u>in addition to</u> the official 144-lb. aflatoxin sample, they must be prefixed with the letters "AF" and end with the letters "EX." If an extra sample of whole peanuts (unground) is requested to be drawn at the same time as the regular 144-lb. sample, designate as "AF-8-EX." If a <u>ground</u> subsample is furnished, designate it as "AF-8-CD-EX."

"AF-8C" indicates a ground subsample from the official sample was previously marked as #2, but the #2 was not required. In this case, since the sample is marked only with the letter "C," the lab will run only one analysis. Regardless if one or two analyses are to be run, the amount of the total ground sample sent to the lab must be within the previously mentioned 900 to 1,300 gram range.

"AF-9CD" indicates a ground subsample from the official sample that was previously marked as #3, but not needed.

(13) Moisture

The maximum moisture content permitted for human consumption under MOAB Regulations is 9.00 percent for shelled and 10.00 percent for in-shell peanuts. Moisture content must be determined and reported on every inspection certificate. Report "actual" moisture content. Do not round results to the nearest whole number. If moisture exceeds 9.00 percent for shelled or 10.00 percent for in-shell peanuts, the lot fails to meet MOAB Outgoing Quality requirements. If the lot is offered for reinspection at a later date, a complete grade analysis must be performed to certify compliance with the MOAB Regulations.

(14) Size

All domestic lots of shelled peanuts shipped to edible trade must meet the tolerances for fall-through specified in the MOAB Outgoing Quality Regulations. Further, they may also be certified to any U.S. (or APSA grade, if applicable) using the screen size and fall-through tolerances specified for those grades.

Reporting Size

When reporting size on the certificate, state the size of the openings of the screen used as well as the percentage that passes through the screen in the space provided on the 184-9A. For example: "2.18% sound whole kernels passing 16/64 x 3/4 inch slot screen, 0.76% sound portions passing 17/64 inch round hole screen."

(15) MOAB Minimum Quality Standards – Peanuts for Human Consumption

Lots of Whole Kernels or Whole Kernels with Splits – Maximum Limitations

Type and Grade Category	Unshelled Peanuts & Damaged Kernels	Unshelled Peanuts, Damaged Kernels, & Minor Defects	Total Fall Through, Sound Whole Kernels and/or Sound Split & Broken Kernels	Foreign Material	Moisture
Runner	1.50%	2.50%	6.00%; 17/64 inch round screen	0.20%	9.00%
Virginia (Except No. 2)	1.50%	2.50%	6.00%; 17/64 inch round screen	0.20%	9.00%
Spanish & Valencia	1.50%	2.50%	6.00%; 16/64 inch round screen	0.20%	9.00%
No. 2 Virginia	1.50%	3.00%	6.00%; 17/64 inch round screen	0.20%	9.00%
Runner with Splits (Not more than 15% sound splits)	1.50%	2.50%	6.00%; 17/64 inch round screen	0.20%	9.00%
Virginia with Splits (Not more than 15% sound splits)	1.50%	2.50%	6.00%; 17/64 inch round screen	0.20%	9.00%
Spanish & Valencia with Splits (Not more than 15% sound splits)	1.50%	2.50%	6.00%; 16/64 inch round screen	0.20%	9.00%

Lots of "Splits" - Maximum Limitations

Type and Grade Category	Unshelled Peanuts & Damaged Kernels	Unshelled Peanuts, Damaged Kernels, & Minor Defects	Total Fall Through, Sound Whole Kernels and/or Sound Split & Broken Kernels	Foreign Material	Moisture
Runner (Not less than 90% splits)	2.00%	2.50% ,	6.00%; 17/64 inch round screen	0.20%	9.00%
Virginia (Not less than 90% splits)	2.00%	2.50%	6.00%; 17/64 inch round screen	0.20%	9.00%
Spanish & Valencia (Not less than 90% splits)	2.00%	2.50%	6.00%; 16/64 inch round screen	0.20%	9.00%

(16) Summary of Tolerances – Peanuts for Human Consumption

U.S. Standards

Grade Category	Other Types	Foreign Material	Damaged Peanuts & Unshelled Kernels	Total Damaged, Unshelled, & Minor Defects
U.S. Extra Large Virginia	0.75%	0.1%	1.00%	1.75%
U.S. Medium Virginia	1.00%	0.1%	1.25%	2.00%
U.S. No. 1 Virginia	1.00%	0.1%	1.25%	2.00%
U.S. Virginia Splits	2.00%	0.2%	2.00%	2.00%
U.S. No. 2 Virginia *	2.00%	0.2%	2.50% 1	2.50% 1
U.S. No. 1 Runner	1.00%	0.1%	1.50%	2.00%
U.S. Runner Splits	2.00%	0.2%	2.00%	2.00%
U.S. No. 2 Runner	2.00%	0.2%	2.50% 2	2.50%
U.S. No. 1 Spanish	1.00%	0.1%	1.50%	2.00%
U.S. Spanish Splits	2.00%	0.2%	2.00%	2.00%

The U.S. Standards for No. 2 Virginia-type peanuts provides for a tolerance of 2.50 percent for Total Damaged, Unshelled, and Minor defects, all of which may be strictly Damaged Peanuts and Unshelled Kernels. However, the 7CFR, Part 996 human consumption requirements provides for up to 3.00 percent for Total Damaged, Unshelled, & Minor Defects (column 5 above), but "caps" this amount at a maximum tolerance of 1.50 percent for Damaged Peanuts & Unshelled Kernels (column 4 above), exclusive of Minor Defects.

² The U.S. Standards for No. 2 Runner-type peanuts provides for a tolerance of 2.50 percent for Total Damaged, Unshelled, and Minor defects, all of which may be strictly Damaged Peanuts and Unshelled Kernels. While the 7CFR, Part 996 human consumption requirements provides for the same 2.50 percent for Total Damaged, Unshelled, & Minor Defects (column 5 above), this amount is "capped" at a maximum tolerance of 1.50 percent for Damaged Peanuts & Unshelled Kernels (column 4 above), exclusive of Minor Defects.

MOAB Human Consumption Categories

Grade Category	Other Types	Foreign Material	Damaged Peanuts & Unshelled Kernels	Total Damaged, Unshelled, & Minor Defects
Runner	No Limit	0.20%	1.50% 3	2.50%
Spanish & Valencia	No Limit	0.20%	1.50%	2.50%
Virginia (Except No. 2)	No Limit	0.20%	1.50%	2.50%
No. 2 Virginia	No Limit	0.20%	1.50% 4	3.00% 4
Runner Splits (Not less than 90% splits or broken)	No Limit	0.20%	2.00%	2.50%
Spanish & Valencia Splits (Not less than 90% splits or broken)	No Limit	0.20%	2.00%	2.50%
Virginia Splits (Not less 90% splits or broken)	No Limit	0.20%	2.00%	2.50%
Runner with Splits (Not more than 15% sound splits or broken)	No Limit	0.20%	1.50%	2.50%
Spanish & Valencia with Splits (Not more than 15% sound splits or broken)	No Limit	0.20%	1.50%	2.50%
Virginia with Splits (Not more than 15% sound splits or broken)	No Limit	0.20%	1.50%	2.50%

Note: "Splits" are what remains in the sample after separating out FM and any whole kernels.

³ The U.S. Standards allow a maximum of 2.50 percent for Damaged Peanuts and Unshelled Kernels in the No. 2 Runner grade

⁴ The U.S. Standards allow a maximum 2.50 percent for these categories.

(17) Maximum Lot Size for Edible Shipments

When a sheller desires to stockpile either shelled or cleaned in-shell peanuts and ship them in small lots over a period of time, the lots must be tagged with a lot number, inspected and certified as previously mentioned. Such lots may not exceed 200,000 pounds. As portions of the lot are shipped, the Inspection Service must, if so requested, issue transfer certificates covering the number of bags shipped and identify them with the original certificate. The 200,000 pound limitation also applies to bulk containers or bulk rail cars or trailers.

(18) MOAB Regulations for "Non-Edible Quality" Shelled Peanuts

"Non-edible quality" applies to any lot that does not meet the minimum requirements for human consumption. The only requirement for non-edible quality lots of peanuts is that they be PLI'd using red tags. Further, the following statement must be made under "Remarks" on the 184-9A when certifying non-edible peanuts:

"Meets 7 CFR, Part 996 for non-edible quality"

Non-edible quality peanut lots that do not have an aflatoxin certificate or lots with aflatoxin certificates showing 300 ppb or higher may only be sent to a crusher or exported. Non-edible quality peanuts that have an aflatoxin certificate showing less than 300 ppb may be sent to any non-edible outlet, but are subject to action levels set by the Food and Drug Administration (FDA) for aflatoxin. Non-edible quality peanuts are not required to be fragmented or dyed.

(19) Lots Packed for, but Failing Human Consumption Requirements

Lots that fail to meet the minimum requirements for "Human Consumption" cannot legally be shipped to the edible trade. Failing lots may be:

1. Blanched, regardless of the amount of damage, FM, moisture, or fall-through present in the lot. Lots previously certified as exceeding aflatoxin tolerances may also be blanched. Lots that are moved under this provision must be PLI'd, accompanied by a valid grade inspection certificate, and the title retained by the handler until the peanuts are blanched and certified as meeting all quality specifications for any of the human consumption grades in the MOAB Regulations, including fall-through. Lots that have been certified as meeting the minimum requirements for fall-through, damaged kernels, and/or minor defects prior to blanching are exempt from these requirements after blanching. However, in such instances, a statement must be made under "Remarks" as follows: "Meets 7CFR, Part 996 for Blanched Peanuts." If a lot fails on fall-through, damaged kernels, and/or minor defects prior to blanching, then these factors must be determined and certified after blanching. All other factors must also be determined after blanching.

NOTE: 7CFR Part 996.50 (2)(f) stipulates that a handler's shelled peanuts may be moved without PLI and grade inspection to the <u>handler's</u> blanching facility that blanches <u>only</u> the handler's peanuts. The title of such peanuts must be retained by the handler or importer until the peanuts have been certified by the Inspection Service as meeting MOAB outgoing quality standards.

- 2. Remilled by a USDA-approved remiller if failing "human consumption" for any reason. There are no limits for the amount of fall-through, damage, minor defects or FM that a lot may contain before it is allowed to be remilled. Lots of peanuts that are moved to approved commercial remillers under this provision must be PLI'd and accompanied by a valid grade inspection certificate with title retained by the handler until the peanuts are remilled and certified as meeting specifications of any edible grade in the MOAB Regulations. Any remilled lot must have a negative aflatoxin certificate before disposition for human consumption.
- 3. **Disposed of to any non-edible outlet,** provided they are PLI'd and red tagged. An aflatoxin certificate is required unless the lot is going to be crushed.

NOTE: All residuals from failing lots that are blanched or remilled must be treated the <u>same</u> as non-edible quality peanuts described in Section 18 on page 80.

(20) Roasted Blanched Lots

Lots that have met all MOAB quality requirements, but fail on aflatoxin may be blanched and immediately roasted in the same process. This is only allowed by USDA-approved blanchers. The Inspection Service will then draw an aflatoxin sample from the roasted lot. This process must be done under Inspection Service surveillance in order to maintain PLI. No determination of quality factors is made on roasted lots. A transfer certificate must be issued on such lots to maintain PLI of the original red-skin lot and corresponding 184-9A. The aflatoxin sample must be accompanied by a 187 when sent to the lab and, under "Remarks," must state "above lot blanched and roasted." (See 7CFR, Part 996.50 (2)(e)).

(21) "Sheller Oil Stock" Quality

This term applies to all peanuts or portions of peanuts that are separated from edible quality peanuts during the milling process by screening, sorting, or other means. The only requirement for "sheller oil stock" lots is that they be PLI'd using red tags or other methods acceptable to the Inspection Service. (The same as for "non-edible quality"). FM and moisture may be determined on "sheller oil stock" lots at the applicant's request. Such lots may be disposed of in the same manner as any non-edible quality lot. FM must be determined for sheller oil stock using the following procedure:

Sample Size

For all lots of screenings, the minimum size sample for FM analysis is 500 grams. For all lots of screenings mixed with LSK's or pick-outs, the minimum size sample is 1,000 grams. For all straight lots of LSK's or pick-outs, follow the sampling guide listed on page 9

Inspection Procedure

Determining FM in lots of oil stock is often a tedious and time consuming job, especially in lots of screenings that contain large amounts of peanut particles and meal. All lots must be examined closely and picked over by hand to remove FM. A Farmers' Stock peanut sheller may be used to separate very fine material. If unshelled peanuts, raisins, or twisters are present, remove the shells and weigh them with the FM.

All shelled stock offices should have at least two screens, one having 1/8 inch openings and the other 1/16 inch openings (about the size of window-screen wire). After the sample has been picked by hand, it should be screened over these two screens. The portion of the sample that passes through the 1/8 inch screen, but rides the 1/16 inch screen must be examined closely for small pieces of FM. The meal that passes through the 1/16 inch screen must be checked for dirt. Remember, FM means all pieces or loose particles of any substance other than peanut kernels or skins.

(22) Shelled Peanuts Originating from Seg. I, II or III, Farmers' Stock

All shelled peanut lots, regardless of their original Farmers' Stock segregation, that are destined for human consumption must be PLI'd, certified to a MOAB human consumption grade, and certified negative for aflatoxin. Lots that are sent to any non-edible outlet are only required to be PLI'd using red tags or other methods acceptable to the Inspection Service. (Same as for "non-edible quality.") An aflatoxin certificate is also required unless the lot is going to be crushed.

(23) Aflatoxin Samples for Non-Edible Quality Peanuts

Aflatoxin testing requirements for non-edible quality depends upon the category of peanuts and the disposition of the lot. If requested to draw such samples, use the procedure as outlined for shelled peanuts for human consumption.

NOTE: All costs involving sampling, sample preparation, delivery of the samples to the laboratory, and testing for non-edible quality are for the account of the applicant.

(24) MOAB Requirements for Cleaned In-Shell Peanuts for Human Consumption

Moisture - Not more than 10.00%.

Size - No requirement.

FM - Not more than 0.50%.

<u>Defects</u> - Not more than 2.00% peanuts with damaged kernels. Not more than 1.00% kernels damaged by mold, unless tested and found negative for aflatoxin.

NOTE: See pages 72 & 73 for Aflatoxin Sampling Plan for Cleaned In-Shell Peanuts.

(25) Storage Lots

MOAB Regulations permit shellers to transfer lots of peanuts from one of their own plants to their own blanching facility which only blanches that handler's peanuts without having a valid grade certificate or PLI.

PLI tags may be issued prior to inspection for lots that the sheller plans to have graded and placed into storage at a location beyond the surveillance of the Inspection Service. Since the words "Federal-State Inspected" appears on the PLI tags, the Inspection Service and the sheller, if applicable, must maintain accurate records of all tags issued to ensure that all such lots are inspected and accounted for. Refer to Part II of these instructions for details on accountability of tags. Use of official FSIS PLI tags on lots of milled peanuts that have not been inspected is prohibited.

(26) Inspecting Peanuts for the FSA Peanut Purchase Program

FPB and FSIS Inspectors have the obligation for determining compliance with the FSA Peanut Purchase Program (Peanut Product Announcement PP-9 or simply, "PP-9"). Accordingly, FPB and FSIS Inspectors, as well as Processed Products Branch (PPB) inspectors, are involved in ascertaining these quality requirements. FSIS inspectors are responsible for determining quality and size requirements, drawing aflatoxin samples from red skin or blanched lots, and maintaining PLI for custom blanched lots. PPB inspectors are responsible for maintaining PLI from the time raw peanuts are delivered to a processing plant through the processing of the end product. To assist PPB in determining compliance of the raw product, it is important that both update and transfer certificates indicate whether a lot meets PP-9 requirements. When requested to perform an update inspection, it must be determined from the applicant if the lot is intended for the FSA purchase program. If so, it must be stated on the certificate whether the lot meets or fails to meet PP-9 for roasting, peanut butter, or granules, whichever applicable. (See item #9 on page 86).

83

- 1. Produced in the USA.
- 2. Produced from the current crop year stocks or as specified in the applicable bid invitation.
- 3. Pre-tested for aflatoxin at the contractor's expense in accordance with 7CFR, Part 996 by a USDA or USDA-approved laboratory and found to be negative.
- 4. If it is determined that the lot does not meet the aflatoxin requirements based on the original analysis or by means of an appeal inspection certificate, the lot must be resampled and tested for aflatoxin after blanching (provided blanching is required).

Tables 1 and 2 list the grades allowed for purchase under this announcement. All lots of peanuts meeting one of the grades in the following tables must also meet the requirements specified in item #5 on the following page.

TABLE 1 – PEANUT GRADES FOR PEANUT BUTTER AND PEANUT GRANULES

U.S. and APSA grades that may be used for peanuts to be processed into peanut butter or peanut granules are:		
U.S. No. 1 Spanish	APSA Medium Runner	
U.S. No. 1 Virginia	APSA No. 1 Runner	
U.S. Runner Splits	APSA Runner Grades with Splits	
U.S. Spanish Splits	APSA Runner Splits	
U.S. Virginia Splits	APSA No. 2 or Small Runner	
U.S. Extra Large Virginia	Valencia type	
U.S. Medium Virginia		
U.S. No. 2 Virginia (minimum 80% splits)		

TABLE 2 – PEANUT GRADES AND MINIMUM SIZES FOR ROASTED PEANUTS

Grade & minimum screen sizes for peanuts to be processed from roasted peanuts are:		
Grade	Minimum Screen Size	
U.S. No. 1 Runner	18/64 x 3/4 inch slot	
U.S. No. 1 Spanish	15/64 x 3/4 inch slot	
U.S. No. 1 Virginia	18/64 x 1 inch slot	
U.S. Extra Large Virginia -	20/64 x 1 inch slot	
U.S. Medium Virginia	18/64 x 1 inch slot	
APSA Jumbo Runner	21/64 x 3/4 inch slot	
APSA Medium Runner	18/64 x 3/4 inch slot	
Valencia type	15/64 x 3/4 inch slot	

5. The quality of the shelled peanuts utilized in this program must be within the requirements of current grades as outlined in Table 1 or Table 2, provided that a tolerance of not more than 2.00 percent by weight is permitted for minor defects and damaged combined, including therein not more than 1.25 percent for damage; and provided further for lots required to be U.S. No. 1 Grade or better, peanuts may contain not more than 3.00 percent split or broken kernels; or when peanuts are removed from cold storage or when remilled prior to usage, the lot of peanuts may contain not more than 6.00 percent split or broken kernels. Alternatively, manufacturers are authorized to use U.S. No. 2 Virginia lots containing a minimum of 80.0 percent splits.

NOTE: Keep in mind that the grades listed in Tables 1 and 2 allow a damage tolerance in excess of the restricted 1.25% damage tolerance specified in the peanut purchase announcement. For example, a lot of Runner type peanuts containing 1.30% damage would grade U.S. No. 1 Runner and meet MOAB Regulations for human consumption, but fail PP-9 purchase specifications.

- 6. The rail cars or trailers in which peanuts are loaded must be clean, sanitary, and in a condition to protect the commodity during transit so that the peanuts arrive at destination free from contamination.
- 7. Except for lots where the finished product is to be unblanched roasted Spanish type peanuts, the contractor may elect to blanch the peanuts en route, in which case it is the contractors responsibility to inform custom blanchers as follows:

The Inspection Service must be given advance notice of any incoming lot. The notice must include:

- a. The dates the lot will arrive at the blanching facility;
- b. The lot manifest;
- c. The lot identification;
- d. The name of the prime contractor; and
- e. The announcement and invitation number under which the lot is being tendered as well as the type of end product to be manufactured for delivery.

The Inspection Service must monitor the lot for PLI. Manufacturers of commercial peanut butter may use any USDA-approved blanching facility. The Peanut Purchase Program does not require a lot be inspected after blanching as long as it has a valid inspection certificate showing size and grade factors met the requirements of the announcement prior to blanching and PLI has been maintained.

NOTE: The Memorandum of Understanding (MOU) between MOAB and approved blanchers requires all lots that fail the Outgoing Quality Requirements for any reason be inspected and certified as meeting MOAB requirements for grade, size (unless meeting size prior to blanching), and aflatoxin before the lot may be manufactured into finished product or shipped to a manufacturer.

Once a lot that has met the requirements of the announcement has been blanched and PLI has been maintained, a transfer certificate must be issued containing a statement showing compliance with the announcement.

- 8. The original certificates for grade and aflatoxin showing that grade factors and aflatoxin levels met the requirements of the announcement is all that is required. Updates will not be required. However, PLI must be maintained.
- 9. A statement showing compliance with the announcement will usually not appear on the grade certificate since it is not normally known at the time of inspection if the lot is destined for the peanut purchase program. However, this fact is known at the time of the original inspection and the lot meets the requirements of the announcement, then a statement showing compliance with the announcement may be shown on the grade certificate under "Remarks" to read as follows:

"Meets Quality Requirements of FSA Announcement (<u>number</u>) for (<u>Peanut Butter</u> / <u>Peanut Granules</u> / <u>Roasted Peanuts</u>)"

EXAMPLE: "Meets Quality Requirements of FSA Announcement PP-9 for Peanut Butter"

(27) Official Trading Rules of the American Peanut Shellers Association (APSA)

The APSA has established kernel size and grade classifications as part of the Association's Official Trading Rules. The following pages contain instructions pertaining to these grade classifications.

Inspectors must use caution in determining the exact percentages of various classes of defective kernels even though they may exceed the U.S. grade tolerance or tolerances established by the Association. Adjustments in prices are sometimes made on the basis of the exact percentage reported on the certificate regardless of whether the percentage is within or exceeds a given tolerance.

Official Rules of the American Peanut Shellers Association Revised 2004

(A) APSA SHELLED RUNNER PEANUTS - GRADES

RULE 1.

Section 1. <u>Jumbo Runner</u>. *Jumbo Runner* consists of shelled Runner-type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage, and minor defects, and which not pass through a screen having 21/64 x 3/4 inch openings.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 1.00 percent for other types of peanuts;
- (2) 3.00 percent for sound peanuts which are split or broken;
- (3) 1.00 percent for damage;
- (4) 2.00 percent for damage and minor defects combined;
- (5) 0.10 percent for foreign material;
- (6) 9.00 percent for moisture; and
- (7) 5.00 percent for sound kernels which will pass through the prescribed screen as to fall-through; and otherwise meet Minimum Quality Standards as published in 7CFR, Part 996.

Section 2. <u>Medium Runner</u>. *Medium Runner* consists of shelled Runner-type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage and minor defects, milled through a screen having 21/64 x 3/4 inch openings and which will not pass through a screen having 18/64 x 3/4 inch openings.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 1.00 percent for other types of peanuts;
- (2) 3.00 percent for sound peanuts which are split or broken;
- (3) 1.00 percent for damage,
- (4) 2.00 percent for damage and minor defects combined,
- (5) 0.10 percent for foreign material;
- (6) 9.00 percent for moisture; and
- (5) 5.00 percent for sound whole kernels which will pass through the prescribed screen as to fall-through; and otherwise meet Minimum Quality Standards as published in 7CFR, Part 996.

Section 3. <u>APSA No. 1 Runner</u>. *No. 1 Runner* consists of shelled Runner-type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage end minor defects, milled through a screen having 18/64 x 3/4 inch openings and which will not pass through a screen having 16/64 x 3/4 inch openings.

In order to allow for variations to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 1.00 percent for other types of peanuts;
- (2) 3.00 percent for sound peanuts which are split or broken;
- (3) 1.50 percent for damage;
- (4) 2.50 percent for damage and minor defects combined;
- (5) 0.10 percent for foreign material;
- (6) 9.00 percent for moisture; and
- (7) 5.00 percent for sound whole kernels which will pass through the prescribed screen and otherwise meet Minimum Quality Standards as published in 7CFR, Part 996 as to fall-through.

Section 4. Runner Grades with Splits. Runner grades described in foregoing Sections 1, 2, and 3 and further identified by the words, "with splits," as follows: "Jumbo Runner with Splits," "Medium Runner with Splits," and "No. 1 Runner with Splits." Tolerances to allow for variations incident to proper grading and handling shall be the same as those set forth in the above sections except 15.00 percent for sound peanuts which are split or broken, of which not over 6.00 percent will pass through a 17/64 inch round opening screen, shall be permitted.

Section 5. <u>Runner Splits</u>. *Runner Splits* consists of shelled Runner-type peanut kernels of similar varietal characteristics which are split or broken, but which are free from foreign material, damage and minor defects and which will not pass through a screen having 17/64 inch round openings.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 2.00 percent for other types of peanuts;
- (2) 1.50 for damage;
- (3) 2.50 percent for damage and minor defects combined;
- (4) 0.20 percent for foreign material;
- (5) 9.00 percent for moisture; and otherwise meet Minimum Quality Standards as published in 7CFR, Part 996 as to fall-through and percent split or broken kernels.

Section 6. <u>APSA No. 2 or Small Runner</u>. *No. 2 or Small Runner* consists of shelled Runner-type peanut kernels of similar varietal characteristics which may be split or broken, but which are free from foreign material, damage and minor defects, and which will not pass through a screen having 17/64 inch round openings.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 2.00 percent for other types of peanuts;
- (2) 1.50 percent for damage;
- (2) 2.50 percent for damage and minor defects combined;
- (3) 0.20 percent for foreign material;
- (4) 9.00 percent for moisture; and
- (5) otherwise meet Minimum Quality Standards as published in 7CFR, Part 996 as to fall-through

Section 7. Application of Tolerances. The tolerances provided in these standards are on a lot basis and shall be applied to a composite sample representative of the lot. However, any container or group of containers in which peanuts are obviously of a quality materially different from that in the majority of containers shall be considered a separate lot, and shall be sampled separately.

(B) APSA SHELLED SPANISH PEANUTS - GRADES

RULE 2.

Section 1. No. 1 Spanish. No. 1 Spanish consists of shelled Spanish-type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage, and minor defects, and which will not pass through a screen having 15/64 x 3/4 inch openings.

In order to allow for variations to proper grading and handling, the following tolerances, by weight, shall be permitted-

- (1) 1.00 percent for other type peanuts;
- (2) 3.00 percent for sound peanuts which are split or broken;
- (3) 1.50 percent for damage;
- (4) 2.50 percent for damage and minor defects combined;
- (5) 0.10 percent for foreign material;
- (6) 9.00 percent for moisture; and
- (7) 5.00 percent for sound whole peanuts which will pass through the prescribed screen and otherwise meet Minimum Quality Standards for splits as published in 7CFR, Part 996 as to fall-through.

Section 2. Spanish Splits. Spanish Splits consists of shelled Spanish-type peanut kernels of similar varietal characteristics which are split or broken, but are free from foreign material, damage and minor defects, and which will not pass through a screen having 16/64 inch round openings.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 2.00 percent for other type of peanuts;
- (2) 1.50 percent for damage;
- (3) 2.50 percent for damage and minor defects combined;
- (4) 0.20 percent foreign material;
- (5) 9.00 percent for moisture; and otherwise meet Minimum Quality Standards as published in 7CFR, Part 996 as to fall-through and percent split or broken kernels.

Section 3. No. 2 Spanish. No. 2 Spanish consists of shelled Spanish-type peanut kernels of similar varietal characteristics which may be split or broken, but which are free from foreign material, damage and minor defects, and which will not pass through a screen having 16/64 inch round openings.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 2.00 percent for other types of peanuts;
- (2) 1.50 percent for damage;
- (3) 2.50 percent damage and minor defects combined;
- (4) 0.20 percent foreign material;
- (5) 9.00 percent for moisture; and otherwise meet Minimum Quality Standards as published in 7CFR, Part 996 as to fall-through.

Section 4. Application of Tolerances. The tolerances provided in these standards are on a lot basis and shall be applied to a composite sample representative of the lot. However, any container or group of containers in which peanuts are obviously of a quality materially different from that in the majority of containers shall be considered a separate lot, and shall be sampled separately.

(C) APSA SHELLED VIRGINIA PEANUTS - GRADES

RULE 3.

Section 1. Extra Large Virginia. Extra Large Virginia consists of shelled Virginia-type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage and minor defects, and which will not pass through a screen having 20/64 x 1 inch openings.

In order to allow for variations incident to proper grading and handling the following tolerances, by weights, shall be permitted:

- (1) 0.75 percent for other varieties of peanuts;
- (2) 3.00 percent for sound peanuts which are split or broken;
- (3) 1.00 percent for damaged or unshelled peanuts;
- (4) 0.75 percent for minor defects; provided, that in addition, any unused part of the tolerance for damaged or unshelled peanuts shall be allowed for minor defects;
- (5) 0.10 percent for foreign material; and
- (6) 9.00 percent for moisture
- (7) 5.00 percent for sound, whole peanuts which will pass through the prescribed screen and otherwise meet minimum quality standards as published in 7CFR, Part 996 as to fall-through.

Section 2. <u>Medium Virginia</u>. *Medium Virginia* consists of shelled Virginia-type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage and minor defects, and which will not pass through a screen having 18/64 x 1 inch openings.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 1.00 percent for other varieties of peanuts;
- (2) 3.00 percent for sound peanuts which are split or broken;
- (3) 1.25 percent for damaged or unshelled peanuts;
- (4) 0.75 percent for minor defects; provided, that in addition, any unused part of the tolerance for damaged or unshelled peanuts shall be allowed for minor defects;
- (5) 0.10 percent for foreign material
- (6) 9.00 percent for moisture; and
- (7) 5.00 percent for sound, whole peanuts which will pass through the prescribed screen otherwise meet minimum quality standards as published in 7CFR, Part 996 as to fall through.

Section 3. No. 1 Virginia. No. 1 Virginia consists of shelled Virginia-type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage and minor defects, and which will not pass through a screen having 15/64 x 1 inch openings.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 1.00 percent for other varieties of peanuts;
- (2) 3.00 percent for sound peanuts which are split or broken;
- (3) 1.50 percent for damaged or unshelled peanuts;
- (4) 2.50 percent damage and minor defects combined;
- (5) 1.00 percent for minor defects; provided, that in addition, any unused part of the tolerance for damaged or unshelled peanuts shall be allowed for minor defects;
- (6) 0.10 percent for foreign material
- (7) 9.00 percent for moisture; and
- (8) 5.00 percent for sound, whole peanuts which will pass through the prescribed screen otherwise meet minimum quality standards as published in 7CFR, Part 996 as to fall through.

Section 4. <u>Virginia Splits</u>. *Virginia Splits* consists of shelled Virginia-type peanut kernels of similar varietal characteristics which are free from foreign material, damage and minor defects, and which will not pass through a screen having 20/64 inch round openings. Not less than 90.00 percent, by weight, shall be splits.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 2.00 percent for other varieties of peanuts;
- (2) 1.50 percent for damaged or unshelled peanuts;
- (3) 2.50 percent for damaged or unshelled peanuts and minor defects;
- (4) 0.20 percent for foreign material
- (5) 9.00 percent for moisture; and
- (6) 5.00 percent for sound portions of peanuts and sound whole kernels which will pass through the prescribed screen and otherwise meet minimum quality standards as published in 7CFR, Part 996 as to fall through and percent split or broken kernels.

Section 5. <u>No 2 Virginia</u>. *No. 2 Virginia* consists of shelled Virginia-type peanut kernels of similar varietal characteristics which may be split or broken, but which are free from foreign material, damage and minor defects, and which will not pass through a screen having 17/64 inch round openings.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 2.00 percent for other varieties of peanuts;
- (2) 1.50 percent for damaged or unshelled peanuts;
- (3) 3.00 percent for damaged or unshelled peanuts and minor defects;
- (4) 0.20 percent for foreign material
- (5) 9.00 percent for moisture; and
- (6) otherwise meet minimum quality standards as published in 7CFR, Part 996 as to fall through.

Section 6. Application of Tolerances. The tolerances provided in these standards are on a lot basis and shall be applied to a composite sample representative of the lot. However, any container or group of containers in which the peanuts are obviously of a quality materially different from that in the majority of containers shall be considered a separate lot, and shall be sampled separately.

Definitions

Similar varietal characteristics - For all types of peanuts referenced in the APSA grades, "similar varietal characteristics" means that the peanut kernels in the lot are not of distinctly different varieties. For example, Spanish-type must not be mixed with Runner-type.

- (a) Whole the peanut kernel is not split or broken.
- (b) Split the separated half of a peanut kernel.
- (c) Broken more than one-fourth of the peanut kernel is broken off.
- (d) Foreign Material pieces or loose particles of any substance other than peanut kernels or skins.
- (e) Unshelled a peanut kernel with part or all of the hull (shell) attached.
- (f) Portion part or parts of a peanut kernel other than a whole.
- (g) Minor defects the peanut kernel is not damaged, but is affected by one or more of the following:
 - (1) Skin discoloration which is dark brown, dark gray, dark blue or black and covers more than one-fourth of the surface;
 - (2) Flesh discoloration which is darker than a light yellow color or consists of more than a slight yellow pitting of the flesh;
 - (3) Sprout extending more than one-eighth of an inch from the tip of the kernel; and
 - (4) Dirt when the surface of the kernel is distinctly dirty, and its appearance is materially affected.
- (h) Damage the peanut kernel is affected by one or more of the following:
 - (1) Rancidity or decay;
 - (2) Mold;
 - (3) Insect or worm cuts, web or frass;
 - (4) Freezing injury causing hard, translucent or discolored flesh;
 - (5) Dirt when the surface of the kernel is heavily smeared, thickly flecked or coated with dirt, seriously affecting its appearance; and
 - (6) Unshelled.
- (i) Sound whole peanuts or portions free from damage or minor defects.

(D) APSA IN-SHELL VIRGINIA PEANUTS - GRADES

RULE 4.

Section 1. Grades shall be the same as for U.S. standards.

Section 2. <u>Jumbo Hand Picked</u>. *Jumbo Hand Picked* shall consist of cleaned Virginia-type peanuts in the shell, which are mature, dry, and free from loose peanut kernels, dirt or other foreign material, pops, paper ends, and from damage caused by cracked or broken shells, discoloration or other means. The kernel shall be free from damage from any cause. In addition, the peanuts shall not pass through a screen having 37/64 x 3 inch perforations or the unshelled peanuts in any lot shall not average more than 176 count per pound.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- 1. 10.00 percent total for pops, peanuts having paper ends or damaged shells, loose undamaged peanut kernels, and dirt or other foreign material, but not more than one-twentieth of this amount, or 0.50 percent shall be allowed for dirt or other foreign material.
- 2. 5.00 percent for peanuts which will pass through the prescribed screen, but which are free from pops and from peanuts having paper ends or damaged shells.
- 3. 3.50 percent for peanuts with damaged kernels and damaged loose kernels.

Section 3. Fancy Hand Picked. Fancy Hand Picked shall consist of cleaned Virginia-type peanuts in the shell, which are mature, dry, and free of loose peanut kernels, dirt or other foreign material, pops, paper ends, and from damage caused by cracked or broken shells, discoloration or other means. The kernels shall be free from damage from any cause. In addition, the peanuts shall not pass through a screen having 32/64 x 3 inch perforations or the unshelled peanuts in any lot shall not average more than 225 count per pound.

In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted.

- 1. 11.00 percent total for pops, peanuts having paper ends or damaged shells, loose undamaged peanut kernels, and dirt or other foreign material, but not more than one twenty-second of this amount, or 0.50 percent, shall be allowed for dirt or other foreign material.
- 2. 5.00 percent for peanuts which will pass through the prescribed screen, but which are free from pops and from peanuts having paper ends or damaged shells.
- 3. 4.50 percent for peanuts with damaged kernels, and damaged loose kernels.

Section 4. <u>Unclassified</u>. *Unclassified* shall consist of cleaned Virginia-type peanuts in the shell which fail to meet the requirements of either of the foregoing grades. The term "unclassified" is not a grade within the meaning of these standards but is provided as a designation to show that no definite grade has been applied to the lot.

Section 5. Application of Tolerances. The tolerances provided in these standards are on a lot basis and shall be applied to a composite sample representative of the lot. However, any container or group of containers in which peanuts are obviously of a quality materially different from that in the majority of containers shall be considered a separate lot, and shall be sampled separately.

Definitions

- (a) Mature the shells are firm and well developed.
- (b) Pops fully developed shells which contain practically no kernels.
- (c) Paper ends peanuts which have very soft and/or very thin ends.
- (d) **Damage** any injury or defect which materially affects the appearance, edible or shipping quality of the individual peanut or the lot as a whole. The following shall be considered as damage:
 - (1) Cracked of broken shells which have been broken to the extent that the kernel within is plainly visible without minute examination and with no application of pressure, or the appearance of the individual peanut is materially affected.
 - (2) Discolored shells which have dark discoloration caused by mildew, staining, or other means affecting one-half or more of the shell surface. Talc powder or other similar material which may have been applied to the shells during the cleaning process shall not be removed to determine the amount of discoloration beneath, but the peanut shall be judged as it appears with the talc.
 - (3) Kernels which are rancid or decayed.
 - (4) Moldy kernels.
 - (5) Kernels showing sprouts extending more than one-eighth inch from the end of the kernel.
 - (6) Distinctly dirty kernels.
 - (7) Kernels which are wormy, or have worm frass adhering, or have work cuts which are more than superficial.
 - (8) Kernels which have dark yellow color penetrating the flesh, or yellow pitting extending deep into the kernel.
- (e) Count per Pound the number of peanuts in a pound. When determining the count per pound, one single kernel shall be counted as one-half peanut.

Summary of Screen Sizes and Tolerances (by weight) for U.S. Standards for Shelled Peanuts

-MAXIMUM LIMITATIONS-

SUMMARY OF SCREEN SIZE(S) AND TOLERANCES (BY WEIGHT)
U.S. STANDARDS FOR SHELLED PEANUTS

PEANUT TYPE AND CATEGORY	UNSHELLED PEANUTS & DAMAGED KERNELS	TOTAL UNSHELLED PEANUTS, DAMAGED KFRNFIS &	FALL THROUGH (Sound)	FOREIGN	OTHER TYPES OR VARIETIES	SOUND SPLITS OR SOUND WHOLE	MOISTURE
ì	אכואורכס	MINOR DEFECTS				KERNELS	
U.S. NO 1 RUNNER	1.50%	2.00%	3.00% SWK 16/64 x 3/4" Slot	0.10%	1.00%	Splits 3.00%	No Requirement
U.S. NO 1 SPANISH *	1.50%	2.00%	2.00% SWK 15/64 x 3/4" Slot	0.10%	1.00%	Splits 3.00%	No Requirement
U.S. EXTRA LARGE VIRGINIA (512 max. count per lb. UOS)	1.00%	1.75%	3.00% SWK 20/64 x 1" Slot	0.10%	0.75%	Splits 3.00%	No Requirement
U.S. MEDIUM VIRGINIA (640 max. count per lb. UOS)	1.25%	2.00%	3.00% SWK 18/64 x 1" Slot	.0.10%	1.00%	Splits 3.00%	No Requirement
U.S NO 1 VIRGINIA (864 max. count per lb. UOS)	1.25%	2.00%	3.00% SWK 15/64 x 1" Slot	0.10%	1.00%	Splits 3.00%	No Requirement
U.S. RUNNER SPLITS	2.00%	2.00%	2.00% portions 17/64" Round	0.20%	2.00%	SWK 4.00%	No Requirement
U.S. SPANISH SPLITS	2.00%	2.00%	2.00% portions 16/64" Round	0.20%	2.00%	SWK 4,00%	No Requirement
U.S. VIRGINIA SPLITS	2.00%	2.00%	3.00% SWK & portions 20/64" Round	0.20%	2.00%	Minimum 90% Splits	No Requirement
U.S. No. 2 RUNNER	2.50%	2.50%	6.00% SWK & portions 17/64" Round	0.20%	2.00%	No Limit	No Requirement
U.S. No. 2 SPANISH *	2.50%	2.50%	6.00% SWK & portions 16/64" Round	. 0.20%	2.00%	No Limit	No Requirement
U.S. NO 2 VIRGINIA	2.50%	2.50%	6.00% SWK & portions 17/64" Round	0.20%	2.00%	No Limit	No Requirement

Valencia may be certifled on basis of Spanish Standards at applicant's or MOAB's request.

Summary of Screen Sizes and Tolerances (by weight) for APSA & U.S. Grades for Shelled Runner Peanuts

SUMMARY OF SCREEN SIZE(S) AND TOLERANCES (BY WEIGHT) FOR APSA AND U.S. GRADES FOR SHELLED RUNNER PEANUTS

GRADE & MINIMUM	FALL. THOUGH PRESCRIBED	SWK & SOUND PORTIONS PASSING	OTHER TYPES	SPLITS	DAMAGE	DAMAGE & MINOR	F	MOISTURE
SCHEEN SIZE	SCREENS	SCREEN				DEFECTS		
APSA JUMBO 21/64 x 3/4" Slot	SWK 5.00%	6.00%	1.00%	SplivBroken 3.00%	1.00%	2.00%	0.10%	800.6
APSA MEDIUM 18/64 x 3/4" SIOF	SWK			Split/Broken				
(Report % riding 21/64 x 3/4" Slot)	5.00%	%00.9	1.00%	3.00%	1.00%	2.00%	0.10%	800.6
NO. 1, 16/64 x 3/4" Slot (Report % riding 18/64 x 3/4" Slot)	SWK			Split/Broken				
APSA	5.00%	6.00%	1.00%	3.00%	1.50%	2.50%	0.10%	800.6
NO 2 or ABSA SAME	90.5	T/A-	.00%	3.00%	1.50%	2.00%	0.10%	N/A
17/64" Round				Split/Broken				
APSA U.S.	6.00% 6.00%	6.00% 6.00	2.00%	No Require.	1.50%	2.50%	0.20%	%00.6
RUNNER SPLITS 17/64" Round			8,00,7	NO Dedoile.	2.30%	2.30%	%07.0 0.20%	Z/Z
APSA	6.00% SWK & Sound Portions	6.00% SWK & Sound Portions	2.00%	Min. 90.00% Split/Broken	1.50%	2.00%	0.20%	%00.6
u.s.	2.00% Sound Portions	2.00% Sound Portions	2.00%	Max. 4.00% SWK	2.00%	2.00%	0.20%	N/A
APSA WITH SPLITS	Any of the above except a tolerano	the above APSA grades may be certified as a "With Splits" grade provided that they meet the above tolerances, a tolerance of 15 percent is allowed for split kernels.	certified as a	a "With Splits" gra	ade provided t	hat they meet	the above	tolerances,

(U.S. Grade Standards are not part of the American Peanut Shelter's Association rules, but are included for information only.)

Summary of Screen Sizes and Tolerances (by weight) for APSA & U.S. Grades for Shelled Spanish Peanuts

SUMMARY OF SCREEN SIZE(S) AND TOLERANCES (BY WEIGHT) FOR APSA AND U.S. GRADES FOR SHELLED SPANISH PEANUTS

GRADE	GRADE & MINIMUM SCREEN SIZE	FALL- THROUGH PRESCIBED SCREEN	OTHER	SWK or SPLITS/BROKEN	DAMAGE	DAMAGE & MINOR DEFECTS	FOREIGN	MOISTURE
NO 1 (15/64 x 3/4" Slot)	3/4" Slot)			Splits/Broken				
APSA	•	5,00% * SWK	1.00%	3.00%	1.50%	2.50%	0.10%	8.00%
U.S.		2.00% SWK	1.00%	3.00%	1.50%	2.00%	0.10%	N/A
SPANISH SPLITS (16/64" Round)	SPLITS (ound)							
APSA		6.00% SWK & Sound Portions	2.00%	Min. 90.00% Split/Broken	1.50%	2.50%	0.20%	%00:6
ń.S.		2.00% Sound Portions	2.00%	Max. 4.00% SWK	2.00%	2.00%	0.20%	A/N
No. 2 (16/64" Round)	(puno)	SWK & Sound Portions						
APSA		%00:9	2.00%	Not Restricted	1.50%	2.50%	0.20%	%00.6
U.S.		6.00%	2.00%	Not Restricted	2.50%	2.50%	0.20%	N/A

Also must meet 7CFR, Part 996 minimum quality standards for fall-through (6.00% SWK and sound portions passing through the 16/64" round screen).

(U.S. Grade Standards are not part of the American Peanut Shelter's Association rules, but are included for information only.)

Summary of Screen Sizes and Tolerances (by weight) for APSA & U.S. Grades for Shelled Virginia Peanuts"

SUMMARY OF SCREEN SIZE(S) AND TOLERANCES (BY WEIGHT) FOR APSA AND U.S. GRADES FOR SHELLED VIRGINIA PEANUTS

PRESCRIBED TYPES BROKEN DAMAGE & MINOR IN SCREENS SCREENS SOW SWK 04 5.00% 0.75% 3.00% 1.00% 1.75% 1.00% 1.75% 1.00% 1.75% 3.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 2.00% 1.25% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00%	GRADE &	FALL- THOUGH	ОТНЕВ	SOUND SPITIOS		DAMAGE	NOISION		THE CO
## Slot	MINIMUM SCREEN SIZE	PRESCRIBED SCREENS	TYPES	BROKEN	DAMAGE	& MINOR DEFECTS	MATERIAL	MOISTURE	POUND
E SWK x1" Slot 5.00%	EXTRA								
x 1" Slot 5.00% * 0.75% 3.00% 1.00% 1.75% 3.00% 1.00% 1.75% 3.00% 1.00% 1.75% 3.00% 1.00% 1.75% 3.00% 1.25% 2.00% 1.25% 2.00% 1.50% 3.00% * 1.00% 3.00% 1.25% 2.00% 1.50% 2.00% 1.50% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.0	LARGE	SWK							
5.00%* 0.75% 3.00% 1.00% 1.75% 1.75% 1.75% 1.00% 1.75% 1.75% 1.75% 1.00% 1.75% 1.75% 1.75% 1.00% 1.75% 1.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.25% 2.00% 1.50% 1.50% 1.50% 2.50% 1.50% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00%	20/64 x 1" Slot								
3.00% 1.00% 1.75% 1.00% 1.00% 1.75% 1.00% 1.75% 1.00% 1.20% 1.25% 2.00% 1.20% 1.25% 2.00% 1.25% 2.00% 1.00% 1.50% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 1.50% 2.00% 2.00% 1.50% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00%	APSA	2.00%	0.75%	3.00%	1.00%	1 75%	0.10%	7,000	N/A
JM VA SWK × 1" Slot 5.00%	U.S.	3.00%	0.75%	3.00%	1.00%	1.75%	0.10%	0, V	1070
x 1" Slot 5.00%	MEDIUM VA	SWK					*		2
* 5.00% * 1.00% 3.00% 1.25% 2.00% /A x 1" Slot 5.00% * SWK 1.00% 3.00% 1.50% 2.50% LITS Round 5.00% * SWK & 2.00% 2.00% 2.00% Sound Portions 5.00% 2.00% 2.00% 2.00% Round Portions 6.00% 2.00% No Require. 1.50% 3.00%	18/64 × 1" Slot								
3.00% 1.00% 3.00% 1.25% 2.00% **I" Slot 5.00% * SWK 1.00% 3.00% 1.50% 2.50% LITS 3.00% SWK 2.00% 2.00% 1.50% 2.50% Sound Portions 3.00% 2.00% 2.00% 2.00% **A SWK & Sound Portions 6.00% 2.00% **A SWK & Sound Portions 6.00% 2.00% **A SWK & Sound Portions 6.00% **A SWK & SW	APSA +	5.00%	1.00%	3.00%	1.25%	2.00%	0 10%	%UU 5	N/A
Ax 1" Slot 5.00% * SWK 1.00% 3.00% 1.50% 2.50% 1.17S 3.00% 1.25% 2.00% 1.17S 2.00% 1.25% 2.00% 1.17S 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00%	U.S.	3.00%	1.00%	3.00%	1.25%	2.00%	0.10%	% \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	640 **
## Slot 5.00% * SWK 1.00% 3.00% 1.50% 2.50% 1.158	NO 1 VA								
5.00% * SWK 1.00% 3.00% 1.50% 2.50% -LITS	15/64 x 1" Slot								
3.00% SWK 1.00% 3.00% 1.25% 2.00% Round 5.00% * SWK & 2.00% ≥ 90.0% 1.50% 2.50% Sound Portions 3.00% ≥ 90.0% 2.00% 2.00% Round Portions 6.00% 2.00% 3.00% Swk & Sound Portions 6.00% 2.00% 3.00% Swk & Sound Portions 6.00% 2.00% 3.00% Swk & Sound 6.00% 2.00% 0.00% 0.00% Swk & Sound 6.00% 2.00% 0.00% 0.00% Swk & Sound 6.00% 0.00% 0.00% 0.00% Swk & Sound 6.00% 0.00% 0.00% 0.00% Swk & Sound 6.00% 0.00% 0.00% 0.00% Swk & Sound 0.00% 0.00% 0.00% 0.00% 0.00% Swk & Sound 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% Swk & Sound 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00%	APSA	5.00% * SWK	1,00%	3.00%	1.50%	2.50%	0.10%	8.00%	N/A
Lits	Č.S.	3 00% SWK	7 00%	ò	Č				
Round 5.00% * SWK & 2.00% 2.00% 2.90.0% 1.50% 2.50% Sound Portions 3.00% 2.00% 2.00% 2.00% 2.00% Round Portions 6.00% 2.00% No Require. 1.50% 3.00%	VA SDI ITS	100000	20.5	5.00%	1.25%	2.00%	0.10%	N/A	864 **
5.00% * SWK & 2.00% \$ 90.0% 1.50% 2.50% Sound Portions 2.00% \$ 90.0% 2.00% 2.00% /A SWK & Sound Portions \$ 0.00% 2.00% 3.00% Round Portions 6.00% 2.00% No Require. 1.50% 3.00%	20/64" Round								
Sound Portions 3.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.00% 2.0		5.00% 'SWK&	2.00%	> 90.0%	1.50%	2 50%	0 20%	800	٧/١٧
7A 3.00% 2.00% > 90.0% 2.00% 2.00% Round Portions 2.00% No Require. 1.50% 3.00%		Sound Portions	-		2	200	0,03.0	9.00.c	L
SWK & Sound Round Portions 5.00% No Require. 1.50% 3.00% 5.00% 1.50% 3.00% 1.50% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00% 3.00%		3.00%	2.00%	%0.06 <	2.00%	%00 6	7000	W1/W	× 24
Round Portions 5.00% No Require. 1.50% 3.00%	NO 2 VA	SWK & Sound				2,00.7	0.50/8	Y Z	A/N
6.00% 2.00% No Require. 1.50% 3.00%	17/64" Round	Portions							
70000	APSA	6.00%	2.00%	No Require.	1.50%	3.00%	0.20%	70000	V14
3.00% 2.00% No Require, 2.50% 2.50%	U.S.	%00'9	2.00%	No Require.	2.50%	2.50%	0.20%	% Q/N	(o

^{*} Also must meet 7CFR, Part 996 minimum quality standards for fall-through (6.00% SWK and sound portions passing through a 17/64" round screen..
** Unless otherwise specified

(U.S. Grade Standards are not part of the American Peanut Sheller's Association rules, but are included for information only.)

Summary of Screen Sizes and Tolerances (by weight) for APSA & U.S. Grades for Cleaned Virginia Type Peanuts in the Shell

APSA AND U.S. GRADES FOR CLEANED VIRGINIA TYPE PEANUTS IN THE SHELL SUMMARY OF SCREEN SIZE(S) AND TOLERANCES (BY WEIGHT) FOR

GRADE, MINIMUM SCREEN SIZE AND	TOTAL POPS, PAPER ENDS, DAMAGED SHELLS, LOOSE	TOTAL DAMAGED KERNELS AND DAMAGED LOOSE KERNELS	MAGED S AND LOOSE ILS	FALL-THROUGH FOR PEANUTS FREE FROM POPS, PAPER ENDS OR DAMAGED SHELLS	UGH FOR REE FROM R ENDS OR SHELLS	MOISTURE	URE
SPECIFIED MAXIMUM AVERAGE COUNT PER POUND	UNDAMAGED KERNELS & DIRT OR OTHER FOREIGN MATERIAL	U.S./APSA STANDARD	MOAB REGS.	U.S./APSA STANDARD	MOAB REGS.	U.S./APSA STANDARD	MOAB REGS.
U.S. and APSA JUMBO HAND PICKED Min. 37/64 x 3" (176 count) **	10.00% Including 0.50% Dirt/Foreign Material	3.50%	2.00%*	5.00%	No Requirement	No Requirement	10.00%
U.S. and APSA FANCY HAND PICKED Min. 32/64 x 3" (225 count) ***	11.00% Including 0.50% Dirt/Foreign Material	4.50%	2.00%*	5.00%	No Requirement	No Requirement	10.00%

Including not more than 1.00 percent kernels damage by mold unless peanuts are negative as to aflatoxin.

** APSA must meet either minimum screen size OR count per oz. U.S. Standards must meet both, but the 176 count per pound may be unless

otherwise specified.

*** APSA must meet either minimum screen size OR count per oz. U.S. Standards must meet both, but the 225 count per pound may be unless otherwise specified.

(U.S. Grade Standards are not part of the American Peanut Sheller's Association rules, but are included for information only.)

Summary of Screen Sizes and Tolerances (by weight) for MOAB Grades for Human Consumption (7CFR, Part 996)

MOAB GRADES OF SHELLED PEANUTS FOR HUMAN CONSUMPTION (7CFR, PART 996) SUMMARY OF SCREEN SIZES AND TOLERANCES (BY WEIGHT) FOR

		-MAXIMI	-MAXIMUM LIMITATIONS-			
TYPE PEANUT	UNSHELLED	TOTAL	FALL-THROUGH		SOUND SPLITS	
AND GRADE CATEGORY	PEANUTS & DAMAGED KERNELS	PEANUTS DAMAGED KERNELS & MINOR DEFECTS	SOUND SPLITS, BROKEN KERNELS AND/OR SOUND WHOLE KERNELS	FOREIGN MATERIAL	OR SOUND WHOLE KERNELS	MOISTURE
RUNNER	1.50%	2.50%	6.00% 17/64" Round	0.20%	No Limit	%00.6
SPANISH & VALENCIA	1.50%	2.50%	6.00% 16/64" Round	0.20%	No Limit	%00.6
VIRGINIA (Except No. 2 Virginia)	1.50%	2.50%	6.00% 17/64" Round	0.20%	No Limit	800.6
No 2 VIRGINIA	1.50%	3.00%	6.00% 17/64" Round	0.20%	No Limit	%00.6
RUNNER WITH SPLITS	1.50%	2.50%	6.00% 17/64" Round	0.20%	Splits/Broken 15%	%00.6
SPANISH WITH SPLITS	1.50%	2.50%	6.00% 16/64" Round	0.20%	Splits/Broken 15%	9.00%
VIRGINIA WITH SPLITS	1.50%	2.50%	6.00% 17/64" Round	0.20%	Splits/Broken 15%	%00.6
RUNNER SPLITS (Not less than 90% splits)	2.00%	2.50%	6.00% 17/64" Round	0.20%	Min. 90% Splits/Broken%	800.6
SPLITS * (Not less than 90% splits)	2.00%	2.50%	6.00% 16/64" Round	0.20%	Min. 90% Splits/Broken%	9.00%
VIRGINIA SPLITS (Not less than 90% splits)	2.00%	2.50%	600% 17/64" Round	0.20%	Min. 90% Splits/Broken%	800.6
* Valencia may be certified on basis of Spanish Standards at applicant's request.	n basis of Spar	nish Standards at a	oplicant's request.			

Summary of Sheller Oil Stock Requirements

SHELLER OIL STOCK

TYPE PEANUT & CATEGORY	USDA-FSIS PLI	DAMAGED & MINOR DEFECTS	FOREIGN	OTHER TYPE OR VARIETY	SPLITS OR WHOLE KERNELS	MOISTURE
RUNNER (LSK, Screenings & Pickouts)	Required Using Red Tags or PLI Seals	Not Determined	No Restrictions	Not Determined	Not Defermined	No Restrictions
SPANISH & VALENCIA (LSK, Screenings & Pickouts)	Required Using Red Tags or PLI Seals	Not Determined	No Restrictions	Not Determined	Not Determined	No Restrictions
VIRGINIA (LSK, Screenings & Pickouts)	Required Using Red Tags or PLI Seals	Not Determined	No Restrictions	Not Determined	Not Determined	No Restrictions

"REMARKS" Statement for MOAB Regulations: "Meets 7 CFR, Part 996 for Non-Edible Quality."

Exhibit I – U.S. No. 1 Runner, APSA "Medium Runner" in Bulk.

0		AGRICULTU	REPARTMENT OF AGRICU RAL MARKETING SERVICE	Ē '	•		
C 280165	l M		ATE INSPECTION SERVICE INSPECTION CE		C 28	30165	
This certificate is issued in compliance	with the require	ations of the Secretar	of Agriculture governing	the inspection of vari	ous products	pursuant to #	e Agricultural
Marketing Act of 1946, as amended (7 t knowingly shall falsely make, issue, all	er, forge or co	seq.) and is admissal sunterfeit this certific	ole as prima facia evidenc ate, or participale in any	e in all courts of the U such actions, is subje	hited States. oct to a line	of not more to	ly person who han \$1,000 or
imprisonment for not more than one yes	r, or both.	T	14.14600 5040450	Type	OC INCOCO	TION (Mark	One Oaks
HOUR SAMPLING BEGAN		HOUR	NALYSIS FINISHED : DATE			TILEM) PICHT	une Uniyi
1:00 PM 11/22	103	330 Pm	11/22/03		SPECTED ADED Into_		
LOCATION CODE WHERE SAMPLE DRA	ww /Lent	1 .			CAR	TRAILER	
APPLICANT CODE APPLICANT HAME AN	64	SMITHVILLE	<u>E, GA </u>		/EYANCE II	DENTIFICATI	
13035 McCLESKEY		Samons	F. CA	PRETIA INC.	MCICIT	SI	
RECEIVER NAME AND ADDRESS		COM THE CEN	SHPPER NAME AND ADDI			<u></u>	
NOT GIVE	N		SAME,	AS APPLIC	ANT		
PRODUCT							
CLEANED IN THE SHELL		FIBERBOAR	D BINS	1			
CLEANED IN THE SHEEL	IN	DURLAF	SACKS	WITH NO DISTIN	QUISHING !	MARKS	
SHELLED PEANUTS				TAGGED WITH_		COLORE	ED TAGS
		X BULK See	Kemo: KS			·	
TAG INSCRIPTION	,					- 2	ONTROL
HOUSE LOT NUMBER CROP YR	T	•••••••••					ISSUED USED
	USDA	64		FEDERAL STATE			RETURNED
APPLICANT STATES		200	3 CKEP YEN	6A Hor	1SE #	93	
47,670 LBS RU	NINES	TYPE LOT NO B	-5-232 on con	JNT OF			CONTAINERS
SIZE	7070		0 -0-			.,	
* O.OD % S/W Kernels PASSIN	G 18/64 x	3/4 Inch S	Screen: 11,14% V	Vn Kernels RIDING	31/41 1	3/4 Inch	S Screen
% S/W Kernels PASSIN	G	Inch	Screen; % V	Vh Kernels RiOING	}	Inch	Screen
% S/W Kernels & Kerne % Peanuts With Undam	Portions P	ASSING	Inch So	creen			
		DACCINKS	fach '	Scroon			
	aged Shells	PASSING XI PER OUNCE	Inch	Screen PER POUN	D		
COUNT AVERAGES QUALITY	45 L	PASSING	Inch	L T	D		
COUNT AVERAGES	45 L	PASSING PER OUNCE GRAMS DRAI		PER POUN GRAMS ANALY2	ED CONTA		OLLOWING:
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS	45 SOCIO IN THE SHE	PER OUNCE GRAMS DRAI	NN. 1000	PER POUN GRAMS ANALYZ SHELLET			
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR	45 SOCIO IN THE SHE	PER OUNCE GRAMS DRAI	NN. <u>/<i>O</i>CO</u>	GRAMS ANALY2 SHELLET ADE FACTOR	ED CONTA	GRAMS	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS	45 SOCIO IN THE SHE	PER OUNCE GRAMS DRAI	NN. 1000	PER POUN GRAMS ANALY2 SHELLET ADE FACTOR	ED CONTA		PERCENT O-CO
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS	45 SOCIO IN THE SHE	PER OUNCE GRAMS DRAI	NN. <u>/OOO</u> GR OTHER TYPES OF KETS	GRAMS ANALYZ SHELLET ADE FACTOR NELS	ED CONTA	GRAMS	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL	45 SOCIO IN THE SHE	PER OUNCE GRAMS DRAI	OTHER TYPES OF KER SPUT OR BROKEN KER DAMAGED OR UNSHEE MINOR DEFECTS	GRAMS ANALYZ SHELLET ADE FACTOR NELS NELS LED	ED CONTA	GRAMS 0.0 11.8 0.0 3.1	PERCENT 0.00 1.18 0.00 0.31
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL	45 SOCIO IN THE SHE	PER OUNCE GRAMS DRAI	OTHER TYPES OF KER SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNK	GRAMS ANALYZ SHELLET ADE FACTOR NELS RNELS LED	ZED CONTA D PEANUTS	GRAMS O.C //. 8 O.C 3. / XX	PERCENT 0.00 1.18 0.00 0.31 x x
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS	45 SOCIO IN THE SHE	PER OUNCE GRAMS DRAI	OTHER TYPES OF KER SPUT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERN FOREIGN MATERIAL (8)	GRAMS ANALYZ SHELLET ADE FACTOR NELS NELS LED LS ASED ON JCCC	ZED CONTA D PEANUTS	GRAMS 0.0 11.8 0.0 3.1	PERCENT Q-CO 1.18 0.00 C.3/ XX 0.00
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL	45 SOCIO IN THE SHE	PER OUNCE GRAMS DRAI	OTHER TYPES OF KER SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNK	GRAMS ANALYZ SHELLET ADE FACTOR NELS NELS LED LS ASED ON JCCC	ZED CONTA D PEANUTS	GRAMS O.C //. 8 O.C 3. / XX	PERCENT 0.00 1.18 0.00 0.31 x x
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTUPE (BY ELECTRIC METER) GRADE	SOCIO IN THE SHEL	GRAMS DRAI	OTHER TYPES OF KER SPUT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B	GRAMS ANALYZ SHELLET ADE FACTOR NELS NELS LED ELS ASED ON JCCC C METERIJ	CED CONTA D PEANUTS D PEANUTS GRAMS)	GRAMS O.C //. 8 O.C 3. / XX	PERCENT 0.00 1.18 0.00 0.31 xx 0.00
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTUPE (BY ELECTRIC METER) GRADE	SOCIO IN THE SHEL	GRAMS DRAI	OTHER TYPES OF KER SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B) MOISTURE (BY ELECTRI	GRAMS ANALYZ SHELLET ADE FACTOR NELS ENELS LED SLS ASED ON JCCC C METER)	GRAMS)	GRAMS O.C //. 8 O.C 3. / XX	PERCENT 0:00 1:18 0:00 0:3/ x x 0:00 7:10
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERINELS MOISTURE (BY ELECTRIC METER) GRADE ** U.S. No. 1 RO SAMPLES BILLED TO APPLICANT ABOVE	SOCTO IN THE SHELL GR	GRAMS DRAILL AMS PERCENT PERCENT	OTHER TYPES OF KER SPUT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERN FOREIGN MATERIAL (B MOISTURE (BY ELECTRI BRAKE OF LAR)	GRAMS ANALYZ SHELLER ADE FACTOR NELS ENELS LED ELS ASED ON ZOCO. C METER)	GRAMS)	GRAMS O · C 11. 8 O · C 3. 1 4x O · C	PERCENT 0.00 1.18 0.00 0.31 xx 0.00
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY	SOCIO IN THE SHEI GR	GRAMS DRAM GRAMS DRAM LL MANS PERCENT PERCENT PERCENT DEATS	OTHER TYPES OF KER SPLIT OR BRICHEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI BRAKE OF LAR) A 171_S	GRAMS ANALYZ SHELLER ADE FACTOR NELS ENELS LED ELS ASED ON ZOCO. C METER)	GRAMS) EZ RESSI	GRAMS O · C 11. 8 O · C 3. 1 4x O · C	PERCENT 0.00 1.18 0.00 0.3/ X.X 0.00 7.10
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTUPE (BY ELECTRIC METER) GRADE *** U-S NC. ROSAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB REMARKS TMEETS REQUIREM	SOCYO IN THE SHEE GR	GRAMS DRAV GRAMS DRAV LL VAMS PERCENT DECTS DECTS DECTS ANALYSIS RESULTS I	OTHER TYPES OF KER SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI BRAKE OF LAR) O A 171-S TO BE PHONED (GRAMS ANALYZ SHELLER ADE FACTOR NELS ENELS LED ELS ASED ON ZOCO. C METER)	GRAMS) EZ RESSI WARED COM	GRAMS O·C 11. 8 O·C 3. 1 XX O·C	PERCENT 0.00 1.18 0.00 0.3/ X.X 0.00 7.10
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTUPE (BY ELECTRIC METER) GRADE *** U-S No. RO SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB REMARKS MEETS REQUIREM 7 CFR PART	SOCIO IN THE SHEI GR GR APPEAL ENIS OF Marko F 996 FF	GRAMS DRAM GRAMS DRAM LL MANS PERCENT PERCENT PERCENT ANALYSIS RESULTS	OTHER TYPES OF KER SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI BRAKE OF LAR) O A 171-S TO BE PHONED (GRAMS ANALYZ SHELLER ADE FACTOR NELS ENELS LED ELS ASED ON ZOCC C METER) O TOTAL RUNNING MOD BLOKE 1 100	GRAMS) EZ RESSI WARED COM	GRAMS O·C 11. 8 O·C 3. 1 XX O·C	PERCENT 0.00 1.18 0.00 0.3/ X.X 0.00 7.10
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTUTE (BY ELECTRIC METER) GRADE ** U-S No. R. SAMPLES BILLED TO APPLICANT ABOVE I-CD 1-AB REMARKS MEETS REQUIREM	SOCIO IN THE SHEI GR APPEAL F 1946 F1	GRAMS DRAM GRAMS DRAM LL MAS PERCENT PERCENT PERCENT ANALYSIS RESULTS T MALYSIS RESULTS T	OTHER TYPES OF KER SPLIT OR BROKEN KER DAMACED OR UNISHEL MINOH DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI DAME OF LAB) DAME OF LAB) FAILS to 1 FAILS to 1	GRAMS ANALYZ SHELLER ADE FACTOR NELS ENELS LED SLS ASED ON JCCC C METERI JULIU RUNN HADD BLOKE THE PRODUCE THE POLYMENT OF	GRAMS) E-Z WARED COM Machoring 4	GRAMS O C 11. 8 O C 3. 1 XX O C	PEHCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTUTE (BY ELECTRIC METER) GRADE ** U-S No. R SAMPLES BILLED TO APPLICANT ABOVE I-CD 1-AB REMARKS MEETS Requirem	SOCIO IN THE SHEI GR APPEAL 1949 1949 1949 1949 1949 1949 1949 194	GRAMS DRAM GRAMS DRAM LL MAS PERCENT PERCENT PERCENT ANALYSIS RESULTS T MALYSIS RESULTS T	OTHER TYPES OF KER SPLIT OR BROKEN KER DAMACED OR UNISHEL MINOH DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI DAME OF LAB) DAME OF LAB) FAILS to 1 FAILS to 1	GRAMS ANALYZ SHELLER ADE FACTOR NELS ENELS LED SLS ASED ON JCCC C METERI JULIU RUNN HADD BLOKE THE PRODUCE THE POLYMENT OF	GRAMS) E-Z WARED COM Machoring 4	GRAMS O C 11. 8 O C 3. 1 XX O C	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTUTE (BY ELECTRIC METER) GRADE ** U-S No. R SAMPLES BILLED TO APPLICANT ABOVE I-CD 1-AB REMARKS MEETS REQUIREM CONSUMPT CHARGES ** CHARGES	SOCIO IN THE SHEI GR GR APPEAL F 996 FO	GRAMS DRAM GRAMS DRAM LL MANS PERCENT PERCENT PERCENT MALYSIS RESULTS T MALYS R MALY	OTHER TYPES OF KER SPLIT OR BROKEN KER SPLIT OR BROKEN KER DAMACED OR UNISHEL MINOH DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI DAME OF LAB) DE PHONED (FAILS to 1) FAILS to 1	GRAMS ANALYZ SHELLER ADE FACTOR NELS ENELS LED GRAMS ANALYZ SHELLER ADEL FACTOR ADEL FACT	GRAMS) EZ RESSI ELY GA WIRED COM Mathemy A	GRAMS O C 11. 8 O C 3. 1 XX O C	PEHCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTUTE (BY ELECTRIC METER) GRADE ** U-S No. R SAMPLES BILLED TO APPLICANT ABOVE I-CD 1-AB REMARKS MEETS REQUIREM CONSUMPT CHARGES ** CHARGES	SOCIO IN THE SHEI GR GR APPEAL F 996 FO	GRAMS DRAM GRAMS DRAM LL MANS PERCENT PERCENT PERCENT MALYSIS RESULTS T MALYS R MALY	OTHER TYPES OF KER SPLIT OR BROKEN KER SPLIT OR BROKEN KER DAMACED OR UNISHEL MINOH DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI DAME OF LAB) DE PHONED (FAILS to 1) FAILS to 1	GRAMS ANALYZ SHELLER ADE FACTOR NELS ENELS LED GRAMS ANALYZ SHELLER ADEL FACTOR ADEL FACT	GRAMS) EZ RESSI ELY GA WIRED COM Mathemy A	GRAMS O C 11. 8 O C 3. 1 XX O C	PEHCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS TOTAL PEANUTS WITH DAMAGED KERNELS MOISTUPE (BY ELECTRIC METER) GRADE ** U-S No. RO SAMPLES BILLED TO APPLICANT ABOVE I-CD	SOCIO IN THE SHEI GR	GRAMS DRAM GRAMS DRAM LL MANS PERCENT PERCENT PERCENT MALYSIS RESULTS T MALYS R MALY	OTHER TYPES OF KER SPLIT OR BROKEN KER SPLIT OR BROKEN KER DAMACED OR UNISHEL MINOH DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI DAME OF LAR) A MS TO BE PHONED (FAILS to 1 192466 Through	GRAMS ANALYZ SHELLER ADE FACTOR NELS INCLS INCLS ILED GRAMS ANALYZ SHELLER INCLS INCL	GRAMS) ER WHED COM Marketing Capplic And S G Topology that all Topology that all	GRAMS O.C 11.8 O.C 3.1 XX O.C MAILE Anthropoconest 4 nthropoconest	PEHCENT 0.00 1.18 0.00 7.10 DATE 1/22/03 D to Applicant
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS DISCOLORED SHELLS DIFER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTUPE (BY ELECTRIC METER) GRADE ** U-S NC. RO SAMPLES BILLED TO APPLICANT ABOVE I-CD 1-AB REMARKS REMARKS CHARGES FEES 1 DRAWING 5 HANDLING 5 SAMPLENG 5 SAMPLENG 6 LITER SAMPLENG 6 SAMPLENG 6 LITER SAMPLENG 6 LITER SAMPLENG 6 LITER SAMPLENG 6 SAMPLENG 6 LITER SAMPLENG 6 LITER SAMPLENG 6 LITER SAMPLENG 6 SAMPLENG 6 SAMPLENG 6 SAMPLENG 6 SAMPLENG 6 SAMPLENG 6 LITER SAMPLENG 6 SAMPLENG 6 SAMPLENG 6 LITER SAMPLENG 6 LITER SAMPLENG 6 S	SOCIO IN THE SHEI GR GR GR GR GR GR GR GR GR G	GRAMS DRAW GRAMS DRAW LL MANS PERCENT PERCENT PERCENT PERCENT PERCENT ANALYSIS RESULTS T MALYSIS R	OTHER TYPES OF KER SPLIT OR BRICHER KEE DAMAGED OR UNISHEE MINOH DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI DAMAGE OF LAR) BRANE OF LAR) OF PHONED (FAILS TO FOREIGN TO FAILS TO JOY 19 14 6 Th TO	GRAMS ANALYZ SHELLER ADE FACTOR NELS INCLS INCLS ILED GRAMS ANALYZ SHELLER INCLS INCL	GRAMS) ER WHED COM Marketing Capplic And S G Topology that all Topology that all	GRAMS O.C 11.8 O.C 3.1 XX O.C MAILE Anthropoconest 4 nthropoconest	PEHCENT 0.00 1.18 0.00 7.10 DATE 1/22/03 D to Applicant
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTUPE (BY ELECTRIC METER) GRADE ** U.S. No. R. SAMPLES BILLED TO APPLICANT ABOVE TO CARCES FEES 1 DRAWING A HANDLING 5 SAMPLENG 4 SAMPLENG 5 SAMPLENG 5	SOCIO IN THE SHEI GR GR APPEAL FOR ST FOR S	GRAMS DRAW GRAMS DRAW LL MANS PERCENT PERCENT PERCENT PERCENT PERCENT ANALYSIS RESULTS T MALYSIS R	OTHER TYPES OF KER SPLIT OR BROKEN KER SPLIT OR BROKEN KER DAMACED OR UNISHEL MINOH DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI DAME OF LAR) A MS TO BE PHONED (FAILS to 1 192466 Through	GRAMS ANALYZ SHELLER ADE FACTOR NELS INCLS INCLS ILED GRAMS ANALYZ SHELLER INCLS INCL	GRAMS) ER WHED COM Marketing Capplic And S G Topology that all Topology that all	GRAMS O.C 11.8 O.C 3.1 XX O.C MAILE Anthropoconest 4 nthropoconest	PEHCENT 0.00 1.18 0.00 7.10 DATE 1/22/03 D to Applicant
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS DISCOLORED SHELLS DIFER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTUPE (BY ELECTRIC METER) GRADE ** U-S NC. RO SAMPLES BILLED TO APPLICANT ABOVE I-CD 1-AB REMARKS REMARKS CHARGES FEES 1 DRAWING 5 HANDLING 5 SAMPLENG 5 SAMPLENG 6 LITER SAMPLENG 6 SAMPLENG 6 LITER SAMPLENG 6 LITER SAMPLENG 6 LITER SAMPLENG 6 SAMPLENG 6 LITER SAMPLENG 6 LITER SAMPLENG 6 LITER SAMPLENG 6 SAMPLENG 6 SAMPLENG 6 SAMPLENG 6 SAMPLENG 6 SAMPLENG 6 LITER SAMPLENG 6 SAMPLENG 6 SAMPLENG 6 LITER SAMPLENG 6 LITER SAMPLENG 6 S	SOCIO IN THE SHEI GR GR GR GR GR GR GR GR GR G	GRAMS DRAW GRAMS DRAW LL MANS PERCENT PERCENT PERCENT PERCENT PERCENT ANALYSIS RESULTS T MALYSIS R	OTHER TYPES OF KER SPLIT OR BROKEN KER SPLIT OR BROKEN KER DAMACED OR UNISHEL MINOH DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI DAME OF LAR) A MS TO BE PHONED (FAILS to 1 192466 Through	GRAMS ANALYZ SHELLER ADE FACTOR NELS INCLS INCLS ILED GRAMS ANALYZ SHELLER INCLS INCL	GRAMS) ER WHED COM Marketing Capplic And S G Topology that all Topology that all	GRAMS O.C 11. 8 O.C 3. 1 XX C.C A 17.5 Fellow led to shown by said z	PEHCENT 0.00 1.18 0.00 0.31 XX 0.00 7.10 Date 1/22/03 D to Applicant

Exhibit II - Transfer Certificate on Exhibit I Lot.

U. 5. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARRETING SERVICE FEDERAL-STATE INSPECTION CERTIFICATE TRANSFER CLEARANCE CERTIFICATE (PEANUTS)

CERTIFICATE NO.

A - 010889

This certificate is issued in compliance with the regulations of the Secretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U. S. C. 1621 et seq.), and is admissible as prima facie evidence in all courts of the United States. WARNING: Any person who knowingly shall falsely make, issue, alter, forge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both.

or participate in any such actions, is	subject to a f	ine of n	ol more t	han \$1,000	or i	mure, mpriso	nment fo	or not me	re the	m one y	ear, or	both.
McCLESKEY MILLS	LOT LO	ADED	INITIA	L & NUMBE			RANSFE	R BEGUN			SFER	COMPLETED
SMITHVILLE BA	(½) Car	railer	TO	1 -72.7		Date	2	Chan [Date	62	HOW NA.M
NAME AND ADDRESS OF APPLICANT	1 1	181161				11.7	9-05	7.00 L	JP.M.	11.75		10.00 P.M.
(13035) The CLESKE HAME AND ADDRESS OF RECEIVER	Y MILLS	>, S	MITH	UILLE,	GA							
PEANUT PROCESSORS	NC.	SAU	ANNA	H, GA								
Lot	B-5-2	32	(2)		(3)			(4)			(5)	
Certificate No	C2801		<u> </u>									
Date of Certificate	11-22-	03										
Shipper (Name and Address)	MICLESK MICLS	£γ	,									
	Smithville	,64	de de la company									
Applicant's Count	BULK											
Equivalent Pounds	4767				╀							
Product (Type)	RUNN				 							
-1.	PERCEI		PEI	CENT	+-	PER	CENT		ERCE	NT	<u>'</u>	PERCENT
Passing 18/64 x 3/4 Screen	0.00		 		-							
Riding 31 164 x 3/4 Screen	11:14		 									
Other Types	0.00		<u> </u>		┼							,
Split or Broken Kernels	1.13	······································	 		ļ				·			
Damaged or Unshelled	0.00	> -			├							
Minor Defects	0.31		<u> </u>		ļ		TO SANTO IN SQUARES TO SECOND					
Sound Whole Kernels	×××		ļ		ļ							***
Foroign Material	0.00)		1877/ 18 / 1884 1686 1786 1844 1844	<u> </u>							
Moisture	7.10			************	<u> </u>						,,	
Ave. Count Per: 🗖 Oz. 🗆 Lb.,	45						·					
Grade:	US No.	Run	WEZ.	MEETS	A	SA	"MED	Jum R	CAN	EE"		•
Loaded into Hopper No	A-1											,
								1		1		
F00 \$ 13.00	USDA/ESIS	nerconn	al mainte	inad naditi	e lo	idont.	ification	and obea	mad r	he trans	far	U. U. li g
Expenses	process of th	-		-								
Overtime	now being le	t numbe	Pr	, and se	ealed	with:	scai num	bers <u>IAS</u>	201-	123	477	<u>, , , , , , , , , , , , , , , , , , , </u>
REMARKS		· · · ·	20-0	1CAD					- -			
Applicant State	5 200	3 C	_KC4	y esc.					•		,	
This is to certify that the peanuts covered by	e shire Transfer	7	Carter		. 12.	hone's	inenai			has esser		arouf has been
offered to show that said peanuts have been	inspected and	percial cut	it the poin	of origin,		new Hig	mspectk)	. cerimeat	C SO NOT 1		actory	ADDITED THE
11-23-03	SIGNATURE	SF INSPE	9/09/									
ORM FV-184-12		<u> </u>				······································						
(1-86)			\	*				DRIG	ANIE	L-APP	LICAI	1T

Exhibit III – Fails U.S. No. 1 Spanish account Splits. Meets 7 CFR, Part 996 for Spanish with Splits.

								
C 280	165	Min	AGRICULTU FEDERAL-ST	DEPARTMENT OF AGRICU RAL MARKETING SERVICI LATE INSPECTION CE INSPECTION CE	Ë,	C 28	30165	
This contilicate is is	sued in compliance w	ith the engineer	Ab of the Cameter			I		
knowingly shall fals	46. as amended (? U : sely make, issue, alter of more than one year,	f. felorio de craso	q.) and is admissal licitoit this cortific	y of Agriculturo governing bits as prima facie ovidence ale, or participate as any	the inspection of var o in all courts of the l such actions, is subj	ious products Jailod States. ect to a line	pursuant lo l WARNING: A of not more	the Agriculturet ny person who than \$1,000 or
	MPLING BEGAN	T	CALLOI C A	MALVOIC FRANCISCO	TYDE	05 W6050	TION (001	<u> </u>
HOUR	DATE		OUR DAMPLE A	NALYSIS FINISHED	F (1)		TION (Mark	One Only)
_8cc AIN	WHERE SAMPLE DRAW	63 1	1137 100	15/10/03		SPECTED Into		
LOCATION CODE	WHERE SAMPLE DRAW	m ₂₁ v	WHERE SAMPLE ANA	12/6/03		CAR T	TRAILER	
	147711 Carage 3	77	Fig. C.	MAN TX				1011
AFFERDANI CODE	APPLICANT NAME AND	ADDRESS			PREFER IN	WEER .	DENTIFICAT	
34371			15 12 E		rneru mu	-MDC1	s	:
RECEIVER NAME AND	DORESS	. 3. (3.0 0	17 CO Q	CHAR X				
RED TO	OP CANDY	100 76	Jenn AH	STAFFER HAME AND ADDI	1622	-		
PRODUCT		21144 7 12 65	(),()	1.000	Louis Company			
	· · · · · · · · · · · · · · · · · · ·		1					
CLEAN	ED IN THE SHELL	L] FIBERBOARI	D BINS				
	ED M. THE SHELL		X BURLAR	L	WITH NO DISTIN	OUISHING I	MARKS	
X SHELLE	ED PEANUTS	JN	[V] DOWN	SACKS	Tanori	21		
			BULK		TAGGED WITH	7700	COLOR	EDTAGS
TAG INSCRIPTION //	5 16 13	Carried	Dona de Como	_ GC05 11/16	1200 /1			
600 MAN	BANGE /			~ 'CE 85(37) Y (V)	#1	×		ONTROL
HOUSE LOT NO.		p,	ren_,7X			***************************************	Sec	
111 2	108 03	USDA	TEX		FEDERAL-STATE	······	750	
APPLICANT STATES			T / 2 / 2	4-2	, LDEPOL-STATE	NO TECHED	<u></u>	RETURNED
	. 1							•
100,000	ies S	ARISH r	UDT NO.	OR COU	NT OF	00		CONTAINERS
SIZE				···································				
1.10 % SW	Kernels PASSING	15/1.1.x	366 Jach C	Sernon: 9/ W	h Vossals Dibisto		A	
% S/W !	Kernels PASSING	747 /	loch	Screen; % W Screen; % W	n Kerners ruchnic	·····	Inch Inch	Screen
C				OCCOUNT TO 11				
2.70 % S/W	Kerneis & Kernei f	Portions PAS	SING 16/	Les loch & Sc	reen	·	",C," .	Screen
C . 7 C 70 3/74 1	Kernels & Kernel f uts With Undamag	COMONS PAS	SING /6/	'4∮ Inch A'Sc	reen	·		5010011
C . 7 C 70 3/74 1	uts With Undamağ	ed Shells PAS	SING /6/	Inch & Sc	reen Creen			SCI66II
% Pean	uts With Undamağ	ed Shells PAS	ASSING	'4∮ Inch A'Sc	reen			SCIEBIL
% Pean	uts With Undamag ES	ed Shells PAS	ASSING	inch S Inch S	reen creen PER POUN	o		
COUNT AVERAG	NOXIMATELY	Portions PAS ged Shells PA	SING/&/ ASSING PER OUNCE	lnch S	reen Creen PER POUN GRAMS ANALYZ	D ED CONTAI		
COUNT AVERAGE OUALITY SAMPLE OF APPE	uts With Undamag ES	Portions PAS ged Shells PA	SING /6/ ASSING PER OUNCE	VN. 2000	reen Creen PER POUN GRAMS ANALYZ	o	NED THE FO	OLLOWING:
COUNT AVERAGE OUALITY SAMPLE OF APPE	Note that the second of the se	Portions PAS ged Shells PAS SCOOL	SING /6/ ASSING PER OUNCE	VN. 2000	TEEN TOTOGRAPH T	D ED CONTAI	NED THE FO	DLLOWING:
% Peaning COUNT AVERAGE OUALITY SAMPLE OF APPE	ACTION PEANUTS IN FACTOR EN SHELLS	Portions PAS ged Shells PAS SCOOL	SING /6/ ASSING PER OUNCE	Inch S Science	TEEN CTOON PER POUN GRAMS ANALYZ SHELLED DE FAGTOR	D ED CONTAI	NED THE FO	DLLOWING: PERCENT
% Peanic Count average OUALITY SAMPLE OF APPE CRACKED OR BROKE	NOTION OF SHELLS SOME SHELLS SOME SHELLS SOME SHELLS SOME SHELLS SOME SHELLS	Portions PAS ged Shells PAS SCOOL	SING /6/ ASSING PER OUNCE	VN. 2000 OTHER TYPES OF KERN SPLIT OR BROKEN KERI	GRAMS ANALYZ SHELLED DE FAGTOR ELS	D ED CONTAI	NED THE FO	PERCENT
COUNT AVERAGE OUALITY SAMPLE OF APPE GRADE CRACKED OR BROWN DISCOLORED SHELL	NOTION OF SHELLS SOME SHELLS SOME SHELLS SOME SHELLS SOME SHELLS SOME SHELLS	Portions PAS ged Shells PAS SCOOL	SING /6/ ASSING PER OUNCE	Inch Solinch Solinch Solinch Solinch Solinch Solinch Solinch Solinch Kern Split on Broken Kern Damaged on Unshell	GRAMS ANALYZ SHELLED DE FAGTOR ELS	D ED CONTAI	GRAMS O.O. 142. C. G.4	PERCENT C-CO 7.10 C-47
% Peanl COUNT AVERAG OUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE	NOTION OF SHELLS SOME SHELLS SOME SHELLS SOME SHELLS SOME SHELLS SOME SHELLS	Portions PAS ged Shells PAS SCOOL	SING /6/ ASSING PER OUNCE	VN, 2000 OTHER TYPES OF KERN SPLIT OR BROKEN KERL DAMAGED OR UNSHELL MINOR DEFECTS	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FAGTON ELS WELS ED	D ED CONTAI	RED THE FO GRAMS Q.Q 1422. Q Q 4 160. D	DLLOWING. PERCENT 0.00 7.10 0.97 0.80
% Peanle COUNT AVERAG OUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE	ROTIAL ROTAL	Portions PAS ged Shells PAS SCOOL	SING /6/ ASSING PER OUNCE	Inch Solinch Solinch Solinch Solinch Solinch Solinch Solinch Services of Kern Split or Broken Kern Damaged or Unshell Minor Defects Sound Whole Kernel	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED	D ED CONTAI D PEANUTS	RED THE FO	DLLOWING: PERCENT
% Peanic Count average OUALITY SAMPLE OF APPR GRADE CRACKED OR BROKE DISCOLORED SHELL DEFE FOREIGN MATERIAL	ROTIAL MGED KETNELS	Portions PAS ged Shells PAS SCOOL	SING /6/ ASSING PER OUNCE	Inch Solinch Solinch Solinch Solinch Solinch Solinch Solince Types of Kern Split or Broken Kern Damaged or Unshell Minor Defects Sound Whole Kernel Foreign Material (Ba	PER POUNI GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED SSED ON 4000	D ED CONTAI D PEANUTS	RED THE FO GRAMS Q.Q 1422. Q Q 4 160. D	DLLOWING: PERCENT
% Peanic Count average Ouality Sample of Appe Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanics with Dam Moisture (by Elected Grade	ACTION OF THE PROPERTY OF THE PERSON OF THE	Promons PAS ged Shells PA	SING /6/	Inch Solinch Solinch Solinch Solinch Solinch Solinch Solince Of Kern Split or Broken Kern Damaged or Unshell Imnor Defects Sound Whole Kernel Foreign Material (Bamoisture (BY ELECTRIC	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON 4000	D PEANUTS	GRAMS O.O 142. C O.4 160 X. K O.4	DLLOWING: PERCENT
% Peanic Count average Ouality Sample of Appe Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanics with Dam Moisture (by Elected Grade	ACTION OF THE PROPERTY OF THE PERSON OF THE	Promons PAS ged Shells PA	SING /6/	Inch Solinch Solinch Solinch Solinch Solinch Solinch Solince Of Kern Split or Broken Kern Damaged or Unshell Imnor Defects Sound Whole Kernel Foreign Material (Bamoisture (BY ELECTRIC	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON 4000	D PEANUTS	GRAMS O.O 142. C O.4 160 X. K O.4	DLLOWING: PERCENT
% Peanl COUNT AVERAG OUALITY SAMPLE OF APPR GRADE CRACKED OR BROOK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANLIS WITH DAM MOSTURE (BY ELECT GRADE FAILS TO	ACTION CONTROL OF THE	Promons PAS ged Shells PA	SING /6/	Inch Solinch Solinch Solinch Solinch Solinch Solinch Solince Types of Kern Split or Broken Kern Damaged or Unshell Minor Defects Sound Whole Kernel Foreign Material (Ba	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON 4000	D PEANUTS	GRAMS O.O 142. C O.4 160 X. K O.4	DLLOWING: PERCENT
% Peanl COUNT AVERAG OUALITY SAMPLE OF APPR GRADE CRACKED OR BROOK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANLIS WITH DAM MOSTURE (BY ELECT GRADE FAILS TO	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MAGED KETHELS THE MAGED KE	Promons PAS ged Shells PA	SING /6/	Inch Solinch Solinch Solinch Solinch Solinch Solinch Solinch Solinch Inch Solinch Inch Solinch Inch Broken Kerner Damaged or Unshell Jamor Defects Sound whole Kerner Foreign Material (BA MOISTURE (BY ELECTRIC	GRAMS ANALYZ SHELLED DE FACTOR ELS ED SED ON 4000	D ED CONTAI PEANUTS GRAMS)	GRAMS O.O 142. C O.4 160 X. K O.4	DLLOWING: PERCENT
% Peanic Peanic Count average Ouality Sample of Appe Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanits with Dam Moisture (by elected Grade Falls Samples Dilled To East Samples Dill	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MAGED KETHELS THE MAGED KE	PS CCC ITHE SHELL GRAM	SING /U/ ASSING PER OUNCE GRAMS DRAW S PERCENT	Inch Solinch Solin Solin Solin Solin S	PER POUNI GRAMS ANALYZ SHELLED DE FACTOR ELS ED SED ON 4000	D PEANUTS GRAMS) GRAMS)	GRAMS O.O 142. C O.4 160 X. K O.4	DLLOWING: PERCENT
% Peanic Peanic Count average Ouality Sample of Appe Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanits with Dam Moisture (by elected Grade Falls Samples Dilled To East Samples Dill	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MAGED KETHNELS THIC METER) FACTOR F	PS CCC ITHE SHELL GRAM	SING /U/ ASSING PER OUNCE GRAMS DRAW S PERCENT SFANISA	VN. 2000 Inch S	GRAMS ANALYZ SHELLED DE FACTOR ELS ED SED ON 4000	GRAMS) GRAMS) GRAMS)	OF THE FORMS OF OF THE FORMS OF OF THE FORMS OF THE FOR	DLLOWING: PERCENT
% Peanic When Average OUALITY SAMPLE OF APPE CRACKED OR BROKE DISCOLORED SHELL DEFE FOREIGN MATERIAL PEANITS WITH DAM MOISTURE (BY ELECTION OF THE CONTROL O	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MAGED KETINELS THIC METER) FARE CASE (1) MAPPLICANT ABOVE	Promons PASSOCION THE SHELL GRAM	SING 16 16 16 16 16 16 16 16 16 16 16 16 16	VN. 2000 Inch S Inch S Inch S VN. 2000 GRV OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC RIAME OF LAR APP S D DE PHONED (GRAMS ANALYZ SHELLED LOE FACTOR ELS SED ON 4000 METER) MADDI	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO GRAMS O.O. 143. C 9.4 16.0 ×× O.4 1.23 NESA.	DLLOWING: PERCENT
COUNT AVERAGE OUALITY SAMPLE OF APPE CRACKED OR BROKE DISCOLORED SHELL DEFE FOREIGN MATERIAL PENNUTS WITH DAM MOISTURE (BY ELECT GRADE FANALES BILLED TO SAMPLES BILLED TO SAMPLES BILLED TO FILE OF THE SAMPLES BIL	APPLICANT ADOVE	APPEAL DRAMAS OF Machening + 9 15	SEAMS DRAW S PERCENT SEAMS DRAW S PERCENT WWW AND SENT TO LYSIS RESULTS III Agreement	VN. 2000 Inch S Inch S Inch S VN. 2000 GRV OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC RIAME OF LAR APP S D DE PHONED (PER POUNI GRAMS ANALYZ SHELLED DE FACTOR ELS ED SED ON 4000	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO GRAMS O.O. 143. C 9.4 16.0 ×× O.4 1.23 NESA.	DLLOWING: PERCENT
COUNT AVERAGE OUALITY SAMPLE OF APPE CRACKED OR BROKE DISCOLORED SHELL DEFE FOREIGN MATERIAL PENNUTS WITH DAM MOISTURE (BY ELECT GRADE FANALES BILLED TO SAMPLES BILLED TO SAMPLES BILLED TO FILE OF THE SAMPLES BIL	APPLICANT ADOVE	APPEAL DRAMAS OF Machening + 9 15	SEAMS DRAW S PERCENT SEAMS DRAW S PERCENT WWW AND SENT TO LYSIS RESULTS III Agreement	VN. 2000 Inch S Inch S Inch S VN. 2000 GRV OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC RIAME OF LAR APP S D DE PHONED (GRAMS ANALYZ SHELLED LOE FACTOR ELS SED ON 4000 METER) MADDI	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO GRAMS O.O. 143. C 9.4 16.0 ×× O.4 1.23 NESA.	DLLOWING: PERCENT
COUNT AVERAGE OUALITY SAMPLE OF APPE CRACKED OR BROKE DISCOLORED SHELL DEFE FOREIGN MATERIAL PENNUTS WITH DAM MOISTURE (BY ELECT GRADE FANALES BILLED TO SAMPLES BILLED TO SAMPLES BILLED TO FILE OF THE SAMPLES BIL	APPLICANT ABOVE MEETS Requirement	APPEAL DRAMAS OF Machening + 9 15	SEAMS DRAW S PERCENT SEAMS DRAW S PERCENT WWW AND SENT TO LYSIS RESULTS III Agreement	VN. 2000 Inch S Inch S Inch S VN. 2000 GRV OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC RIAME OF LAR APP S D DE PHONED (GRAMS ANALYZ SHELLED LOE FACTOR ELS SED ON 4000 METER) MADDI	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO GRAMS O.O. 143. C 9.4 16.0 ×× O.4 1.23 NESA.	DLLOWING: PERCENT C. CO 7. LO C. 47 O. 87 S. 80 S. 80 C. Co Content Content
% Peanl COUNT AVERAG OUALITY SAMPLE OF APPE CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANLIS WITH DAM MOISTURE (BY ELECT GRADE FALLS TO SAMPLES BILLED TO MICH. 14(2) REMARKS	APPLICANT ADOVE	APPEAL DRAMAS OF Machening + 9 15	SEAMS DRAW S PERCENT SEAMS DRAW S PERCENT WWW AND SENT TO LYSIS RESULTS III Agreement	VN. 2000 Inch S Inch S Inch S VN. 2000 GRV OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC RIAME OF LAR APP S D DE PHONED (GRAMS ANALYZ SHELLED LOE FACTOR ELS SED ON 4000 METER) MADDI	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO GRAMS O.O. 143. C 9.4 16.0 ×× O.4 1.23 NESA.	DLLOWING: PERCENT C. CO 7. LO C. 47 O. 87 S. 80 S. 80 C. Co Content Content
% Peanl COUNT AVERAG OUALITY SAMPLE OF APPE CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANLIS WITH DAM MOISTURE (BY ELECT GRADE FALLS TO SAMPLES BILLED TO MICH. 14(2) REMARKS	APPLICANT ADOVE	APPEAL DRAMAS OF Machening + 9 15	SEAMS DRAW S PERCENT SEAMS DRAW S PERCENT WWW AND SENT TO LYSIS RESULTS III Agreement	VN. 2000 Inch S Inch S Inch S VN. 2000 GRV OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC RIAME OF LAR APP S D DE PHONED (GRAMS ANALYZ SHELLED LOE FACTOR ELS SED ON 4000 METER) MADDI	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO GRAMS O.O. 143. C 9.4 16.0 ×× O.4 1.23 NESA.	DLLOWING: PERCENT C. CO 7. LO C. 47 O. 87 S. 80 S. 80 C. Co Content Content
% Peanl COUNT AVERAG OUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREISM MATERIAL PEANLIS WITH DAM MOISTURE (BY ELECT GRADE FAILS TO SAMPLES DILLED TO SAMPLES DILLED TO REMARKS CHARGES	APPLICANT ADOVE	APPEAL DRAMAS OF Machening + 9 15	SEAMS DRAW S PERCENT SEAMS DRAW S PERCENT WWW AND SENT TO LYSIS RESULTS III Agreement	VN. 2000 Inch S Inch S Inch S VN. 2000 GRV OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC RIAME OF LAR APP S D DE PHONED (GRAMS ANALYZ SHELLED LOE FACTOR ELS SED ON 4000 METER) MADDI	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO GRAMS O.O. 143. C 9.4 16.0 ×× O.4 1.23 NESA.	DLLOWING: PERCENT C. CO 7. LO C. 47 O. 87 S. 80 S. 80 C. Co Content Content
% Peanl COUNT AVERAG OUALITY SAMPLE OF APPE CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANLIS WITH DAM MOISTURE (BY ELECT GRADE FALLS TO SAMPLES DILLED TO FILE FOREIGN MATERIAL PEANLIS WITH DAM MOISTURE (BY ELECT GRADE FALLS TO SAMPLES DILLED TO CHARGES FEES 1 DRAWING 6	TOTAL MAGED KETNELS TOTAL MAGED KETNELS TOTAL MAGED KETNELS TOTAL MAGED KETNELS MAPPLICANT ABOVE MEETS Requirement TOTAL APPLICANT ABOVE	S. No. / APPEAL DRAM ANA AS OI Murkeling T 976 TS SOLA	SEAMS PERCENT SEAMS DRAW S PERCENT SEAMS DRAW NUMBER OF THE SEAMS AND SENT TO LLYSIS RESULTS TO Appropriate Comment Commen	Inch Solinch Solinch Solinch Solinch Solinch Solinch Solinch Solinch Kern Split or Broken Kern Split or Broken Kern Damaged or Unshell Minor Defects Solind Whole Kernel Foreign Material (Bamoisturie (By Electric Plane) Access The Phoned (Bamoisturie (By Electric Plane) Diff. Phoned (Bamoisturie (By Electric Plane) Diff. Phoned (Bamoisturie (By Electric Plane) Diff. Fall S to m	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON YCCC MACTER) CALLET OCC MACTER DE Requirements of	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) Markobing Ag	RED THE FO	PERCENT O.CO 7.(0) O.SC XX O.C) 5.80 FC.S (DATE) 2/6/03 D to Applicant
% Peanic % Peanic Count average Ouality Sample of appearance Cracked or brock discolored shell other shell defe foreign material Peanics with dam Moisture (by become foreign samples dilled to	PEANUTS IN FACTOR EN SHELLS S GTS TOTAL MAGED KENNELS THE METER MEETS REQUIREMENT TO CFC, Por Control of the under and on the control of the under and the under	S. No. / APPEAL DRA ANA IS OI Markeling If 976. Spot of The shell. APPEAL DRA ANA ANA ANA ANA ANA ANA ANA ANA ANA A	SING // // ASSING PER OUNCE GRAMS DRAW S PERCENT S PERCENT S PERCENT CLYSIS RESULTS 10 Agreement CV "	Inch Solinch S	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED S SED OW 400000 MADDI MADDI ON ADQUIREMENTS OF	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO	PERCENT O.CO 7.10 O.SC XXC O.S.C XXC O.S.C D.O.J S.SO FC.S (Date) O.Applicant
% Peanl COUNT AVERAG OUALITY SAMPLE OF APPE CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREISM MATERIAL PEANLIS WITH DAM MOSTURE (BY ELECT GRADE FALLS TO SAMPLES DILLED TO REMARKS CHARGES FEES 1	PEANUTS IN FACTOR EN SHELLS SCTS TOTAL MAGED KETINELS THE METER) FARETOR FOR SHELLS SCTS TOTAL MAGED KETINELS THE METER) FOR SHELLS TOTAL MAGED KETINELS THE METER) FOR SHELLS TOTAL MAGED KETINELS THE METER) LINE STATE LINE S	S. No. / APPEAL DRA ANA IS OI Markeling If 976. Spot of The shell. APPEAL DRA ANA ANA ANA ANA ANA ANA ANA ANA ANA A	SING 16 ASSING PER OUNCE GRAMS DRAW S PERCENT S PERCENT TO LYSIS RESULTS 10 Agreement Cv 7	Inch Solinch Solinch Solinch Solinch Solinch Solinch Solinch Solinch Kern Split or Broken Kern Split or Broken Kern Damaged or Unshell Minor Defects Solind Whole Kernel Foreign Material (Bamoisturie (By Electric Plane) Access The Phoned (Bamoisturie (By Electric Plane) Diff. Phoned (Bamoisturie (By Electric Plane) Diff. Phoned (Bamoisturie (By Electric Plane) Diff. Fall S to m	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED S SED OW 400000 MADDI MADDI ON ADQUIREMENTS OF	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO	PERCENT C.CO 7.10 C.47 O.50 XX C.61 5.80 FC.5 (Date) C.40 C.40 D. Applicant
% Peanic % Peanic Count average OUALITY SAMPLE OF APPE CRACKED OR BROKE DISCOLORED SHELL DEFE FOREIGN MATERIAL PEANITS WITH DAM MOISTURE (BY ELECTION OF THE COUNTY OF TH	PEANUTS IN FACTOR EN SHELLS SCTS TOTAL MAGED KETINELS THE METER) FARETOR FOR SHELLS SCTS TOTAL MAGED KETINELS THE METER) FOR SHELLS TOTAL MAGED KETINELS THE METER) FOR SHELLS TOTAL MAGED KETINELS THE METER) LINE STATE LINE S	APPEAL DRA ANA ANA ANA ANA ANA ANA ANA ANA ANA A	SING 16 ASSING PER OUNCE GRAMS DRAW S PERCENT S PERCENT OUNCE S PERCENT OUNCE Agreement C V T Agreement C	Inch Solinch S	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED S SED OW 400000 MADDI MADDI ON ADQUIREMENTS OF	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO	PERCENT C.CO 7.10 C.47 O.50 XX C.61 5.80 FC.5 (Date) C.40 C.40 D. Applicant
% Peanic % Peanic Count average OUALITY SAMPLE OF APPE CRACKED OR BROKE DISCOLORED SHELL DEFE FOREIGN MATERIAL PEANITS WITH DAM MOSTURE (BY ELECTION OF THE COUNTY OF THE	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MAGED KETINELS THE METER) FARETOR FACTOR EN SHELLS S CTS TOTAL MAGED KETINELS THE METER) FARETOR LINE METER) LINE METER LINE METER TOTAL MEETS Requirement TOTAL LINE METER APPLICANT ADOVE SOCIAL SINGLE LINE METER SCHOOL SINGLE LINE METER SCHOOL SINGLE LINE METER LINE METER SCHOOL SINGLE LINE METER LINE METER LINE METER SCHOOL SINGLE LINE METER	APPEAL DRA ANA ANA ANA ANA ANA ANA ANA ANA ANA A	SING 16 ASSING PER OUNCE GRAMS DRAW S PERCENT S PERCENT OUNCE S PERCENT OUNCE Agreement C V T Agreement C	Inch Solinch S	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED S SED OW 400000 MADDI MADDI ON ADQUIREMENTS OF	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	NED THE FO	PERCENT O.CO 7.10 O.SC XXC O.S.C XXC O.S.C D.O.J S.SO FC.S (Date) O.Applicant

Exhibit IV – Update Inspection on Interstate Shipment Reported on FV-300.

AO IZA	THOSE STATES FEETILISES & MILLING CO	U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE
Camer/Lot 10 Saled by:	Sugar	K-
Camer Type / Name:	Manual Manual Al	要なないというないのはないというというというというというというというというというというというというという
Reingweiten Unit:	1 8	20,000,30,451
	A THEERO "CLEBBAND" DOTHAND IN	400
	115x10/ Medwin Runger 110.23 235	
Ö	SOKIOS P.L.T. HOWSE	
	LOT 20284, CRUP	
	Alternative Editoria	
0.18	Sound WHOLE KEENELS PRESING THORSEH 1864 X 14 IN SLETTED SCENED	Corner or come Same land
	LINKLE KERNELS RIDING 3/64 x 3/4 , M. SLOMED SCREEN	
	_	
	GRADE FACTORS GRAMS	Chour AUGAGES 45 KERNELS PRE
000		
2.40	SPLIT ON SLOWCEN KELNEUS 34.0	Beality and Condition of
00.0	DAMMORD OF DUSTRELLED KERNELS 0.0	4 75.000 c
./3	MINUR DEFECTS	relused
0000		
		820% musture by elector
		iction of
		AT 6:30 AM
GRADE: US No. 1	CULLINER MESTS APSA MEDIUM KLIMEN.	
REMARKS: MONTE COM	1 July 1 200 0 11 Out of 1	
FED/STATE CERT	# F. 319202, duted June 16, 2003.	FREUCHSLY REPORTED CON ALASHUM
/mt - 007	Case and the first of the formation inspection in the forest dame the parament of Apricative, to heavy out the parameter of Apricative, to heavy out the parameter of Apricative, to heavy out the parameter of Apricative and	Y their at the request of the septeant and on the ESTIMATED TOTAL shows office. ESTIMATED TOTAL Warks Office.
of not more than \$1,000 or imp than one year, or both,	of the think	Hande Cot 5
FOTM PV-500 (10-00) Recises FV-505 (4	66) and PV-See (1-40) which are discount	

Exhibit V - Screenings and Pick-outs. Meets 7CFR, Part 996 for Non-Edible Quality.

C 280	165		AGRICULTI FÉDERAL-S	DEPARTMENT OF AGRICULAR MARKETING SERVICE TATE INSPECTION SERVICE TINSPECTION CE	E E	C 28	30165)
This cordificate is it	ssued in compliance w	the then water dark	and al the Coulus.					
Marketing Act of 1:	946. as amended (7 U.	S.C. 1621 et. so	q.) and is admissa	ry of Agneulturo governing ble as prima facie evidenc	o in all courts of the L	ious product: Initod States.	pursuani to WARNING: /	the Agricultural Ver person who
imprisonment for n	sory make, issue, alter of more than one year.	t, förga or cour or both	nterfèil this certific	ole as prima facie evidenc calo, or participate in any	such actions, is subj	oct to a line	of not more	than \$1,000 or
	MPLING BEGAN		·					
HOUR	OATE	 i.	SAMPLE, A	NALYSIS FINISHED	TYPE	OF INSPEC	TION (Mark	One Only)
1015 AM	1 12/20 /			12/2/2		SPECTED		
LOCATION CODE	WHERE SAMPLE DRAW		320 4111	: 12/27/03	Lorto	ADED Into		
	PLANTAS	" - 1				CAR	TRAILER	
APPLICANT CODE	APPLICANT NAME AND	164 1	ALB	1NY, 6/1		EYANCE I	DENTIFICAT	TION
					PREFIX NO	MBER	\$	T
RECEIVER NAME AND	DEAKSEOUX PU	ANCHING	CORP. 5.	SYLVESTER GA			- 1	
THE COLUMN THE AND	NOT 61	in al	,	SIMPPER NAME AND ADDR	ESS			
DRADUOT	1001 61	ACM	·					7
PRODUCT						- Control of the cont	:	
<u></u>			FIBERBOAR	N DIMO				
L CLEAN	ED IN THE SHELL	<u> </u>		D BIIVS	110711 110 010711			
िया		iN	X BURLA	SACKS	WITH NO DISTIN	UUISHING I	MARKS	
X SHELLI	ED PEANUTS		7	ĺΧÌ	TAGGED WITH	RED	COLOR	ED TAGS
	KOASTED	L	BULK	كنا		100.2	00.01	CO TAGG
TAG INSCHIPTION K	esects Shelled	Property	Dr. 1#	S. Seabrock B	1 1 1 10		7400	ZNITOO!
Peanot Be	CSSING DIV	5.1.01 5	Junitaria.	~	เลเวลหเหรี เกรา	Zr.,k	IAG C	ONTROL
1-0	IMBER CHOP YR	erat erat fry a a errigt	Armenini.	527			400	ISSUED
96 4	2 02	USDA	GEBRET	7 3	FEDERAL-STATE IN		359	
APPLICANT STATES		A			FEINTHUL STATE IN	SPECIES	_ <u>#/_</u>	RETURNED
2	<u> </u>							
35,900	LBS	·	Abe TOLNO	OR COU	VT OF	359		CONTAINERS
SIZE	1 A		14.5					001111121010
% SAV	Kernels PASSING		1 / 1				•	
% S/W	Kernels PASSING		Inch		h Kernels RIDING		· Inch	Screen
% S/W	Kernels & Kernel P	ortions PAS	Inch		h Kernets RIDING		Inch .	Screen
		Onions i Ao	O"*G	Inch Scr	oen ee			
% Pean	uis with Undamao	ed Sheils PA	ASSING	loch S				
	uts With Undamag Es		***************************************		creen	_		
COUNT AVERAG			NSSING PER OUNCE	Inch S)		
COUNT AVERAG	ES		PER OUNCE	Inch S	Creen PER POUND			
COUNT AVERAG	ES ROXIMATELY	5000	***************************************	lnch S	Creen PER POUNC GRAMS ANALYZI	ED CONTAI	NEO THE FO	DLL:OWING:
COUNT AVERAGE COUNTRY SAMPLE OF APPR	ES	COOO THE SHELL	PER OUNCE	Inch\$	Creen PER POUNC GRAMS ANALYZI SHELLED		NED THE FO	DLL:OWING:
COUNT AVERAGE OUALITY SAMPLE OF APPE GRADE	BOXIMATELY 7< PEANUTS IN FACTOR	5000	PER OUNCE		GRAMS ANALYZI SHELLED DE FACTOR	ED CONTAI	NED THE FO	DLLOWING;
COUNT AVERAGE OUALITY SAMPLE OF APPE GRADE CRACKED OR BROKE	ES PEANUTS IN FACTOR EN SHELLS	COOO THE SHELL	PER OUNCE	VN, /OOO GRA	PER POUNE GRAMS ANALYZI SHELLED DE FACTOR	ED CONTAI		
COUNT AVERAGE QUALITY SAMPLE OF APPF GRADE CRACKED OR BROK DISCOLORED SHELL	ES ROXIMATELY 7 PEANUTS IN FACTOR EN SHELLS S	COOO THE SHELL	PER OUNCE	VN, /OOO GRA OTHER TYPES OF KERNIN SPLIT ON BROKEN KERNI	PER POUNE GRAMS ANALYZI SHELLED DE FACTOR ELS	ED CONTAI		
GRADE	ES ROXIMATELY 7 PEANUTS IN FACTOR EN SHELLS S	COOO THE SHELL	PER OUNCE	VN, /OOO GRA OTHER TYPES OF KERN SPLIT ON BROKEN KERN DAMAGED ON UNSHELLI	PER POUNE GRAMS ANALYZI SHELLED DE FACTOR ELS	ED CONTAI		
COUNT AVERAGE QUALITY SAMPLE OF APPF GRADE CRACKED OR BROK DISCOLORED SHELL	ES BOXIMATELY 70 PEANUTS IN FACTOR EN SHELLS S CTS	COOO THE SHELL	PER OUNCE	VN, /OOO GRA OTHER TYPES OF KERNIN SPLIT ON BROKEN KERNI	PER POUNE GRAMS ANALYZI SHELLED DE FACTOR ELS	ED CONTAI		
GUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL	ES ROXIMATELY 7 PEANUTS IN FACTOR EN SHELLS S CTS	COOO THE SHELL	PER OUNCE	VN, /OOO GRA OTHER TYPES OF KERN SPLIT ON BROKEN KERN DAMAGED ON UNSHELLI	PER POUND GRAMS ANALYZI SHELLED DE FACTOR ELS ELS	ED CONTAI		
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEEL FOREIGN MATERIAL PEARLITS WITH DAM	ES ROXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS TOTAL WAGED KERNELS	COOO THE SHELL	PER OUNCE	OTHER TYPES OF KERNI SPLIT OR BROKEN KERNI DAMAGED OR UNSHELLI MINOR DEFECTS	PER POUNE GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED	ED CONTAI	GRAMS	
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEARLITS WITH DAM MOISTURE (BY ELECT	ES ROXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS TOTAL WAGED KERNELS	COOO THE SHELL	PER OUNCE	VN, //O/C GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED SEED ON /CX/O G	ED CONTAI PEANUTS		
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEEL FOREIGN MATERIAL PEANUTS WITH DAM	ES ROXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS TOTAL WAGED KERNELS	COOO THE SHELL	PER OUNCE	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSTELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED SEED ON /CX/O G	ED CONTAI PEANUTS	GRAMS	
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEARLITS WITH DAM MOISTURE (BY ELECT GRADE	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MGED KERNELS TRIC METER)	COOO THE SHELL	PER OUNCE	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSTELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED SEED ON /CX/O G	ED CONTAI PEANUTS	GRAMS	
COUNT AVERAGE QUALITY SAMPLE OF APPR GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEARLTS WITH DAM MOSTURE (BY ELECT GRADE	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MAGEO KERNELS RIC METER) REMARKS	COOO THE SHELL	PER OUNCE	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSTELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED SEED ON /CX/O G	ED CONTAI PEANUTS	GRAMS	
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEARLITS WITH DAM MOISTURE (BY ELECT GRADE	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MAGEO KERNELS RIC METER) REMARKS	COOO THE SHELL	PER OUNCE	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSTELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S GED ON /CV/O G METER)	ED CONTAI PEANUTS	GRAMS	PERCENT (C.14/ ★ 3.30 ★
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE SAMPLES BILLED TO	ES ROXIMATELY Z PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MGED KERNELS TRIC METERI REC METERI APPLICANT ABOVE EXT	THE SHELL GRAM	PER OUNCE GRAMS DRAV S PERCENT	OTHER TYPES OF KERNING SPLIT OR BROKEN KERNING DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED SEED ON /CX/O G	ED CONTAI PEANUTS	GRAMS	
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE SAMPLES BILLED TO	ES ROXIMATELY Z PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MGED KERNELS TRIC METERI REC METERI APPLICANT ABOVE EXT	THE SHELL GRAM	PER OUNCE GRAMS DRAV S PERCENT WIN AND SENT TO	OTHER TYPES OF KERNING SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S GED ON /C/C/C/C GMETER)	PEANUTS PEANUTS PRAMS)	GRAMS	C.14 * 3.30 *
COUNT AVERAGE QUALITY SAMPLE OF APPR GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEARLTS WITH DAM MOSTURE (BY ELECT GRADE SAMPLES BILLED TO	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MAGEO KERNELS RIC METER) RE MAZY S APPLICANT ABOVE 1-AH	THE SHELL GRAM	PER OUNCE GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESULTS TO	OTHER TYPES OF KERNING SPLIT OR BROKEN KERN DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC PARK) OF LAB)	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ED S SED ON /C/C/C G METER) (AODRI	ED CONTAI PEANUTS RAMS) ESS) MIRIED Culino	GRAMS /. 4 ^f	PERCENT (C.14/ ★ 3.30 ★
COUNT AVERAGE QUALITY SAMPLE OF APPR GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEARLTS WITH DAM MOSTURE (BY ELECT GRADE SAMPLES BILLED TO	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MGED KERNELS PRIC METER) REF PLACE S APPLICANT ABOVE 1-AH MEETS ROQUITOMENTS	APPEAL DRAY	PER OUNCE GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESILES TO	OTHER TYPES OF KERNING SPLIT OR BROKEN KERN DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC PARK) OF LAB)	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S GED ON /C/C/C/C GMETER)	ED CONTAI PEANUTS RAMS) ESS) MIRIED Culino	GRAMS /. 4 ^f	C.14 * 3.30 *
COUNT AVERAGE QUALITY SAMPLE OF APPR GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEARLTS WITH DAM MOSTURE (BY ELECT GRADE SAMPLES BILLED TO	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MAGEO KERNELS PRIC METER) R.F. PMARY S APPLICANT ABOVE 1-AH MEETS REQUIREMENTAL TOTAL	APPEAL DRAY	PER OUNCE GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESILES TO	OTHER TYPES OF KERNING SPLIT OR BROKEN KERN DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC PARK) OF LAB)	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ED S SED ON /C/C/C G METER) (AODRI	ED CONTAI PEANUTS RAMS) ESS) MIRIED Culino	GRAMS /. 4 ^f	C.14 * 3.30 *
COUNT AVERAGE QUALITY SAMPLE OF APPR GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEARLTS WITH DAM MOSTURE (BY ELECT GRADE SAMPLES BILLED TO	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL IMGEO KERNELS RIC METER) RE MARY S APPLICANT ABOVE 1-AH 1-AH 17 FR, Part 9 Garley	APPEAL DRAMANS OF Marketing (16 fc - n.	GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESULTS IC Agreement LYSIS COLUMN C:2-edible	O DE PHONED (FAILS 10 mice	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S EED ON /CV/O G METER) AODRI ON Requirements of A	PEANUTS PEANUTS RAWS) ESS) MIRED Collecting Age	GRAMS /. 4 MAREI	C. 14 * 3. 30 * (OATE) D to Applicant
COUNT AVERAGE QUALITY SAMPLE OF APPR GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEARLTS WITH DAM MOSTURE (BY ELECT GRADE SAMPLES BILLED TO	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL IMGEO KERNELS RIC METER) RE MARY S APPLICANT ABOVE 1-AH 1-AH 17 FR, Part 9 Garley	APPEAL DRAMANS OF Marketing (16 fc - n.	GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESULTS IC Agreement LYSIS COLUMN C:2-edible	O DE PHONED (FAILS 10 mice	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S EED ON /CV/O G METER) AODRI ON Requirements of A	PEANUTS PEANUTS RAWS) ESS) MIRED Collecting Age	GRAMS /. 4 MAREI	C. 14 * 3. 30 * (OATE) D to Applicant
COUNT AVERAGE OUALITY SAMPLE OF APPE GRADE CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEARLTS WITH DAM MOISTURE (BY ELECT GRADE SAMPLES BILLED TO SAMPLES BILLED TO REMARKS	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL IMGEO KERNELS RIC METER) RE MARY S APPLICANT ABOVE 1-AH 1-AH 17 FR, Part 9 Garley	APPEAL DRAMANS OF Marketing (16 fc - n.	GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESULTS IC Agreement LYSIS COLUMN C:2-edible	O DE PHONED (FAILS 10 mice	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S EED ON /CV/O G METER) AODRI ON Requirements of A	PEANUTS PEANUTS RAWS) ESS) MIRED Collecting Age	GRAMS /. 4 MAREI	C. 14 * 3. 30 * (OATE) D to Applicant
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOSTURE (BY ELECT GRADE SAMPLES BILLED TO 1-(2) REMARKS	PEANUTS IN FACTOR EN SHELLS S CTS TOTAL IMGEO KERNELS RIC METER) RE MARY S APPLICANT ABOVE 1-AH 1-AH 17 FR, Part 9 Garley	APPEAL DRAMANS OF Marketing (16 fc - n.	GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESULTS IC Agreement LYSIS COLUMN C:2-edible	OTHER TYPES OF REPRIN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC (NAME OF LAB) DE PHONED (FAILS TO MO	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S EED ON /OU/O G METER) ADDRA DICKERA S COLORES SIL TERMINE	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS AND CONTRACT AND	GRAMS /. 4 MAREI	C. 14 * 3. 30 * (OATE) D to Applicant
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE SAMPLES BRLED TO 1-CJ REMARKS	ES ROXIMATELY 70 PEANUTS IN FACTOR EN SHELLS S COTS TOTAL MAGED KERNELS TRIC METERI 1-AH MEETS ROQUITOMENTS TOTAL ALE MARY S APPLICANT ABOVE 1-AH TOTAL ALE MARY S APPLICANT ABOVE 1-AH ALE MARY S APPLICANT ABOVE 1-AH ALE MARY S AND	APPEAL DRAY SOI MERKENING GC for no	GRAMS DRAV S PERCENT WIN AND SENT TO LISS RESILES TO Agreement	OTHER TYPES OF KERNING OTHER TYPES OF KERNING SPLIT ON BROKEN KERN DAMAGED ON UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC PHONED (FAILS TO MO **FOREIGN TYPE (BY ELECTRIC) **FOREIGN TYPE (BY EL	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED ON /C/C/C G METER) ADDRA OT Requirements of M Color termine OTICANT STEEL CITICANT STEEL	PEANUTS PEANUTS RAMS) PESS) MIRED Collecting Against Again	MAILEI MAILEI	C.14 * 3.30 * (DATE) D to Applicant
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOHEISN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE SAMPLES BILLED TO I-CD) REMARKS CHARGES FEES 3 DRAWBIG 8 AMDLING 5	ES ROXIMATELY 70 PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MAGEO KERNELS RICC METERI LET MARRY S APPLICANT ABOVE 1-AH TOTAL MEETS ROQUIROMENTS TOTAL APPLICANT ABOVE 1-AH LITHE WORLDOOR LITHE	APPEAL DRAMANNS OF Marketing 96 for no transfection to the control of the control	GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESULTS TO Agronian LYSIS RESULTS TO Agronian En-edible States rejects	OTHER TYPES OF MERIN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC PAME OF LAB) DE PHONED (FAILS TO ME	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S EED ON /CVO G METER) TO I Requirements of A OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G ANALYZI ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI OLC KOTAL'S CO GRAMS ANALYZI	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS PRA	MARLEI MARLEI	C.14 * 3.30 k (DATE) D to Applicant
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OFFE FOHEISN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE SAMPLES BILLED TO 1-CL) REMARKS CHARGES FEES 3 DRAWBIG 8 AMPLING 5 AMPLING 5	ES ROXIMATELY ZE PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MGED KERNELS REC METERI 1-AR LETT MARKEN 1-AR	APPEAL DRAM S OI MERKELING FOR S tect prous to their such soi indicated, some	GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESULTS TO Agreement L'7-ed tyle States Felicets Trejects Trejects Trejects	OTHER TYPES OF REPRIN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC (NAME OF LAB) DE PHONED (FAILS TO MO	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S EED ON /CVO G METER) TO I Requirements of A OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G ANALYZI ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI OLC KOTAL'S CO GRAMS ANALYZI	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS PRA	MARLEI MARLEI	C.14 * 3.30 k (DATE) D to Applicant
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREISN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE SAMPLES BILLED TO I-CL) REMARKS CHARGES FEES 3 DRAWING 8 AMDURE 3	ES ROXIMATELY ZE PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MGED KERNELS REC METERI 1-AR LETT MARKEN 1-AR	APPEAL DAA' S OI MERKETING G G F T C G G T T C G G T T C G G T AND I C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G G T T C G	GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESULTS TO Agreement L'7-ed tyle States Felicets Trejects Trejects Trejects	OTHER TYPES OF MERIN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC PAME OF LAB) DE PHONED (FAILS TO ME	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S EED ON /CVO G METER) TO I Requirements of A OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G ANALYZI ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G OLC KOTAL'S CO GRAMS ANALYZI OLC KOTAL'S CO GRAMS ANALYZI	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS PRA	MARLEI MARLEI	C.14 * 3.30 k (DATE) D to Applicant
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OFFE FOREISN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE SAMPLES BILLED TO 1-CL) REMARKS CHARGES FEES 3 DRAWING 8 AMPLING 5 AMPLING 5	ES ROXIMATELY ZE PEANUTS IN FACTOR EN SHELLS S CTS TOTAL MGED KERNELS REC METERI 1-AR LETT MARKEN 1-AR	APPEAL DRAM S OI MERKELING FOR S tect prous to their such soi indicated, some	GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESULTS TO Agreement L'7-ed tyle States Felicets Trejects Trejects Trejects	OTHER TYPES OF MERIN SPLIT OR BROKEN KERN DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC PAME OF LAB) DE PHONED (FAILS 10 mg ** Forfers at app	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S EED ON /CVO G METER) TO I Requirements of A OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G ANALYZI ANALYZI SHELLED ON /CVO G SILLED OLC KOTAL'S CO GRAMS ANALYZI SHELLED OLC KOTAL'S CO GRAMS ANALYZI OLC KOTAL'S CO GRAMS	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS PRA	MARLEI MARLEI	C.14 * 3.30 k (DATE) D to Applicant
COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OFFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE SAMPLES BILLED TO 1-CL) REMARKS CHARGES FEES 3 DRAWING 8 AMPLING 5 AMPLING 5	ES ROXIMATELY ZE PEANUTS IN FACTOR EN SHELLS S CTS YOTAL MGED KERNELS REC METERI 1-AH LITHE MONHOUSE APPLICANT ABOVE 1-AH LITHE MONHOUSE APPLICANT ABOVE LITHE MONHOUSE APPLICANT ABOVE LITHE MONHOUSE SGRATURE (APPEAL DRAM S OI MERKELING FOR S tect prous to their such soi indicated, some	GRAMS DRAV S PERCENT WIN AND SENT TO LYSIS RESULTS TO Agreement L'7-ed tyle States Felicets Trejects Trejects Trejects	OTHER TYPES OF MERIN SPLIT OR BROKEN KERN DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC PAME OF LAB) DE PHONED (FAILS 10 mg ** Forfers at app	GRAMS ANALYZI GRAMS ANALYZI SHELLED DE FACTOR ELS ELS ED S EED ON /CVO G METER) TO I Requirements of A OLC KOTAL'S CO GRAMS ANALYZI SHELLED ON /CVO G ANALYZI ANALYZI SHELLED ON /CVO G SILLED OLC KOTAL'S CO GRAMS ANALYZI SHELLED OLC KOTAL'S CO GRAMS ANALYZI OLC KOTAL'S CO GRAMS	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS PRA	MARLEI MARLEI	C.14 * 3.30 k (DATE) D to Applicant

Exhibit VI – Non-Edible Quality Lot.

						*,				
	200			υ	AGRICULTU	DEPARTMENT OF AGRICUM RAL MARKETING SERVICE	Ε .			
C	280	165		MILLE		TATE INSPECTION SERVICE TINSPECTION CE		C 28	30165	
This cer	tificate is i	ssued in co	mpliance with	the regulations	of the Socretar	y of Agriculture governing	the inspection of var	ious products	pursuant to t	he Agricultural
Knowing	тү ѕпан та	isely make,	ended (7 05.4 , issue, alter, an one year, o	forge or counter	and is admissai doil this cortific	olo as prima facio ovidence ate, or participate in any	e in all courts of the such actions, is subj	oct to a fine	of not more	ny person who than \$1,000 or
		AMPLING			SAMPLE A	NALYSIS FINISHED	TYPE	OF INSPEC	TION (Mark	One Only)
HOUR		DATE	/ ;	HO		DATE / /	X LOT IN	SPECTED		
	$\leq Ar$	11: 10	1/20/0	3	230 FM	12/20/03		ADED Into_		
LOCATION	CODE	WHERES!	AMPLE DRAWN	ding WH	ERE SAMPLE ANA	LYZED	<u> X</u>	CAR _	TRAILER	
		PIRH	. / -		Ashbo	un. 6A.			DENTIFICAT	ION
APPUCANT		-	en Pea		uDONY .	Atlanta GA		17609	s / s	7
RECEIVER	NAME AND	ADDRESS	OT GI		Tony,	SHIPPER NAME AND ADDR	ESS	11	CA	
PRODU	CT	N	ST CHI	0570		Golden Pean	UI (0, 14.	hburn	, 64	
		100			5.000000					
	CLEAN	ED IN TH	IE SHELL		FIBERBOARE	BINS	WITH NO DISTIN			
	., O.L./		- OIICL	IN	BURLAP	SACKS	. WITH NO DISTIN	WUISHING I	MAHKS	
IX.	SHELL	ED PEAN	UTS	[X]	— BULK "≤ ₀ ,	a Remarks	TAGGED WITH		COLORI	ED TAGS
TAG INSCI	RIPTION	· · ·							TAGO	ONTROL
******	•			• • • • • • • • • • • • • • • • • • • •					1	ISSUED
HOUSE	LOYN	UMBER	CROP YR		••••••••••••••	······································				USED
			l l'	USDA	George	<u> </u>	FEDERAL-STATE	NSPECTED		RETURNED
APPLICAN	T STATES					2002 Cropye	ar, GA F	touse 7	18	1.10.1 12.11.15.15.
16	2,00	LBS	72.	NER TYPI	loury .	3-153 OR COU	•			CONTAINERS
SIZE	1,00		7,000			,,,,,				
	% S/W	Kernels	PASSING		inch	Screen; /.89 % W	h Kemels RIDINO	16/64 X	3/4 Inch	.5º Screen
	% S/W	Kernels I	PASSING -		Inch -	Screen; 20.94 % W	h Kemels RIDING	14/14 X	3/4 Inch	S Screen
	-		•	ortions PASSI	NG		reen	0055	ing throw	sk and
	_% Pear	nuts With	Undamage	d Shells PAS	SING	Inch S	creen	2012	· · · · · · · · · · · · ·	· 1. f.
			_				~~~	16/44	ex 3/4 inc	ch sict
COUNT	AVERAC	SES .		P	ER OUNCE		PER POUN	16/64 D Scr	ean	ch SIET
QUALIT	Υ						PER POUN	O SCr	ea. M	
QUALIT	Υ	ROXIMAT		, 006		n. 4000	GRAMS ANALYZ	ED CONTA	ea. M	
QUALIT	Y OF APP	ROXIMAT PE	ELY 75	THE SHELL	GRAMS DRAV		GRAMS ANALYZ	O SCr	INED THE FO	OLLOWING:
OUALIT SAMPLE	Y OF APP	ROXIMAT PE FACTOR	ANUTS IN	, 006		GRA	GRAMS ANALYZ SHELLEI DE FACTOR	ED CONTA	INED THE FO	DLLOWING:
QUALIT SAMPLE CRACKET	GRADIO OR BROI	ROXIMAT PE E FACTOR ŒN SHELL	ANUTS IN	THE SHELL	GRAMS DRAV	GRA OTHER TYPES OF KERN	GRAMS ANALYZ SHELLEI DE FACTOR ELS	ED CONTA	GRAMS	PERCENT
OUALIT SAMPLE CRACKEL DISCOLO	GRADI GRADI O OR BROI HED SHEL	ROXIMAT PE FACTOR GEN SHELL LS	ANUTS IN	THE SHELL	GRAMS DRAV	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN	PER POUN GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS	ED CONTA	GRAMS XX XX	PERCENT XX XX
CRACKEI DISCOLO OTHER S	GRADI GRADI O OR BROI HED SHEL HELL DEFI	ROXIMAT PE FACTOR (EN SHELL LS ECTS	ANUTS IN	THE SHELL	GRAMS DRAV	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL	PER POUN GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS	ED CONTA	GRAMS XX XX	PERCENT XX XX
CRACKEI DISCOLO OTHER S	GRADI GRADI O OR BROI HED SHEL	ROXIMAT PE FACTOR (EN SHELL LS ECTS	ANUTS IN 1	THE SHELL	GRAMS DRAV	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS	PER POUN GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED	ED CONTA	GRAMS XX XX XX	PERCENT XX XX
CRACKEE DISCOLO OTHER S	GRADI GRADI O OR BROI HED SHEL HELL DEFI	ROXIMAT PE FACTOR EN SHELL LS ECTS	ANUTS IN 1	THE SHELL	GRAMS DRAV	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL	GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED	CED CONTA	GRAMS X X XX XX	PERCENT XX XX
CRACKEE DISCOLO OTHER S FOREIGN	GRADI OR BROI HELL DEFI MATERIAL	ROXIMAT PE FACTOR GEN SHELL LS ECTS MAGED KEI	S TOTAL RINELS	THE SHELL	GRAMS DRAV	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA	GRAMS ANALYZ SHELLEI DE FACTOR ELS VELS ED SED ON 440.00	ED CONTA	GRAMS XX XX XX	PERCENT XX XX XX XX 4,21-*
CRACKEI DISCOLO OTHER S FOREIGN PEANUTS MOISTUR	GRADI OR BROI HELL DEFI MATERIAL	ROXIMAT PE FACTOR EN SHELL LS ECTS	S TOTAL RINELS	THE SHELL	GRAMS DRAV	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL	GRAMS ANALYZ SHELLEI DE FACTOR ELS VELS ED SED ON 440.00	CED CONTA	GRAMS X X XX XX	PERCENT XX XX
CRACKEE DISCOLO OTHER S FOREIGN	Y. GRADI GRADI O OR BROI HELL DEFI MATERIAL WITH DAI E (BY ELEC	ROXIMAT PE E FACTOR GEN SHELL LS ECTS MAGGED KEI THIC METE	S TOTAL RNELS	THE SHELL	GRAMS DRAV	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA	GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED SED ON 440.00	CED CONTA	GRAMS X X XX XX	PERCENT XX XX XX XX 4,21-*
CRACKEI DISCOLO OTHER S FOREIGN PEANUTS MOISTUR	Y. GRADI GRADI O OR BROI HELL DEFI MATERIAL WITH DAI E (BY ELEC	ROXIMAT PE FACTOR GEN SHELL LS ECTS MAGGED KEI THIC METE	S TOTAL RINELS	THE SHELL	GRAMS DRAV	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA	GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED SED ON 440.00	CED CONTA	GRAMS X X XX XX	PERCENT XX XX XX XX 4,21-*
CRACKEI DISCOLO OTHER S FOREIGN PEANUTS MOISTUR	GRADIO OF BROWN BR	ROXIMAT PE FACTOR GEN SHELL LS ECTS MAGGED KEI THIC METE	S TOTAL RNELS	THE SHELL	GRAMS DRAV	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA	GRAMS ANALYZ SHELLEI DE FACTOR ELS VELS ED S SED ON 44000 METER)	CED CONTA	GRAMS X X XX XX	PERCENT XX XX XX XX 4,21-*
OUALIT SAMPLE CRACKEE DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE	GRADIO OF BROWN BR	ROXIMAT PE FACTOR GEN SHELL LS ECTS MAGGED KEI THIC METE	TOTAL RIVELS RIVELS TO A F & S TO	THE SHELL GRAMS	GRAMS DRAV	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC	GRAMS ANALYZ SHELLEI DE FACTOR ELS VELS ED S SED ON 44000 METER)	ZED CONTA D PEANUTS GRAMS)	GRAMS XX XX XX XX XX XX	PERCENT XX XX XX Y.21-X 8.00-X
CRACKEL DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES	GRADIO OF BROWN BR	ROXIMAT PE FACTOR GEN SHELL LS ECTS MAGGED KEI TRIC METE REPLICAN 1-AB	TOTAL RINELS RI TOTAL RAPELS RI TOTAL RAPELS RI ABOVE	PPEAL DRAW	PERCENT PERCENT IN AND SENT TO	OTHER TYPES OF KERN SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC	PER POUN GRAMS ANALYZ SHELLEI IDE FACTOR ELS WELS ED S SED ON 46 CO METER)	CED CONTA D PEANUTS GRAAS) GRAAS) WHED Colle	GRAMS XX XX XX XX XX XX XX XX XX	PERCENT XX XX XX Y.21-X 8.00-X
OUALIT SAMPLE CRACKEE DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE	GRADIO OF BROWN BR	ROXIMAT PE FACTOR GEN SHELL LS ECTS MAGGED KEI THIC METE APPLICAN 1-AB	TOTAL RINELS R) TO I' KS TO BOVE A REQUIREMENTS	PPEAL DRAW ANALY of Marketing A	PERCENT PERCENT IN AND SENT TO SISS RESULTS TO Greenout-	OTHER TYPES OF KERN SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC (NAME OF LAB) D. BE. PHONED (GRAMS ANALYZ SHELLEI DE FACTOR ELS VELS ED S SED ON 44000 METER)	CED CONTA D PEANUTS GRAAS) GRAAS) WHED Colle	GRAMS XX XX XX XX XX XX XX XX XX	PERCENT XX XX XX Y.21-X 8.00-X
CRACKEL DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES	GRADIO OF BROWN BR	ROXIMAT PE E FACTOR GEN SHELL LS ECTS MAGGED KEIE THIC METE L APPLICAN 1-AB MEETS F 7 C FA	TOTAL RINELS TO TAL	PPEAL DRAW ANALY of Marketing A	PERCENT PERCENT IN AND SENT TO	OTHER TYPES OF KERN SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC (NAME OF LAB) D. BE. PHONED (PER POUN GRAMS ANALYZ SHELLEI IDE FACTOR ELS WELS ED S SED ON 46 CO METER)	CED CONTA D PEANUTS GRAAS) GRAAS) WHED Colle	GRAMS XX XX XX XX XX XX XX XX XX	PERCENT XX XX XX Y.21-X 8.00-X
CRACKEL DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES	GRADIO OF BROWN BR	ROXIMAT PE FACTOR GEN SHELL LS ECTS MAGGED KEI THIC METE APPLICAN 1-AB	TOTAL RINELS RI TABOVE Requirements C, Part 9	PPEAL DRAW ANALY of Marketing A	PERCENT PERCENT IN AND SENT TO SIS RESULTS TO Greenout- CM - 2d - Ch- CM - 2d - Ch-	OTHER TYPES OF KERN SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC (NAME OF LAB) D BE PHONED (GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED SED ON 46 CO METER) OOL Requirements of	GRAAIS) GRAAIS) WINED Colle	GRAMS X X XX XX XX XX XX XX XX XX	PERCENT XX XX XX XX XX YAJ -X QUATE) D to Applicant
CRACKEL CRACKEL DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES	GRADIO OF BROWN BR	ROXIMAT PE E FACTOR GEN SHELL LS ECTS MAGGED KEIE THIC METE L APPLICAN 1-AB MEETS F 7 C FA	TOTAL RINELS RI TABOVE Requirements C, Part 9	PPEAL DRAW ANALY of Marketing A	PERCENT PERCENT IN AND SENT TO SIS RESULTS TO Greenout- CM - 2d - Ch- CM - 2d - Ch-	OTHER TYPES OF KERN SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC (NAME OF LAB) D BE PHONED (GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED SED ON 46 CO METER) OOL Requirements of	GRAAIS) GRAAIS) WINED Colle	GRAMS X X XX XX XX XX XX XX XX XX	PERCENT XX XX XX XX XX YAJ -X QUATE) D to Applicant
CRACKET DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES SAMPLES DIARGES	GRADIO OF BROWN BR	ROXIMAT PE E FACTOR GEN SHELL LS ECTS MAGGED KEIE THIC METE L APPLICAN 1-AB MEETS F 7 C FA	TOTAL RINELS RI TABOVE Requirements C, Part 9	PPEAL DRAW ANALY of Marketing A	PERCENT PERCENT IN AND SENT TO SIS RESULTS TO Greenout- CM - 2d - Ch- CM - 2d - Ch-	OTHER TYPES OF KERN SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC (NAME OF LAB) D BE PHONED (GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED SED ON 46 CO METER) OOL Requirements of	GRAAIS) GRAAIS) WINED Colle	GRAMS X X XX XX XX XX XX XX XX XX	PERCENT XX XX XX XX XX YAJ -X QUATE D to Applicant
CRACKEE DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES SAMPLES CHARGES FEES FEES	GRADIO OF BROWN BR	ROXIMAT PE E FACTOR GEN SHELL LS ECTS MAGGED KEIE THIC METE L APPLICAN 1-AB MEETS F 7 C FA	TOTAL RINELS RI TABOVE Requirements 2, Part 9	PPEAL DRAW ANALY Of Marketing A	PERCENT PERCENT IN AND SENT TO SISS RESULTS TO Greenout- Col - Ed. Wie Letermin	OTHER TYPES OF KERN SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC (NAME OF LAB) D. BE. PHONED (FAILS to m.) R. C. F. POTTE d.	GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED SED ON 46 CO METER) OOL Requirements of	GRAAIS) GRAAIS) WINED Colle	GRAMS X X XX XX XX XX XX XX XX XX	PERCENT XX XX XX XX XX YAJ -X QUATE D to Applicant
CRACKEE CRACKEE DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES SAMPL	GRADIO OF BROWN BR	ROXIMAT PE E FACTOR GEN SHELL LS ECTS MAGGED KEIE THIC METE L APPLICAN 1-AB MEETS F 7 C FA	TOTAL RINELS RI TABOVE Requirements C, Part 9	PPEAL DRAW ANALY of Marketing A RG for no	PERCENT PERCENT IN AND SENT TO SISS RESULTS TO Greenout- Con-Ed. Wale Letermin 1 car s Con-Gy 3	OTHER TYPES OF KERN SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC [NAME OF LAB] D. BE PHONED (FAILS to m.) Ed # reported	GRAMS ANALYZ SHELLEI DE FACTOR ELS VELS ED SED ON 4600 METER) OOL Requirements of USFP/S SEA	GRAMS) GRAMS) WINED Colle Marketing A	GRAMS X X X X X X X X X X X X X X X	PERCENT XX XX XX XX YX YX YX D to Applicant
CRACKEE CRACKEE DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES SAMPLES SAMPLES SAMPLES SAMPLES SAMPLES ANDLING ANDLI	GRADIO OF BROWN BR	ROXIMAT PE E FACTOR GEN SHELL LS ECTS MAGGED KEIE THIC METE L APPLICAN 1-AB MEETS F 7 C FA	TOTAL RINELS RI TOTAL RINELS RI TABOVE REQUIREMENTS C, Part 9 THE STATE OF THE STAT	PPEAL DRAW ANALY Of Marketing An ACTOR'S CA Horican Ta	PERCENT PERCENT IN AND SENT TO SIS RESULTS TO greement— Let et min It car s COGGY 3'	OTHER TYPES OF KERN SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC (NAME OF LAB) D. BE. PHONED (FAILS to m.) R. C. F. POTTE d.	PER POUN GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED SED ON 4600 AMETER) UADO ON Requirements of USFP/S Sucon Applications and Appl	GRAMS) GRAMS) WHED Colle Marketing A	INED THE FORMANS SET STATES GRAMS XX XX XX XX XX XX XX XX XX	PERCENT XX XX XX Y.21-X 8.00 x
CHACKET DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES CHARGES FEES \$ DRAWING \$ AMPLING \$	GRADIO OF BROWN BR	ROXIMAT PEEFACTOR GEN SHELL LS ECTS MAGGED KEI THIC METE THIC METE APPLICAN 1-AB MEETS F 7 C F Qual	TOTAL RINELS TABOVE Requirements 2, Part 9	PPEAL DRAW ANALY Of Marketing A RIG For no	PERCENT PERCENT IN AND SENT TO SIS RESULTS TO greement— Let et min It car s COGGY 3'	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC (NAME OF LAB) DIE PHONED ! FAILS to m ed # reported Scaled with	PER POUN GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED SED ON 4600 AMETER) UADO ON Requirements of USFP/S Sucon Applications and Appl	GRAMS) GRAMS) WHED Colle Marketing A	INED THE FORMANS SET STATES GRAMS XX XX XX XX XX XX XX XX XX	PERCENT XX XX XX Y.21-X 8.00 x
CHACKEL CRACKEL DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES SAMPLES CHARGES FEES 1 DRAWING 8 AMPLING 3 AMPLING 3 AMPLING 3	GRADIO OF BROWN BR	ROXIMAT PEEFACTOR GEN SHELL LS ECTS MAGGED KEI THIC METE THIC METE APPLICAN 1-AB MEETS F 7 C F Qual	TOTAL RINGLS RIT ABOVE It ABOVE It in a unclease and the distriction of the distriction	PPEAL DRAW ANALY Of Marketing Ar 196 for no	PERCENT PERCENT IN AND SENT TO SIS RESULTS TO greement— Let et min It car s COGGY 3'	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC (NAME OF LAB) DIE PHONED ! FAILS to m ed # reported Scaled with	PER POUN GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED SED ON 4600 AMETER) UADO ON Requirements of USFP/S Sucon Applications and Appl	GRAMS) GRAMS) WHED Colle Marketing A	INED THE FORMANS SET STATES GRAMS XX XX XX XX XX XX XX XX XX	PERCENT XX XX XX Y.21-X 8.00 x
CHACKEI CRACKEI DISCOLO OTHER S FOREIGN PEANUTS MOISTUR GRADE SAMPLES SAMPLES PEES \$ DRAWING 8 AMPLING 8 AMPLING 8 AMPLING 8 AMPLING 8 TOTAL 5	GRADIO OF BROWN BR	ROXIMAT PEE FACTOR GEN SHELL LS ECTS MAGGED KEI THIC METE THIC METE 1-ABPLICAN QUAL MEETS F 7 C FA QUAL	TOTAL RINGLS RIT ABOVE It ABOVE It in a unclease and the distriction of the distriction	PPEAL DRAW ANALY Of Marketing Ar 196 for no	PERCENT PERCENT IN AND SENT TO SIS RESULTS TO greement— Let et min It car s COGGY 3'	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC (NAME OF LAB) DIE PHONED ! FAILS to m ed # reported Scaled with	PER POUN GRAMS ANALYZ SHELLEI DE FACTOR ELS WELS ED SED ON 4600 AMETER) UADO ON Requirements of USFP/S Sucon Applications and Appl	GRAMS) GRAMS) WHED Colle Marketing A	INED THE FORMANS SET STATES GRAMS XX XX XX XX XX XX XX XX XX	PERCENT XX XX XX Y.21-X 8.00 x

Exhibit VII – U.S. No. 1 Runner, APSA "Medium Runner." Lot Packed in Fiberboard Bins.

		3 16/	TEN CTAYER	EPARTMENT OF AGRICU	n TO WAY	r		
C 20040E		***	AGRICULTU	RAL MARKETING SERVICE	É			
C 280165	· •	BAIL LE		ATE INSPECTION SERVICE		I C 28	0165	
This cortificate is issued in co	ompliance with the	MILLE	O PEANUI	INSPECTION CE	HIFICATE	6		
knowingly shall falsely make, imprisonment for not more th	. 14400, andr. 1010	e or counter	oil this cartific	alo, or participato in any	such actions, is subj	oct to a line	of not more t	han \$1,000 or
SAMPLING		7	CAMPIT A	NALVOIR FINICISCO	Type	OC INCOCO	YIAN Mark	0>= 0=1+
HOUR : DATE		HOU		NALYSIS FINISHED	7.21	OF INSPEC	I PLOTE (PERSON	One Only)
330 FM 11	116/02	7 -		11/17/03		SPECTED DADED Into		
LOCATION CODE WHERE S.	AMPLE DRAWN	WHE	RE SAMPLE ANA	11/17/03	- (CAR	TRAILER	
dophe	0045 F1401 04	4 5		LLE, CA		VEYANCE IL		ION .
APPLICANT CODE APPLICAN	I NAME AND ADDR	ESS				MBER	s	
13035 mcc1	wskey M.	ills lac	الهريمان	hulle RA				•
RECEIVER NAME AND ADDRESS			, , , , , , , , , , , , , , , , , , , ,	SHIPPL'R NAME AND ADDE	NESS			··
No ⁻	T GIVEN	\$		Same.	AS APPLIC	4~1T		
PRODUCT								
		×	FIREDROAD	5004				,
CLEANED IN TH	HE SHELL	_ L_	FIBERBOARD	BINS	1			
Csi	IN		BURLAP	SACKS	WITH NO DISTIN	IQUISHING N	MARKS	
X SHELLED PEAN	IUTS			X	TAGGED WITH	LIGHT BL	r€. COLORE	D TAGS
			BULK	المؤسا	• ~	······································		
TAG INSCRIPTION (15 N) Mc Clastica & Mary House LOT NUMBER	o. I The	diam Ki	uner "	Warkt 227	O LBS		TAG-C	ONTROL
McCloskoy An	ills Inc	5 117 1	Huille	CA	*********************			ISSUED
	CROP YR						4:00	USED
76 13	03 USI)A	680	1514	FEDERAL-STATE I	NSPECTED		RETURNED
APPLICANT STATES			1					
Um/ 7/3 185	Ď	- man	BULK			7/		
	RUNNI	er me	LOT NO.	OH COU	INT OF	×/	 '	CONTAINERS
SIZE							•	
2.55 % S/W Kernels	PASSING 18/1	64 x 3/4	_ Inch	Screen, 7.50 % V	Vh Kernels RIDINO	321/44 -	3/4' Inch	S Screen
% S/W Kernels	PACCING							2 Scient
			inch	Screen; % W	Vh Kernels RiDiN(}	Inch	Screen
% S/W Kernels	& Kernel Portic	ons PASSIN	^{Inch}	Screen; % W	Vh Kernels RiDIN(creen		Inch	Screen
% S/W Kernels Peanuts With	& Kernel Portion Undamaged S	ons PASSIN	Inch IG SING	Screen; % W	Vh Kernels RIDIN(creen Screen	S	Inch	Screen
% S/W Kernels % Peanuts With COUNT AVERAGES	& Kernel Portion Undamaged S	ons PASSIN	Inch IG SING	Screen; % W	Vh Kernels RiDIN(creen	S	Inch	Screen
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY	& Kernel Portice Undamaged S	ons PASSIN Shells PASS 2. X PE	Inch IG BING R OUNCE	Screen; %-W	Vh Kernels RIDING creen Scroen PER POUN	5	Inch	Screen
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT	& Kernel Portion Undamaged S 4: (ELY 756	ons PASSIN Shelis PASS 2 X PE	Inch IG SING	Screen; % W	Vh Kernels HIDING creen Screen PER POUN GRAMS ANALYZ	D ZED CONTAI	Inch	Screen
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT	& Kernel Portion Undamaged S 45 FELY 756 EANUTS IN THE	ONS PASSINGHEIS PASS 2. X PE 200 C G	Inch IG SING R OUNCE	Screen; % W	VN Kornels HIDING creen Scrocn PER POUN GRAMS ANALY; SHELLEI	5	NED THE FC	Screen
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR	& Kernel Portice Undamaged S デ FELY フ5で EANUTS IN THE	ons PASSIN Shelis PASS 2 X PE	Inch IG BING R OUNCE	Screen; % W	Which the service of	D ZED CONTAI	NED THE FO	Screen DLLOWING: PERCENT
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL	& Kernel Portice Undamaged S デ FELY フタ EANUTS IN THE	ONS PASSINGHEIS PASS 2. X PE 200 C G	Inch IG SING R OUNCE	Screen; % W Inch Sc Inch S Inch S OTHER TYPES OF KERK	VN Kernels RIDING creen Scroen PER POUN GRAMS ANALY SNELLED ADE FACTOR	D ZED CONTAI	NED THE FO	Screen NLOWING: PERCENT O.CO
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS	& Kernel Portice Undamaged S デ FELY フタ EANUTS IN THE	ONS PASSINGHEIS PASS 2. X PE 200 C G	Inch IG SING R OUNCE	Screen; % W Inch Sc Inch S Inch S OTHER TYPES OF KERN SPLIT OR BROKEN KER	Wh Kernels HIDING creen Scroen PER POUN GRAMS ANALY SHELLER ADE FACTOR VELS NELS	D ZED CONTAI	Inch NED THE FC GRAMS D.C 18.0	Screen NLOWING: PERCENT O.CO 1.80
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS	& Kernel Portice Undamaged S デ FELY フタ EANUTS IN THE	ONS PASSINGHEIS PASS 2. X PE 200 C G	Inch IG SING R OUNCE	Inch So Inch Inch So Inch Inch Inch Inch Inch Inch Inch Inch	Wh Kernels HIDING creen Scroen PER POUN GRAMS ANALY SHELLER ADE FACTOR VELS NELS	D ZED CONTAI	Inch NED THE FC GRAMS D.C 18.0 G.0	Screen DLLOWING: PERCENT O.OO (.80 O.60
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS	& Kernel Portice Undamaged S 4 FELY 75 EANUTS IN THE	ONS PASSINGHEIS PASS 2. X PE 200 C G	Inch IG SING R OUNCE	Inch So Inch S	Which the service of	D ZED CONTAI	NED THE FO	Screen DLOWING: PERCENT C.CC 1.80 C.GC C.GC C.GC
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL	& Kernel Portice Undamaged S FELY 750 EANUTS IN THE	ONS PASSINGHEIS PASS 2. X PE 200 C G	Inch IG SING R OUNCE	Inch So Inch S	VIT Kernels HIDING creen Scroen PER POUN GRAMS ANALY; SHELLED ADE FACTOR HELS LED	D ZED CONTAI D PEANUTS	NED THE FO	Screen DLOWING: PERCENT O.OO 1.80 O.GO O.GO
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE	& Kernel Portice Undamaged S FELY 756 EANUTS IN THE TOTAL PINELS	ONS PASSINGHEIS PASS 2. X PE 200 C G	Inch IG SING R OUNCE	Inch So Inch S	Which Kernels Hiding creen Scroen Per Poun Grams analy; Shelled Ade Factor Wels Nels LED ADE FACTOR WELS LED ADE FACTOR WELL LED ADE FACTOR WELS LED ADE FACTOR WELL L	D ZED CONTAI D PEANUTS	NED THE FO	Screen OLLOWING: PERCENT 0.00 1.80 0.60 0.62
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE	& Kernel Portice Undamaged S FELY 756 EANUTS IN THE TOTAL PINELS	ONS PASSINGHEIS PASS 2. X PE 200 C G	Inch IG SING R OUNCE	Inch So Inch S	Which Kernels Hiding creen Scroen Per Poun Grams analy; Shelled Ade Factor Wels Nels LED ADE FACTOR WELS LED ADE FACTOR WELL LED ADE FACTOR WELS LED ADE FACTOR WELL L	D ZED CONTAI D PEANUTS	NED THE FO	Screen DLOWING: PERCENT O.OO 1.80 O.GO O.GO
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PRESENTED OF BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE	& Kernel Portice Undamaged S FELY 75 C EANUTS IN THE S TOTAL ERNELS EAJ	ONS PASSIN SHELL GRAMS	INCH INCH INCH INCH INCH INCH INCH INCH	Inch SC Inch S	Which the series of the series	D ZED CONTAI D PEANUTS	NED THE FO	Screen OLLOWING: PERCENT 0.00 1.80 0.60 0.62
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PRESENTED OF BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE	& Kernel Portice Undamaged S FELY 75 C EANUTS IN THE S TOTAL ERNELS EAJ	ONS PASSIN SHELL GRAMS	INCH INCH INCH INCH INCH INCH INCH INCH	Inch SC Inch S	Which the series of the series	D PEANUTS GRAMS;	Inch NED THE FC GRAMS D.C 18: 0 6:0 6:0 6:0	Screen DLOWING: PERCENT 0.00 1.80 0.60 0.62
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE	& Kernel Portice Undamaged S FELY 75 c EANUTS IN THE S TOTAL FINELS EAJ	ONS PASSIN SHELL GRAMS	INCH INCH INCH INCH INCH INCH INCH INCH	Screen; % W. M. Inch Sc. Inch	SEED ON SPOOD	D PEANUTS GRAMS;	Inch NED THE FC GRAMS D.C 18: 0 6:0 6:0 6:0	Screen MLOWING: PERCENT 0.00 0.60 0.60 7.20
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE SAMPLES BILLED TO APPLICAN	& Kernel Portice Undamaged S FELY 756 EANUTS IN THE S TOTAL FINELS FINELS FINELS FINELS FINELS FINELS FINELS	Ons PASSIN Shells PASSIN PER PASSIN PRE PASS	Inch Inch Inch Inch Inch Inch Inch Inch	OTHER TYPES OF KEPN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL IB MOISTURE IBY ELECTRIC	Which the state of	D PEANUTS GRAMS; E. Rem.	Inch NED THE FC GRAMS D.C 18: 0 6:0 6:0 6:0	PERCENT O.OO (.80 O.60 G.62 A D.CC 7.20
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOSTURE (BY ELECTRIC METE GRADE ILS ALO RESERVE	& Kernel Portice Undamaged S FELY 756 EANUTS IN THE S TOTAL FINELS SAJ WT ABOVE	ONS PASSIN SHELL GRAMS	APSA	Inch So Inch S	SEED ON SPOOD	D PEANUTS GRAMS) E. Re marks ARESS	Inch NED THE FC GRAMS O.C 18.0 6.0 6.0 6.0 6.0 6.0	PERCENT O.OO (.80 O.60 G.62 A D.CO 7.20
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AB	& Kernel Portice Undamaged S FELY 75 C EANUTS IN THE S TOTAL FINELS FRI VIT ABOVE APPE	ONS PASSIND SHELL PE	APSA JAND SENT TO SIS RESULTS TO	Screen; % W. M. Screen; % W. M. Screen; % W. M. Screen; % W. M.	Which the series of the series	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	Inch NED THE FC GRAMS O.C. 18: 0 6: 0 6: 0 6: 0 7: 2 Ax O.U MAILE	PERCENT O.OO (.80 O.60 G.62 A D.CC 7.20
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AB REMARKS V MEETS I	& Kernel Portice Undamaged S FELY 756 EANUTS IN THE S TOTAL FINELS FRI TOTAL APPE Requirements of	ONS PASSINDHEIIS P	APSA AND SENT TO SIS RESULTS TO	Screen; % W. M. Screen; % W. M. Screen; % W. M. Screen; % W. M.	Which the state of	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	Inch NED THE FC GRAMS O.C. 18: 0 6: 0 6: 0 6: 0 7: 2 Ax O.U MAILE	PERCENT O.OO (.80 O.60 G.62 A D.CO 7.20
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AB REMARKS MEETS I 7-CF	& Kernel Portice Undamaged S FELY 75 c EANUTS IN THE S TOTAL FINELS FRI VIT ABOVE APPE Requirements of I	ONS PASSINDHEIIS P	APSA AND SENT TO SIS RESULTS TO	Screen; % W. M. Screen; % W. M. Screen; % W. M. Screen; % W. M.	Which the series of the series	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	Inch NED THE FC GRAMS O.C. 18: 0 6: 0 6: 0 6: 0 7: 2 Ax O.U MAILE	PERCENT O.OO (.80 O.60 G.62 A D.CO 7.20
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AB REMARKS MEETS I 7-CF	& Kernel Portice Undamaged S FELY 756 EANUTS IN THE S TOTAL FINELS FRI TOTAL APPE Requirements of	ONS PASSINDHEIIS P	APSA AND SENT TO SIS RESULTS TO	Screen; % W. M. Screen; % W. M. Screen; % W. M. Screen; % W. M.	Which the series of the series	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	Inch NED THE FC GRAMS O.C. 18: 0 6: 0 6: 0 6: 0 7: 2 Ax O.U MAILE	PERCENT O.OO (.80 O.60 G.62 A D.CO 7.20
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AB REMARKS MEETS I 7-CF	& Kernel Portice Undamaged S FELY 75 c EANUTS IN THE S TOTAL FINELS FRI VIT ABOVE APPE Requirements of I	ONS PASSINDHEIIS P	APSA AND SENT TO SIS RESULTS TO	Screen; % W. M. Screen; % W. M. Screen; % W. M. Screen; % W. M.	Which the series of the series	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	Inch NED THE FC GRAMS O.C. 18: 0 6: 0 6: 0 6: 0 7: 2 Ax O.U MAILE	PERCENT O.OO (.80 O.60 G.62 A D.CO 7.20
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AB REMARKS X MEETS I CC-25	& Kernel Portice Undamaged S FELY 75 c EANUTS IN THE S TOTAL FINELS FRI VIT ABOVE APPE Requirements of I	ONS PASSINDHEIIS P	APSA AND SENT TO SIS RESULTS TO	Screen; % W. M. Screen; % W. M. Screen; % W. M. Screen; % W. M.	Which the series of the series	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	Inch NED THE FC GRAMS O.C. 18: 0 6: 0 6: 0 6: 0 7: 2 Ax O.U MAILE	PERCENT O.OO (.80 O.60 G.62 A D.CO 7.20
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD T-AB REMARKS X MEETS I CC-3.5	& Kernel Portice Undamaged S FELY 75 c EANUTS IN THE S TOTAL FINELS FRI VIT ABOVE APPE Requirements of I	ONS PASSINDHEIIS P	APSA AND SENT TO SIS RESULTS TO	Screen; % W. M. Screen; % W. M. Screen; % W. M. Screen; % W. M.	Which the series of the series	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	Inch NED THE FC GRAMS O.C. 18: 0 6: 0 6: 0 6: 0 7: 2 Ax O.U MAILE	PERCENT O.OO (.80 O.60 G.62 A D.CO 7.20
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AB REMARKS X MEETS I CC-75 CHARGES FEES 1	& Kernel Portice Undamaged S FELY 75 C EANUTS IN THE S TOTAL FINELS SAI APPE Requirements of I FR. A F 9 SCHOOL SINGLE APPE Requirements of I FR. A F 9 SCHOOL SINGLE APPE AND SR APPE Requirements of I FR. A F 9 SCHOOL SINGLE APPE AND SR APPE A	Ons PASSIN Shells PASSIN PER PASSIN PROPERTY PER PER PASSIN PROPERTY PER PER PASSIN PER PER PASSIN PER PER PASSIN PER	APSA AND SENT TO SIS RESULTS TO SIS RESULTS TO SIGNAL TO SIGNAL TO SIGNAL TO SIS RESULTS TO SIGNAL TO SIS RESULTS TO SIGNAL TO	Inch SC Inch S	GRAMS ANALYZ SHELLET ADE FACTOR NELS LED LS ASED ON POOD C METER) APPER ADD ADD APPER ADD APPER ADD APPER ADD APPER ADD ADD APPER ADD APPER ADD APPER ADD APPER ADD APPER ADD APPER ADD ADD APPER ADD ADD APPER ADD ADD APPER ADD ADD ADD ADD ADD ADD ADD A	D ZED CONTAI D PEANUTS GRAMS GRAMS WHED Collow Merketing-Ag	Inch NED THE FO GRAMS O.C. 18.0 6.0 6.2 £× O.U MAILE FREEMENT	DLLOWING: PERCENT O.CO 1.80 O.GO 7.20 MATE [7] / c.3 D to Applicant
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AB REMARKS X MEETS I CHARGES FEES 1 DRAWING 8	& Kernel Portice Undamaged S FELY 75 C EANUTS IN THE S TOTAL FINELS SAI APPE Requirements of I FR. A F 9 SCHOOL SINGLE APPE Requirements of I FR. A F 9 SCHOOL SINGLE APPE AND SR APPE Requirements of I FR. A F 9 SCHOOL SINGLE APPE AND SR APPE A	Ons PASSIN Shells PASSIN PER PASSIN PROPERTY PER PASSIN PROPERTY PER PASSIN PROPERTY PER PASSIN PER	APSA AND SENT TO SIS RESULTS TO SIS RESULTS TO SIGNAL TO SIGNAL TO SIGNAL TO SIS RESULTS TO SIGNAL TO SIS RESULTS TO SIGNAL TO	Screen; % W. M. Screen; % W. M. Screen; % W. M. Screen; % W. M.	GRAMS ANALYZ SHELLET ADE FACTOR NELS LED LS ASED ON POOD C METER) APPER ADD ADD APPER ADD APPER ADD APPER ADD APPER ADD ADD APPER ADD APPER ADD APPER ADD APPER ADD APPER ADD APPER ADD ADD APPER ADD ADD APPER ADD ADD APPER ADD ADD ADD ADD ADD ADD ADD A	D ZED CONTAI D PEANUTS GRAMS GRAMS WHED Collow Merketing-Ag	Inch NED THE FO GRAMS O.C. 18.0 6.0 6.2 £× O.U MAILE FREEMENT	DLLOWING: PERCENT O.CO 1.80 O.GO 7.20 MATE [7] / c.3 D to Applicant
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AB REMARKS X MEETS I CLASS CHARGES FEES 3 DRAWING 8 HANDLING \$	& Kernel Portice Undamaged S Undamaged S FELY 750 EANUTS IN THE S TOTAL PINELS EAN APPE Requirements of I R. A. F 9 SCANOTICA)	Ons PASSIN Shells PASSIN Shells PASSIN PER	APSA AND SENT TO SIS RESULTS TO SIS RESULTS TO SIGNAL TO SIGNAL TO SIGNAL TO SIS RESULTS TO SIGNAL TO SIS RESULTS TO SIGNAL TO	Inch SC Inch S	GRAMS ANALYZ SHELLET ADE FACTOR NELS LED LS ASED ON POOD C METER) APPER ADD ADD APPER ADD APPER ADD APPER ADD APPER ADD ADD APPER ADD APPER ADD APPER ADD APPER ADD APPER ADD APPER ADD ADD APPER ADD ADD APPER ADD ADD APPER ADD ADD ADD ADD ADD ADD ADD A	D ZED CONTAI D PEANUTS GRAMS GRAMS WHED Collow Merketing-Ag	Inch NED THE FO GRAMS O.C. 18.0 6.0 6.2 £× O.U MAILE FREEMENT	DLLOWING: PERCENT O.CO 1.80 O.GO 7.20 MATE [7] / c.3 D to Applicant
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PI GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AE REMARKS X MEETS I CLASS FEES 3 DRAWING 8 HANDURG 5 SAMPLING 5 SAMPLING 5 SAMPLING 5 SAMPLING 5 SAMPLING 5 SAMPLING 5	& Kernel Portice Undamaged S Undamaged S FELY 75 C EANUTS IN THE S TOTAL FINELS SAI APPE Requirements of I FR. A F 9 SCHOOL STICK The undensigning and yelde on the date of	Ons PASSIN Shells PASSIN Shells PASSIN PER	APSA AND SENT TO SIS RESULTS TO SIS RESULTS TO SIGNAL TO SIGNAL TO SIGNAL TO SIS RESULTS TO SIGNAL TO SIS RESULTS TO SIGNAL TO	Inch SC Inch S	GRAMS ANALYZ SHELLET ADE FACTOR NELS LED LS ASED ON POOD C METER) APPER ADD ADD APPER ADD APPER ADD APPER ADD APPER ADD ADD APPER ADD APPER ADD APPER ADD APPER ADD APPER ADD APPER ADD ADD APPER ADD ADD APPER ADD ADD APPER ADD ADD ADD ADD ADD ADD ADD A	D ZED CONTAI D PEANUTS GRAMS GRAMS WHED Collow Merketing-Ag	Inch NED THE FO GRAMS O.C. 18.0 6.0 6.2 £× O.U MAILE FREEMENT	DLLOWING: PERCENT O.CO 1.80 O.GO 7.20 MATE [7] / c.3 D to Applicant
% SAW Kernels % Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE 1-CD 1-AB REMARKS CHARGES FEES 1 DRAWING 8 HANOLING 3 SAMPLING 3 EXPENSES 1	& Kernel Portice Undamaged S Undamaged S FELY 75 C EANUTS IN THE S TOTAL FINELS SAI APPE Requirements of I FR. A F 9 SCHOOL STICK The undensigning and yelde on the date of	Ons PASSIN Shells PASSIN Shells PASSIN PER	APSA AND SENT TO SIS RESULTS TO SIS RESULTS TO SIGNAL TO SIGNAL TO SIGNAL TO SIS RESULTS TO SIGNAL TO SIS RESULTS TO SIGNAL TO	Inch SC Inch S	GRAMS ANALYZ SHELLET ADE FACTOR NELS LED LS ASED ON POOD C METER) APPER ADD ADD APPER ADD APPER ADD APPER ADD APPER ADD ADD APPER ADD APPER ADD APPER ADD APPER ADD APPER ADD APPER ADD ADD APPER ADD ADD APPER ADD ADD APPER ADD ADD ADD ADD ADD ADD ADD A	D ZED CONTAI D PEANUTS GRAMS GRAMS WHED Collow Merketing-Ag	Inch NED THE FO GRAMS O.C. 18.0 6.0 6.2 £× O.U MAILE FREEMENT	DLLOWING: PERCENT O.CO 1.80 O.GO 7.20 MATE (1) / e.3 D to Applicant

Exhibit VIII – Fails U.S. No. 1 Runner Account Split or Broken Kernels. Fails APSA "Medium Runner" Account Split or Broken Kernels and Fall Through. Meets 7CFR, Part 996 for Human Consumption.

	U		DEPARTMENT OF AGRICU RAL MARKETING SERVICE		•		
C 280165			ATE INSPECTION SERVICE		C 28	30165	
<u> </u>	MILLE	D PEANUT	INSPECTION CE	RTIFICATE		00100	
This certificate is issued in compliance wi	ith the regulations	of the Socretary	y of Agriculture governing	the inspection of vari	ious products	pursuant to th	e Agricultural
Marketing Act of 1946, as amended (7 U.)	S.C. 1621 et. seq.}.	and is admissab	do as prima facio evidenc	e in all courts of the L	hitod States.	WARNING: A	y person who
knowingly shall falsely make, issue, alter imprisonment for not more than one year,	r, rorge or courner; or both.	ION WIS COTURNS	ato, or participate in any	such actions, is subje	9CL10 2 1198	от постине и	ian \$1,000 or
SAMPLING BEGAN		SAMOLE AT	NALYSIS FINISHED	TYPE	OF INSPEC	TION (Mark	One Only)
HOUR DATE	HOU		: DATE	<u> </u>			
130 Pm 11/10/0	2	730 Pm	illi6/c2		SPECTED IADED Into		
		PE SAMPLE ANA	TYZED		CAR	TRAILER	
COCATION CODE WHERE SAMPLE PRAM Dentice of 5 Significant 5	Plan	Smithu	16 64			DENTIFICATI	<u>~</u>
APPLICANT CODE APPLICANT NAME AND			10,01	1	WETANCET	ST	
		1 . <	JU 60	1	w.DE.N	. *'	
RECEIVER NAME AND ADDRESS	7/1/12	Inc, on	Towns to the same	<u></u>			
	BIVEN		SHIPPER NAME AND ADDE	me 43 AC	201.1 644	: سيسى	
PRODUCT	710200		SA	MIC 20 AC		- /	<u> </u>
PRODUCT	-	بسسط	<u> </u>				
		FIBERBOARD) BINS	i			
CLEANED IN THE SHELL	r	<u>-</u>		WITH NO DISTIN	iquishing i	MARKS	
[17] puriting pressure	IN L	BURLAP	SACKS				
SHELLED PEANUTS		DIR K	<u> X </u>	TAGGED WITH_	27 /3/20	COLORE	D TAGS
	<u></u>	BULK					
			Versht 2270	LAS		TAG C	ONTROI.
McCloskey Mills 1	161 SALLY	15x 140	GA			50	ISSUED
HOUSE LOT NUMBER CROP YR	-		<u> </u>			43	USED
42 2598 02	USDA	680R	<u> </u>	FEDERAL-STATE N	NSPECTED	<u> </u>	RETURNED
APPLICANT STATES		_					
471.70 USS //	T UNNEL TYPE	BULK			57	• *	~~
	UNNEL "	LOT NO.	OR COU	MI OF	\simeq /	'	CONTAINERS
SIZE							
						•	
0.85 % S/W Kernels PASSING	16/64 x 3/4	(Inch S	Screen; 0.00% W	Vh Kernels RIDING	31/64 x	(3/4 Inch _	Screen
0.85 % S/W Kernels PASSING 13.35 % S/W Kernels PASSING	16/64 x 3/4 13/64 x 3/4	(Inch <u>S</u>	Screen, <u>D.00</u> % W Screen, <u>40, 20</u> % W	/h Kernels RIDING /h Kernels RIDING	31/64 x	(3/4 Inch ×3/4 Inch	Screen Screen
0.85 % S/W Kernels PASSING 13.35 % S/W Kernels PASSING 0.56 % S/W Kernels & Kernel I	Portions PASSII	NG	, 4 Inch R Sc	Vn Kernels AIDING Vn Kernels AIDING Treen	31/64 x	(3/4 Inch ×3/4 Inch	Screen Screen
0.85 % S/W Kernels PASSING 13.35 % S/W Kernels PASSING 0.56 % S/W Kernels & Kernel I % Peanuts With Undama	Portions PASSII ged Shells PAS	NG <u>17/</u> SING	, 4 Inch & Sc Inch S	reen Screen		(3/4- Inch ×3/4- Inch	Screen Screen
0.56 % S/W Kernels & Kernel I	Portions PASSII	NG <u>17/6</u> SING	, 4 Inch & Sc Inch S	reen		(3/4-Inch ×3/4-Inch	Screen Screen
// S& % S/W Kernels & Kernel I % Peanuts With Undamag	Portions PASSII ged Shells PAS	NG <u>17/6</u> SING	, 4 Inch & Sc Inch S	creen Screen C X PER POUN	D		
% SW Kernels & Kernel I % Peanuts With Undama COUNT AVERAGES	Portions PASSII ged Shells PAS SS Y PI	NG <u>17/6</u> SING	9.7.5 9.7.5	reen Screen	D		
% Seanuts With Undama % Peanuts With Undama COUNT AVERAGES OUALITY	Portions PASSII ped Shells PAS 55 V PI	NG <u>17/6</u> SING <u> </u>	unch & Sc hoch 87.5	GRAMS ANALYZ	D	INED THE FO	
% Seanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY	Portions PASSII ped Shells PAS 55 V PI	NG <u>17/6</u> SING <u> </u>	97.5 WN. 1,000	GRAMS ANALYZ	D ZED CONTA	INED THE FO	
% Sow Kernels & Kernel & Peanuts With Undamage COUNT.AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN	Portions PASSII yed Shells PASSII SS V PI SCOOL	NG 17/W SING ER OUNCE GRAMS DRAW	97.5 WN. 1,000	GRAMS ANALYZ SHELLED STEPS FOR THE STEPS FOR	D ZED CONTA	INED THE FO	: ĐƠNG.
% S/W Kernels & Kernel % Peanuts With Undamage COUNT.AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR	Portions PASSII yed Shells PASSII SS V PI SCOOL	NG 17/W SING ER OUNCE GRAMS DRAW	9 1.5 School 1.5 Schoo	GRAMS ANALYZ SHELLED ADE FACTOR	D ZED CONTA	GRAMS	NLOWING:
COUNT. AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS	Portions PASSII yed Shells PASSII SS V PI SCOOL	NG 17/W SING ER OUNCE GRAMS DRAW	M. LOCO GRU	GRAMS ANALYZ SHELLED ADE FACTOR HELS STEELS	D ZED CONTA	GRAMS	PERCENT 0-00 45, 43
COUNT. AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS	Portions PASSII yed Shells PASSII SS V PI SCOOL	NG 17/W SING ER OUNCE GRAMS DRAW	WN. OCO COTHER TYPES OF KERN	GRAMS ANALYZ SHELLED ADE FACTOR HELS STEELS	D ZED CONTA	GRAMS O-O 454, 3	PERCENT 0.00 45, 43
COUNT AVERAGES COUNT AVERAGES COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CHACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS	Portions PASSII yed Shells PASSII SS V PI SCOOL	NG 17/W SING ER OUNCE GRAMS DRAW	MATERIAL SECTION OF BRICKEN KERN CONTROL SECTION OF BRICKEN KERN COMMAGED OR UNSHELD	TEGEN SCREEN SCREEN SCREEN SCREEN GRAMS ANALYZ SHELLED ADE FACTOR HELS NELS LED	D ZED CONTA	GRAMS Q-O: 454.3 60 6.2	PERCENT 0-00 45, 43
S & SW Kernels & Kernel % Peanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL	Portions PASSII yed Shells PASSII SS V PI SCOOL	NG 17/W SING ER OUNCE GRAMS DRAW	WINDE BEFORE Inch So	Treen SCIED PER POUN GRAMS ANALYZ SHELLED ADE FACTOR HELS LED	D ZED CONTA	GRAMS GRAMS G-C: 454.3 GO LEVEN LEVEN GRAMS GO LEVEN LEVEN GRAMS GO LEVEN LEVEN LEVEN GRAMS GO LEVEN L	PERCENT - 0-00 - 45, 43 - 0.60 - 0.62 - ××
COUNT AVERAGES COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS	Portions PASSII yed Shells PASSII SS V PI SCOOL	NG 17/W SING ER OUNCE GRAMS DRAW	WINDER TYPES OF KERNESPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (8)	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS USED ON ACCC	D ZED CONTA D PEANUTS	GRAMS Q-O: 454.3 60 6.2	PERCENT - 0.00 - 45, 43 - 0.60 - 0.62 - ×× - 0.00
COUNT AVERAGES COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER)	Portions PASSII yed Shells PASSII SS V PI SCOOL	NG 17/W SING ER OUNCE GRAMS DRAW	WINDE BEFORE Inch So	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS USED ON ACCC	D ZED CONTA D PEANUTS	GRAMS GRAMS G-C: 454.3 GO LEVEN LEVEN GRAMS GO LEVEN LEVEN GRAMS GO LEVEN LEVEN LEVEN GRAMS GO LEVEN L	PERCENT - 0-00 - 45, 43 - 0.60 - 0.62 - ××
COUNT. AVERAGES OUALITY SAMPLE OF APPROXIMATELY FEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE	Portions PASSII yet Shells PAS S Y PI S COS THE SHELL GRAMS	PERCENT	WN	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS LED LS SEED ON 2000	D PEANUTS GRAMS)	GRAMS Q-Q- 454, 3 6 0 2 2 2 2 C, 0	PERCENT: 0.00 45, 43 6.60 6.62 × 0.00 7, 20
COUNT AVERAGES We Peanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS US NO Respect	Portions PASSIII Jed Shells PAS: 55 PR STOCKS THE SHELL GRAMS	PERCENT	HICH & SC HICH &	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR NELS LED LS LSED ON ACCO C METERY) S. FOLLS APP	D PEANUTS GRAMS)	GRAMS Q-Q- 454, 3 6 0 2 2 2 2 C, 0	PERCENT: 0.00 45, 43 6.60 6.62 × 0.00 7, 20
COUNT AVERAGES We Peanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS US NO. Resident CLECKED AT SOILT OF DEPLEMENT	Portions PASSIII Jed Shells PAS: 55 PR STOCKS THE SHELL GRAMS	PERCENT	WINDER BY ELECTRIC SO SONO WHOLE KERNE FOREIGN MATERIAL (BU MOSTURE (BY ELECTRIC SOLOT) A COLUMN STURE (BY ELECTRIC SOLOT) A COLUMN SOLOT	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON ACOC CMETER) S. Forts AF Cymarks	D PEANUTS GRAMS)	GRAMS Q-Q- 454, 3 6 0 2 2 2 2 C, 0	DLLOWING: PERCENT: 0.00 45, 43 0.60 0.62 × 0.00 7.20
COUNT AVERAGES We Peanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS US NO 1 (Counter Counter Coun	Portions PASSII Jed Shells PASS S P RTHE SHELL GRAMS GRAMS	PERCENT Solrt or 1 J July 1	WN. DOCC S 7.S VN. DOCC GRU OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELI MINOR DEFECTS SOUND WINDLE KERNE FOREIGN MATERIAL (BU MOISTURE (BY ELECTRIC DOCC COLOR GRAME OF LIBIT	GRAMS ANALYZ SHELLEL ADE FACTOR IES NELS LED LS LSED ON 2000 CMETER) S. Falls AF	D PED CONTA D PEANUTS GRAMS) GRAMS GRAMS	GRAMS Q-Q- 454, 3 6 0 2 2 2 2 C, 0	PERCENT: 0.00 45, 43 6.60 6.62 × 0.00 7, 20
COUNT AVERAGES We Peanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS US NO. Resident CLECKED AT SOILT OF DEPLEMENT	PORTIONS PASSII Jed Shells PASS SS P P SCOS I THE SHELL GRAMS CALEBRAT EARLY S GA APPEAL DRAW	PERCENT SOLT OF ALL THE	WIND DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BU MOSTURE (BY ELECTRIC PARKED F LIBIT ATOLS ATO	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON ACOC CMETER) S. Forts AF Cymarks	D PEANUTS GRAMS) GRAMS) GRAMS) GRAMS)	GRAMS Q-Q-Q- 454, 3 Q-Q- 2 2 2 2 2 0, 0	DLLOWING: PERCENT: 0.00 45, 43 0.60 0.62 × 0.00 7.20 7.20
COUNT AVERAGES We Peanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED ON BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS US NO 1 (Count of the count of the c	PORTIONS PASSING APPEAL DRAWN ANALY	SOLET OF SOLET TO SIS RESULTS TO	WIND DEFECTS SOUND WINDLE KERNEL FOREIGN MATERIAL BY MOSTURE BY ELECTRIC PHONED (PHONED (GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON ACOC METER) S. Forts AF MODE GRAMS ANALYZ MATERIA MATERIA BLA GRAMS ANALYZ MATERIA MATERIA GRAMS ANALYZ MATERIA MATERIA GRAMS ANALYZ MATERIA	CRAMS) GRAMS) GRAMS) GRAMS) WHED COM	GRAMS GRAMS GOO 4543 GO GOO GOO GOO GOO GOO GOO GOO GOO GOO	DLLOWING: PERCENT: 0.00 45, 43 0.60 0.62 × 0.00 7.20
COUNT AVERAGES We Peanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE BY ELECTRIC METER! GRADE FAILS U.S. No. R. ane! GLECORT SOILT OF DETACH SAMPLES BILLED TO APPLICANT ABOVE REMARKS MEETS ROQUIREMON	Portions PASSII Jed Shells PASS SS P P SCOCO I THE SHELL GRAMS CLEPOTT ECTIVES AD APPEAL DRAW ANALY IS OI Markoking AM IS OI	SOLET OF SOLES RESULTS TO GREENITS RESULTS TO GREENITS	WIND DEFECTS SOUND WINDLE KERNEL FOREIGN MATERIAL BY MOSTURE BY ELECTRIC PHONED (PHONED (GRAMS ANALYZ SHELLEL ADE FACTOR IES NELS LED LS LSED ON 2000 CMETER) S. Falls AF	CRAMS) GRAMS) GRAMS) GRAMS) WHED COM	GRAMS GRAMS GOO 4543 GO GOO GOO GOO GOO GOO GOO GOO GOO GOO	DLLOWING: PERCENT: 0.00 45, 43 0.60 0.62 × 0.00 7.20 7.20
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE BY ELECTRIC METER! GRADE FAILS US NO Resident above SAMPLES BILLED TO APPLICANT ABOVE HOD I LAB REMARKS MEETS ROQUIREMON 70 FR P42T	CLEPOTT CALEBOAT APPEAL DRAW ANALY IS OI Marketing AC GIG. FC.2	SOLET OF SOLES RESULTS TO GREENITS RESULTS TO GREENITS	WIND DEFECTS SOUND WINDLE KERNEL FOREIGN MATERIAL BY MOSTURE BY ELECTRIC PHONED (PHONED (GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON ACOC METER) S. Forts AF MODE GRAMS ANALYZ MATERIA MATERIA BLA GRAMS ANALYZ MATERIA MATERIA GRAMS ANALYZ MATERIA MATERIA GRAMS ANALYZ MATERIA	CRAMS) GRAMS) GRAMS) GRAMS) WHED COM	GRAMS GRAMS GOO 4543 GO GOO GOO GOO GOO GOO GOO GOO GOO GOO	DLLOWING: PERCENT: 0.00 45, 43 0.60 0.62 × 0.00 7.20 7.20
COUNT AVERAGES We Peanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS US NO. Remark GREET SAMPLES BILLED TO APPLICANT ABOVE SAMPLES BILLED TO APPLICANT ABOVE 1-AB REMARKS MEETS ROQUIRERION 7.C.F.R. PART COUNTY SAMPLES	CLEBERT BRAWS APPEAL DRAW ANALY AS I Marketing A GGE GGE APEAL GRAWS ANALY AS I Marketing A GGE GGE ACT ACT ACT ACT ACT ACT ACT AC	SOLT OF SOLE O	OF TAILS IO IN	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON ACCC CAMETER) S. Forts AF LADO BLACK ADD BLACK BLACK ADD BLACK BLACK ADD BLACK BLACK	D PEANUTS GRAMS) GRAMS) GRAMS) GRAMS) WHEED Colk Markoting A	GRAMS C-C 4543 60 2 2 2 2 2 C-C C-C MALE	PERCENT C-DO 45, 43 C, 62 XX C, CO 7, 20 CATE I I L C 2 D to Applicant
COUNT AVERAGES We Peanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS US NO. Remark GREET SAMPLES BILLED TO APPLICANT ABOVE SAMPLES BILLED TO APPLICANT ABOVE 1-AB REMARKS MEETS ROQUIRERION 7.C.F.R. PART COUNTY SAMPLES	CLEBERT BRAWS APPEAL DRAW ANALY AS I Marketing A GGE GGE APEAL GRAWS ANALY AS I Marketing A GGE GGE ACT ACT ACT ACT ACT ACT ACT AC	SOLT OF SOLE O	OF TAILS IO IN	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON ACCC CAMETER) S. Forts AF LADO BLACK ADD BLACK BLACK ADD BLACK BLA	D PEANUTS GRAMS) GRAMS) GRAMS) GRAMS) WHEED Colk Markoting A	GRAMS C-C 4543 60 2 2 2 2 2 C-C C-C MALE	PERCENT C-DO 45, 43 C, 62 XX C, CO 7, 20 CATE I I L C 2 D to Applicant
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE BY ELECTRIC METER! GRADE FAILS US NO Respective Meters SAMPLES BILLED TO APPLICANT ABOVE REMARKS MEETS ROQUIREMON 70 FR PART COMMENT OF THE	CLEBERT BRAWS APPEAL DRAW ANALY AS I Marketing A GGE GGE APEAL GRAWS ANALY AS I Marketing A GGE GGE ACT ACT ACT ACT ACT ACT ACT AC	SOLT OF SOLE O	WIND DEFECTS SOUND WINDLE KERNEL FOREIGN MATERIAL BY MOSTURE BY ELECTRIC PHONED (PHONED (GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON ACCC CAMETER) S. Forts AF LADO BLACK ADD BLACK BLACK ADD BLACK BLA	D PEANUTS GRAMS) GRAMS) GRAMS) GRAMS) WHEED Color Markoting A	GRAMS C-C 4543 60 2 2 2 2 2 C-C C-C MALE	PERCENT C-DO 45, 43 C, 62 XX C, CO 7, 20 CATE I I L C 2 D to Applicant
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE BY ELECTRIC METER! GRADE FAILS US NO Respective Meters CILL COUNT SPILE OF DIVEMENT ABOVE AMPLES BILLED TO APPLICANT ABOVE REMARKS MEETS ROQUIREMONT CHARGES FEES \$	CLEBERT BRAWS APPEAL DRAW ANALY AS I Marketing A GGE GGE APEAL GRAWS ANALY AS I Marketing A GGE GGE ACT ACT ACT ACT ACT ACT ACT AC	SOLT OF SOLE O	OF TAILS IO IN	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON ACCC CAMETER) S. Forts AF LADO BLACK ADD BLACK BLACK ADD BLACK BLA	D PEANUTS GRAMS) GRAMS) GRAMS) GRAMS) WHEED Color Markoting A	GRAMS C-C 4543 60 2 2 2 2 2 C-C C-C MALE	PERCENT C-DO 45, 43 C, 62 XX C, CO 7, 20 CATE I I L C 2 D to Applicant
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY FEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE BY ELECTRIC METER! GRADE FALLS US NO Respective Meters CLECORT SOIL TO PERCENT ABOVE 1-CO 1-A8 REMARKS MEETS ROQUIREMONT CHARGES FEES 3 DRAWING 8	CLEPENT CALEBEAL APPEAL DRAW	SOLET OF LAND SENT TO SES RESULTS TO GREEN THE MAND SENT TO SER RESULTS TO SER RESULTS TO GREEN THE MAND SENT TO SER RESULTS TO GREEN THE MAND SENT TO SER RESULTS TO SER RES	HICH & SC INCH & SC INCH & ST INCH & SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL BY MOISTURE BY ELECTRIC LATERAL BY ELECTRIC LATERA	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON ACOCC CMETER) S. Fails AP ADD Black nood Requirements of	GRAMS) GRAMS)	GRAMS O.O. 454.3 60 A.Z. XX. O.O. ALL MAREI GROWNON GROW	PERCENT O-CO 45, 43 O-CO 7, 20 MHE PT MATE TILLO22 D 10 Applicant
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FALLS US NO. (C. J. R. L. J. R. L. J. L. S. L. S. L. J. R. L. J. L. S. L. S. L. J. R. L. J. L. S. L. S. L. J. R. L. J. L. S. L. S. L. J. R. L. J. L. S. L. J. L. J. L. J. L. S. L. J. J. L. J. L. J. L. J. L. J. L. J. J. J. L. J. L. J. J. L. J. L. J. L. J.	CLE-DUNT CALE-DUNT EMPLE GRAMS APPEAL DRAW ANALY AS OI Morkeling AN THE SIZE DET EXTRACT APPEAL DRAW ANALY SIZE DET FORMAL ANALY FORMAL	SOLET OF SENERAL TO SEE ABOUTTO SENERAL TO SENERAL TO SEE ABOUTTO	HICH & SC INCH &	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON 2000 C METER) S. Fools Affective ADD BLOCK BLOCK ADD BLOCK BLOCK	GRAMS)	GRAMS G-C: 454.3 GO L.2 XY C.O MAREI GROWN Interroposit of #	PERCENT O-CO 45, 43 O-60 C, 62 XX O-CO 7, 20 Include 11 Include 22 D to Applicant
Source Broken Stells OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CHACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS US NO I RESIDENT SAMPLES BILLED TO APPLICANT ABOVE I-CO TAB REMARKS MEETS REQUIREMENT CHARGES FEES 8 DRAWING 8 HANDLING 8 SAMPLING 8	CLEPONT EMPLA APPEAL DRAW ANALY STOCK APPEAL DRAW ANALY STOCK STOCK APPEAL DRAW ANALY STOCK STOCK APPEAL DRAW ANALY STOCK STOCK APPEAL DRAW ANALY ANALY STOCK STOCK APPEAL DRAW ANALY ANALY ANALY STOCK APPEAL DRAW ANALY	SOLET OF SENERAL TO SEE ABOUTTO SENERAL TO SENERAL TO SEE ABOUTTO	HICH & SC INCH & SC INCH & ST INCH & SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL BY MOISTURE BY ELECTRIC LATERAL BY ELECTRIC LATERA	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON 2000 C METER) S. Fools Affective ADD BLOCK BLOCK ADD BLOCK BLOCK	GRAMS)	GRAMS G-C: 454.3 GO L.2 XY C.O MAREI GROWN Interroposit of #	PERCENT O-CO 45, 43 O-60 C, 62 XX O-CO 7, 20 Include 11 Include 22 D to Applicant
Source Broken Stells OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CHACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS US NO I RESIDENT SAMPLES BILLED TO APPLICANT ABOVE I-CO TAB REMARKS MEETS REQUIREMENT CHARGES FEES 8 DRAWING 8 HANDLING 8 SAMPLING 8	Portions PASSII ged Shells PASS SS P ITHE SHELL GRAMS CLE PENT APPEAL DRAW APPEAL DRAW ANALY IS OI Merkoling A GHE. FIRE STREET STREET STREET Promotor groups authorized and indicators, groups and indicators, groups The street of the control of t	SOLET OF SENERAL TO SEE ABOUTTO SENERAL TO SENERAL TO SEE ABOUTTO	HICH & SC INCH &	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON 2000 C METER) S. Fools Affine Applications of Applic	GRAMS)	GRAMS G-C: 454.3 GO L.2 XY C.O MAREI GROWN Interroposit of #	PERCENT O-CO 45, 43 O-60 C, 62 XX O-CO 7, 20 Include 11 Include 22 D to Applicant
COUNT. AVERAGES OUALITY SAMPLE OF APPROXIMATELY GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE BY ELECTRIC METER! GRADE FALLS US NO Respective Meters SAMPLES BILLED TO APPLICANT ABOVE I-CO I 1-AB REMARKS CHARGES FEES 8 DRAWING 8 HANDLING 5 SAMPLING 6 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES FEES 8 DRAWING 8 LITHO SUBJECT HIS METERS CHARGES CHARGES FEES 8 DRAWING 8 LITHO SUBJE	CLEPONT EMPLA APPEAL DRAW ANALY STOCK APPEAL DRAW ANALY STOCK STOCK APPEAL DRAW ANALY STOCK STOCK APPEAL DRAW ANALY STOCK STOCK APPEAL DRAW ANALY ANALY STOCK STOCK APPEAL DRAW ANALY ANALY ANALY STOCK APPEAL DRAW ANALY	SOLET OF SENERAL TO SEE ABOUTTO SENERAL TO SENERAL TO SEE ABOUTTO	HICH & SC INCH &	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON 2000 C METER) S. Fools Affine Applications of Applic	GRAMS)	GRAMS G-C: 454.3 GO L.2 XY C.O MAREI GROWN Interroposit of #	PERCENT O-CO 45, 43 O-60 C, 62 XX O-CO 7, 20 Include 11 Include 21 D to Applicant
COUNT AVERAGES We Peanuts With Undamage COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CHACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE HAY ELECTRIC METERI GRADE FAILS US NO. Runner ALLEO AT SOIL OF DEVENA SAMPLES BILLED TO APPLICANT ABOVE I-OD I-AB REMARKS MEETS ROQUIERMON CHARGES FEES I DRAWING I HANDLING I SAMPLING I SAMPLING I SAMPLING I SEXPENSES I SENATURE	CLEPONT EMPLA APPEAL DRAW ANALY STOCK APPEAL DRAW ANALY STOCK STOCK APPEAL DRAW ANALY ANALY STOCK STOCK APPEAL DRAW ANALY ANALY ANALY STOCK APPEAL DRAW ANALY ANALY ANALY ANALY ANALY ANALY APPEAL DRAW ANALY AN	SOLET OF SENERAL TO SEE ABOUTTO SENERAL TO SENERAL TO SEE ABOUTTO	HICH & SC INCH &	GRAMS ANALYZ GRAMS ANALYZ SHELLED ADE FACTOR HELS LED LS LSED ON 2000 C METER) S. Fools Affine Applications of Applic	GRAMS)	GRAMS G-C: 454.3 GO L. 2 XY C. O Color MAREI Grownoni The roquest of 8 shawn by said sa	PERCENT O-CO 45, 43 O-60 C, 62 XX O-CO 7, 20 Include 11 Include 21 D to Applicant

Exhibit IX – U.S. No. 1 Runner. Fails to Meet Count as Marked. UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE C 280165 C 280165 MILLED PEANUT INSPECTION CERTIFICATE This certificate is issued in compliance with the regulations of the Socretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.G. 1621 et. seq.) and is admissable as prima facie evidence in all courts of the United States. WARNING: Any person who knowingly, shall falsely make, issue, after, forge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than 51,000 or imprisonment for not more than one year, or both. SAMPLING BEGAN TYPE OF INSPECTION (Mark One Only) **SAMPLE ANALYSIS FINISHED** DATE DATE LOT INSPECTED 11/22/02 Pm 11/27/02 LOT LOADED Into HERE SAMPLE DRAWN ANT LANT SAMPLE ANALYZED CAR TRAILER JEANT NAME AND ADDRESS **CONVEYANCE IDENTIFICATION** APPLICANT CODE 13035 Mills GIVEN NOT PRODUCT FIBERBOARD BINS CLEANED IN THE SHELL WITH NO DISTINGUISHING MARKS X BURLAP SACKS X SHELLED PEANUTS TAGGED WITH LA Green COLORED TAGS TAG INSCRIPTION 4520 Runes - 38-42 Count, 110.23 165-50 Klos TAG CONTROL Inc., Smithville GA. 4//O_ ISSUED 400 USED USDA (FEDERAL-STATE INSPECTED 10 RETURNED APPLICANT STATES 44,092 WHER TYPE 400 LOT NO. OR COUNT OF CONTAINERS SIZE (2.00 % S/W Kernels PASSING /6/64 / 3/4 Inch S Screen; % S/W Kernels PASSING Inch Screen; % Wh Kernels RIDING Inch Screen % Wh Kernels RIDING Screen . % S/W Kernels & Kernel Portions PASSING Inch Screen % Peanuts With Undamaged Shells PASSING COUNT AVERAGES 36 X PER OUNCE PER POUND OUALITY SAMPLE OF APPROXIMATELY 75 000 GRAMS DRAWN, GRAMS ANALYZED CONTAINED THE FOLLOWING: PEANUTS IN THE SHELL SHELLED PEANUTS GRADE FACTOR PERCENT GRAMS PERCENT CRACKED OR BROKEN SHELLS OTHER TYPES OF KERNELS 0.00 0.0 DISCOLORED SHELLS SPLIT OR BROKEN KERNELS 110.9 1.69 OTHER SHELL DEFECTS DAMAGED OR UNSHELLED 0.16 1.6 FOREIGN MATERIAL MINOR DEFECTS 0.29 <u>2.9</u> SOUND WHOLE KERNELS XX XX PEANUTS WITH DAMAGED KERNELS FOREIGN MATERIAL (BASED ON 2000 GRAMS) 0.00 0.0 MOISTURE (BY ELECTRIC METER) MOISTURE (BY ELECTRIC METER) 7.10 GRADE · USNO. 1 Runner. Fails to meet count as marked. SAMPLES BILLED TO APPLICANT ABOVE MANE OF LACE 1-00 APPEAL DRAWN AND SENT TO Blakely, GA) WIRED Collect MAILED to Applicant 1 PHONED I ANALYSIS RESULTS TO BE MEETS Requirements of Madeling Agreement 7 CFR FART 996 FOR HUMAN REMARKS FAILS to meet Requirements of Madwing-Agreement CONSUMPTION CHARGES FEES I DRAWING & RANDLING S pulpocked insupplier of the Intition States Department of Agriculture, do havely cartify that at the request of the applicant and on the age following sample as navier stated SISNATCHE OF ASPECTOR

ORIGINAL

Exhibit X – U.S. No. 1 Runner. Count Certified With Grade. UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE C 280165 C 280165 MILLED PEANUT INSPECTION CERTIFICATE This certificate is issued in compliance with the regulations of the Secretary of Agricultural governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 at seq.) and is admissable as prima facie evidence in all courts of the United States. WARNING: Any person who knowingly shall falsely make, issue, alter, longe or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both SAMPLING BEGAN TYPE OF INSPECTION (Mark One Only) SAMPLE ANALYSIS FINISHED HOUR LOT INSPECTED LOT LOADED Into CAR TRALER CONVEYANCE IDENTIFICATION APPLICANT CODE NUMBER <u> 13035</u> PRODUCT FIBERBOARD BINS CLEANED IN THE SHELL WITH NO DISTINGUISHING MARKS BURLAP SACKS SHELLED PEANUTS TAGGED WITH LT. GLEEN COLORED TAGS BULK 110.23 /65. TAG CONTROL McCleskey 721/hulb. 6 **400** Issued 400 USED 03 TECO V FEDERAL-STATE INSPECTED A RETURNED APPLICANT STATES 44092 105 RUNNER THE 400 OR COUNT OF CONTAINERS SIZE 10.0% % S/W Kernels PASSING 1464 x 3/4 Inch S Screen; % Wh Kernets FIIDING Screen Inch % S/W Kernels PASSING Inch % Wh Kernels RIDING Screen Screen: lach % SW Kernels & Kernel Portions PASSING Inch Screen % Peanuts With Undainaged Shells PASSING Screen PER OUNCE **COUNT AVERAGES** PER POUND QUALITY SAMPLE OF APPROXIMATELY 75000 GRAMS DRAWN, GRAMS ANALYZED CONTAINED THE FOLLOWING: PEANUTS IN THE SHELL SHELLED PEANUTS GRADE FACTOR GRAUS PERCENT GRAMS PERCENT CRACKED OR BROKEN SHELLS OTHER TYPES OF KERNELS 0. 0.00 DISCOLOPIED SHELLS SPLIT OR BROKEN KERNELS 1.69 OTHER SHELL DEFECTS DAMAGED OR UNSHELLED 1.6 0.16 FOREIGN MATERIAL LINOR DEFECTS 0.29 29 TOTAL SOUND WHOLE KERNELS スペ ×× PEAMUTS WITH DALLAGED KERNELS FOREIGN MATERIAL (BASED ON 2000) GRAMS) 0.0 0.00 MOISTURE (BY ELECTRIC METER) MOISTURE (BY ELECTRIC METER) 7.10 GRADE SAMPLES BILLED TO APPLICANT ABOVE RUNNER, 36 COUNT PER OWNE MATEL

1 00	.	AB 👪	APPEAL	DRAWN AND SENT TO	AMS	Blakely, 64	11/27/03
				ANALYSIS RESULTS TO DE	PHONED () WIRED Collect 2	MAILED to Applican
REMARKS	7 C CON	SUMPTI	الده	Holing Agrosmont FOR HUMAN	· L.J	Requirements of Markoting:Agreem	
CHARGES		7	*	COUNT PER OUR	CE CERTIFIE	D WITH GRADE AT	
FEES 1		1		APPLICANT'S	REQUEST		
DRAWING &		I	,	•			
EANOLING &						riculture, do horoby certify that at the req	
AMPLING S		as berein Al		6d, symples of the above describ	ofil products wire inspected a	nd the quality and/or condition as shown t	y said samples were
XPENSES 1		SCHATUTE	COLUMNS PI	:Ć19R /			
TOTAL \$		1/0/	1	en			
FORM FV-184-9	A (11-90)						ORIGINAL

Exhibit XI – Fails U.S. No. 1 Runner Account Damage & Minor Defects. Meets APSA "No 1 Runner."

									
_			AGRIG	EJE, TUPLAL. M	TMENT OF AGRICU MAKETING SERVIC	F			
C 280	165				NSPECTION SERVIC	•	1 C 2	80165)
					PECTION CE				
wanding veig is	suod in compliance w 146. as amended (7 U	SC 1621 of 4	DEAD I DATE OF SHEET	weentun as	ones taria midan	the executive of a	from I fortured Combine	. WADWAND A	law marana who
www.ryry snan rus.	sely make, issue, alte of more than one year	r. lorge or co	unterfeit this c	ertificate, or	participate in any	such actions, is s	subject to a line	of not more	than \$1,000 or
	MPLING BEGAN	. 07 100)01	CALAN		CIC FAMELIES	1 70	PE OF INSPE	THOM Wash	One Owke
HOUR	DATE		HOUR	LE ANALY	SIS FINISHED	 	· · · · · · · · · · · · · · · · · · ·	CITON (Mark	One Only)
540 PM	1 12/19/0	3		94 1	120/03		INSPECTED LOADED Into		
LOCATION CODE	WHERE SAMPLE DRAN))	WHERE SAMPL	E ANALYZED		1 1	CAR	TRAILER	
	LIGHT S	בחונטו	Ash	DUTA,	SA	C	ONVEYANCE	DENTIFICAT	ЮN
APPLICANT CODE	APPLICANT HAME AND	7 .	<u> </u>			PREFIX	MUNICER	s	r
	Golden Pe	eanut (D. A.	Honta	GA	i		1	
RECEIVER NAME AND		, i		SHIP	PER NAME AND ADDE	RESS	1 ()		
	NOT BIL	EN	4 1, 4 1	6	olden Per	anut Co	Ashbu	m,64	
PRODUCT									
. 🗂			FIBERB	DARD BIN	s 🕝	1	• • • • • • • • • • • • • • • • • • • •		
L_ CLEAN	ED IN THE SHELL					WITH NO DIS	TINOUISHING	MARKS	
EX curve	CD DC *****	IN	V BU	RLAP SAC	KS	Y	<i></i> 30	,	
[X] SHELL	ED PEANUTS	ſ	DULK		$\boldsymbol{\nu}$	TAGGED WIT	HSALINC	COLOR	ED TAGS
TAC WECOMPTON A	15 (1) (1)	., <u>, , , , , , , , , , , , , , , , , , </u>				. 5 //			
TAG INSCRIPTION	S No 1 2 /6 - 109.12 /6 - MIBER CROP YR	VO / KY	11185 6	rg\$3,.u.	14.15ht.L1,0.4	13 16s, SQ	K. 145	TAGC	ONTROL
HOUSE LIOTH	IMBEH CROP YR	× 47.	5 6105	Colden	Pennut Co	Aspany, At	Tanta CA.	420	ISSUED
	28 03		680F					400	OSED
APPLICANT STATES	0 103	USDA	CIECE	017		FEDERAL-STAT	IE INSPECIED	1_20	RETURNED
									
44.09	2 185 RU	LINEZ	TYPE LOT N	o	OH COU	INT OF	400		CONTAINERS
SIZE	,,,								
	Kernole PASSING	It leave	2/1/ Inch	< Corn	20 20 0 W 14	il k	10 16/1 d	3/16 Charles	C Courses
% S/W	Kernels PASSING	704 7	7 4 11111						
		1	fried	Syra	611, <u>29,74</u> % W	VN Kemels FIIU! Vn Kemels RIÚ!	NG 10/64 X	loch	Screen
% S/W	Kernels & Kernel	i Portions PA	Inch SSING	Scree	en; % W	Vh Kernels RIDI Vh Kernels RIDI rreen	ING 10/64 X	Inch	Screen
% S/W % Pean	Kernels & Kernel uts With Undama	i Portions PA ged Shells f	Inch SSING PASSING	Scree	Inch Sc	70 0 fi	ING	Inch	Screen
% S/W % Pean	uts With Undama	portions PA ged Shel <u>is f</u>	SSING PASSING PER OUNC		en; % W Inch Sc Inch S	70 0 fi		inch	Screen
% 5/W % Pean	uts With Undama	portions PA ged Shel <u>is f</u>	PASSING		Inch Sc	creen Screen		inch	Screen
% S/W % Pean COUNT AVERAGE	Remeis & Remei luts With Undama SES	portions PA ged Shel <u>is f</u>	SSING PASSING PER OUNC	Ę	Inch Sc	creen Screen PER PO			
% Pean COUNT AVERAG	Remeis & Remeil outs With Undama SES ROXIMATELY	ged Shells I	PASSING PASSING PER OUNC GRAMS C	Ę	Inch Sc Inch S	GRAMS ANAI	UND	INED THE FO	
% Pean COUNT AVERAG QUALITY SAMPLE OF APPE	RECTOR RESPECTOR RES	ged Shells I 67 E	PASSING PASSING PER OUNC GRAMS C	E PRAWN,	Inch Sc Inch S	CRAMS ANAL	UND LYZED CONTA	INED THE FO	
COUNT AVERAGE OUALITY SAMPLE OF APPERIOR GRADE CRACKED OR BROKE	Remeis & Kernel julis With Undama jes ROXIMATELY PEANUTS IF FACTOR JEN SIELLS	ged Shells F 67 V 75000 THE SHELL	PASSING PASSING PER OUNC GRAMS C	E PRAWN, ENT	Inch Sc Inch S	GRAMS ANAI SHELI ADE FACTOR	UND LYZED CONTA	INED THE FO	DLLÓWING:
COUNT AVERAGE OUALITY SAMPLE OF APPERIOR GRADE CRACKED OR BROWN DISCOLORED SHELL	ROTIONS & Kernel Luts With Undamages ROXIMATELY PEANUTS IF FACTOR LEN SHELLS LS	ged Shells F 67 V 75000 THE SHELL	PASSING PASSING PER OUNC GRAMS C	ENT OTH	Inch School Scho	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR VELS NELS	UND LYZED CONTA	INED THE FO	DLLOWING: PERCENT
COUNT AVERAGE COUNT AVERAGE COUNT AVERAGE COUNT AVERAGE CRACKED OF APPE CRACKED OR BROW DISCOLORED SHELL OTHER SHELL DEFE	RETIONS & KEYNEI UITS WITH UNDAMAGES ROXIMATELY PEANUTS IF FACTOR UEN SHELLS LS ECTS	ged Shells F 67 V 75000 THE SHELL	PASSING PASSING PER OUNC GRAMS C	ENT OTHE	Inch Sound Inch Sound Inch Sound Sound Sound Sound Inch	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR VELS NELS	UND LYZED CONTA	INED THE FO	PERCENT OF ON
COUNT AVERAGE OUALITY SAMPLE OF APPERIOR GRADE CRACKED OR BROWN DISCOLORED SHELL	ROTIONS & Kernel Luts With Undamages ROXIMATELY PEANUTS IF FACTOR LEN SHELLS LS ECTS	ged Shells F 67 V 75000 THE SHELL	PASSING PASSING PER OUNC GRAMS C	ENT OTH DAM MINO	Inch School Scho	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR HELS NELS LED	UND LYZED CONTA	INED THE FO	PERCENT O.CD 1.34 1.07 1.00
COUNT AVERAGE COUNT AVERAGE COUNT AVERAGE COUNT AVERAGE CRACKED OF APPR CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL	RECTOR LES SIELLS	ged Shells F 67 V 75000 THE SHELL	PASSING PASSING PER OUNC GRAMS C	ENT OTHI	Inch School Scho	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR HELS NELS LED	UND LYZED CONTA LED PEANUTS	GRAMS GRAMS 0.0 13.6 10.9	PERCENT O.OD 1.34 1.07 1.00
COUNT AVERAGE OF APPERAGE OF APPERAGE OF BROKED OF BROKED OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM	RETIRES & KEYNEI LUIS WITH Undamage ROXIMATELY PEANUTS IF FACTOR LEN SHELLS LS LS LS TOTAL AAGED KEFNELS	ged Shells F 67 V 75000 THE SHELL	PASSING PASSING PER OUNC GRAMS C	ENT OTH DAM MINC SOUL FORE	INCH SC INCH S INCH S GRACER TYPES OF KERN T OR BROKEN KERI AGED OR UNSTELL KA DEFECTS NO WHOLE KERNED EKGN MATERIAL (BA	GRAMS ANAI SHELI ADE FACTOR HELS NELS LED LS LSED ON ACCOR	UND LYZED CONTA LED PEANUTS	GRAMS 0.0 13.6 10.7 10.0	PERCENI O.CD 1.34 1.09 1.00 Ex. 0.00
COUNT AVERAGE OF APPERSONS OF APPERSONS OF BROKED OF BROKED OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAA MOISTURE (BY ELECTION OF AVERAGE OF APPERSONS OF A	RETIRES & KEYNEI LUIS WITH Undamage ROXIMATELY PEANUTS IF FACTOR LEN SHELLS LS LS LS TOTAL AAGED KEFNELS	ged Shells F 67 V 75000 THE SHELL	PASSING PASSING PER OUNC GRAMS C	ENT OTH DAM MINC SOUL FORE	Inch School Scho	GRAMS ANAI SHELI ADE FACTOR HELS NELS LED LS LSED ON ACCOR	UND LYZED CONTA LED PEANUTS	GRAMS OLO 13-6 10.0 X.7	PERCENT O.OD 1.34 1.07 1.00
% Pean COUNT AVERAG QUALITY SAMPLE OF APPE GRADE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAA MOISTURE (BY ELEC GRADE	RETIDES & KETNET UITS WITH UNDAMAGES ROXIMATELY PEANUTS IF FACTOR EN SHELLS ECTS TOTAL AAGED KERNELS TRIC METER)	Portions PA god Shells f 67 V 75 CCCV N THE SHELL GRA	SSING _ PASSING _ PER OUNC GRAMS C	ENT OTHIS SPUT	Inch Sc Inch S I	GRAMS ANAL SHELL SHELD LS SEED ON QCC	UND LYZED CONTA LED PEANUTS C GRAMS	GRAMS GR	PERCENI O.CD 1.34 1.07 1.00 Ex. 0.00
COUNT AVERAGE QUALITY SAMPLE OF APPR GRADE CRACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELEC GRADE FAILS 70	PEANUTS IF FACTOR JEN SHELLS LS ECTS TOTAL AAGED KEFNELS TRIC MEJER)	Portions PA god Shells [PASSING PER OUNCE GRAMS C MS PERC RUANE	ENT OTHER SPUT DAME MANCE SOUTH MOSS	Inch So Inch Inch Inch Inch Inch Inch Inch Inch	GRAMS ANAL SHELL SHELD LS SEED ON QCC	UND LYZED CONTA LED PEANUTS C GRAMS	GRAMS GR	PERCENI O.CD 1.34 1.07 1.00 Ex. 0.00
GRADE PEANUTS WITH DAM MOSTURE BY REC GRADE FAILS 70 Meet 5 AI	PEANUTS IF FACTOR LES FOXIMATELY PEANUTS IF FACTOR LEN SHELLS LS COTS TOTAL AAGED KERNELS TRUC METER) 6720 E U. OSA "No 1	Portions PA god Shells f 67 V 75 CCCV N THE SHELL GRA	PASSING PER OUNCE GRAMS C MS PERC RV 110-2	ENT OTHER SPUT DAME MANCE SOUTH MOSS	Inch So Inch Inch Inch Inch Inch Inch Inch Inch	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR HELS HELS LED LS LSED ON ROOM CMETER) LSCL PANCL	UND LYZED CONTA LED PEANUTS OGRAMS ONLAGE CAU	GRAMS GR	PERCENI O.CD 1.34 1.07 1.00 Ex. 0.00
GRADE PEANUTS WITH DAA MOISTURE BY BEC GRADE FAILS TO MORE TO THE SAMPLE OF APPE	PEANUTS IF FACTOR LES STELLS LS TOTAL AAGED KERNELS TRIC METER) S'AJOE U APPLICANT ABOVE	Portions PA god Shells F 23 CCC THE SHELL GRA C. No. / Rvane/	PEROUNC GRAMS C MS PERO RUANE F" Sa	RAWN. ENT OTH SPU DAM MINO SOUN FORE ACCE ROY	GAZ GRATYPES OF KERN T OR BROKEN KERN T OR BROKEN KERN AGED OR UNSHOLL KERNNEE BEGN MATERIAL (BA BTURE (BY ELECTRIC BY ELECTRIC BY ELECTRIC BY ELECTRIC	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR WELS NELS LED LS LSED ON 200 C METER)	UND LYZED CONTA LED PEANUTS Z. GRAMS) MI 1000 CAU IDDRESS)	GRAMS GR	PERCENI O.CD 1.34 1.07 1.00 Ex. 0.00
GRADE PEANUTS WITH DAA MOISTURE BY BEC GRADE FAILS TO MORE TO THE SAMPLE OF APPE	PEANUTS IF FACTOR LES FOXIMATELY PEANUTS IF FACTOR LEN SHELLS LS COTS TOTAL AAGED KERNELS TRUC METER) 6720 E U. OSA "No 1	PORTIONS PAGE GOOD SHELL 25 COUNTY THE SHELL GRA CONTROL APPEAL DI	PEROUNC GRAMS C MS PERO CONNE CON	RAWN. ENT OTH SPU DAM MINO SOUR FORE ACCE ROY	INCH SC INCH SC INCH S SC INCH S SC INCH S SC INCH SC	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR WELS NELS LED LS LSED ON 200 C METER)	UND LYZED CONTA LED PEANUTS OFFICE CAP DIDDRESSI (4/Cely, C	GRAMS GRAMS O.O 13.6 10.9 10.0 X.7 0.0 Action	DLOWING: PERCENT 0.00 1.34 1.05 1.00 2.00 7.30
GRADE PEANUIS WITH DAA MOISTURE BY FLEC GRADE FAILS AND SAMPLE OF APPE GRADE FOREIGN MATERIAL PEANUIS WITH DAA MOISTURE BY FLEC GRADE FAILS AND SAMPLES BY LED TO SAMPLES BY LED TO LOD I-OD I-OD	ROTINGS & Kernel Luts With Undamages ROXIMATELY PEANUTS IF FACTOR LEN SHELLS LS COTS TOTAL AAGED KERNELS TRIC METER) SPUCANT ABOVE 1-AB	PORTIONS PARAGED APPEAL DI	SSING PERSONNE PEROUNC GRAMS C MS PERC	RAWN. ENT OTH SPU DAM MINO SOUR FORE ACCE ROY	INCH SC INCH SC INCH S SC	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR HELS HELS LED LS LSED ON BOD CMETER) LGL GAMEL A A A A A A A A A A A A A A A A A A A	UND LYZED CONTA LED PEANUTS OF CAU DORESS 4/Ce/y C	GRAMS GRAMS GRAMS 13.6 10.9 10.0 X.Y 0.0 Act MARKET	DLOWING: PERCENT 0.00 1.34 1.05 1.00 2.00 7.30
GRADE PEANUIS WITH DAA MOISTURE BY FLEC GRADE FAILS AND SAMPLE OF APPE GRADE FOREIGN MATERIAL PEANUIS WITH DAA MOISTURE BY FLEC GRADE FAILS AND SAMPLES BY LED TO SAMPLES BY LED TO LOD I-OD I-OD	RETIDES & KEYNER LUIS WITH Undamages ROXIMATELY PEANUTS IF FACTOR EN SHELLS LS CTS TOTAL AAGED KERNELS TRUC METER) S.P. "No I APPLICANT ABOVE I-AB MEETS Requirement	PORTIONS PARAGED APPEAL OF	SSING PASSING PER OUNC GRAMS C MS PERC MS PERC LAWN AND SEI LAWN AND S	RAWN. ENT OTH SPU DAM MINO SOUR FORE ACCE ROY	INCH SC INCH SC INCH S SC	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR WELS NELS LED LS LSED ON 200 C METER)	UND LYZED CONTA LED PEANUTS OF CAU DORESS 4/Ce/y C	GRAMS GRAMS GRAMS 13.6 10.9 10.0 X.Y 0.0 Act MARKET	DLOWING: PERCENT 0.00 1.34 1.05 1.00 2.00 7.30
GRADE PEANUIS WITH DAA MOISTURE BY FLEC GRADE FAILS AND SAMPLE OF APPE GRADE FOREIGN MATERIAL PEANUIS WITH DAA MOISTURE BY FLEC GRADE FAILS AND SAMPLES BY LED TO SAMPLES BY LED TO LOD I-OD I-OD	RETIDES & KEYNEL WITH Undamages ROXIMATELY PEANUTS IF FACTOR EN SHELLS LS ECTS TOTAL AAGED KERNELS TRIC METER) APPLICANT ABOVE 1-AB MEET'S Requirement 2 CFR Par	PORTIONS PARAGED APPEAL OF AMERICA MARKETINE PROGRAMMENT OF AMERICA PROGRAMMENT PROGRAMMEN	PERCOUNCE CONTROL C	RAWN. ENT OTH SPU DAM MINO SOUR FORE ACCE ROY	INCH SC INCH SC INCH S SC	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR HELS HELS LED LS LSED ON BOD CMETER) LGL GAMEL A A A A A A A A A A A A A A A A A A A	UND LYZED CONTA LED PEANUTS OF CAU DORESS 4/Ce/y C	GRAMS GRAMS GRAMS 13.6 10.9 10.0 X.Y 0.0 Act MARKET	DLOWING: PERCENT 0.00 1.34 1.05 1.00 2.00 7.30
GRADE PEANUIS WITH DAA MOISTURE BY FLEC GRADE FAILS AND SAMPLE OF APPE GRADE FOREIGN MATERIAL PEANUIS WITH DAA MOISTURE BY FLEC GRADE FAILS AND SAMPLES BY LED TO SAMPLES BY LED TO LOD I-OD I-OD	RETIDES & KEYNER LUIS WITH Undamages ROXIMATELY PEANUTS IF FACTOR EN SHELLS LS CTS TOTAL AAGED KERNELS TRUC METER) S.P. "No I APPLICANT ABOVE I-AB MEETS Requirement	PORTIONS PARAGED APPEAL OF AMERICA MARKETINE PROGRAMMENT OF AMERICA PROGRAMMENT PROGRAMMEN	PERCOUNCE CONTROL C	RAWN. ENT OTH SPU DAM MINO SOUR FORE ACCE ROY	INCH SC INCH SC INCH S SC	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR HELS HELS LED LS LSED ON BOD CMETER) LGL GAMEL A A A A A A A A A A A A A A A A A A A	UND LYZED CONTA LED PEANUTS OF CAU DORESS 4/Ce/y C	GRAMS GRAMS GRAMS 13.6 10.9 10.0 X.Y 0.0 Act MARKET	DLOWING: PERCENT 0.00 1.34 1.05 1.00 2.00 7.30
COUNT AVERAGE COUNT AVERAGE COUNT AVERAGE CRACKED OF APPR GRADE CRACKED OF BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAA MOISTURE (BY BEC GRADE FAILS TO SAMPLES BILLED TO REMARKS	RETIDES & KEYNEL WITH Undamages ROXIMATELY PEANUTS IF FACTOR EN SHELLS LS ECTS TOTAL AAGED KERNELS TRIC METER) APPLICANT ABOVE 1-AB MEET'S Requirement 2 CFR Par	PORTIONS PARAGED APPEAL OF AMERICA MARKETINE PROGRAMMENT OF AMERICA PROGRAMMENT PROGRAMMEN	PERCOUNCE CONTROL C	RAWN. ENT OTH SPU DAM MINO SOUR FORE ACCE ROY	INCH SC INCH SC INCH S SC	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR HELS HELS LED LS LSED ON BOD CMETER) LGL GAMEL A A A A A A A A A A A A A A A A A A A	UND LYZED CONTA LED PEANUTS OF CAU DORESS 4/Ce/y C	GRAMS GRAMS GRAMS 13.6 10.9 10.0 X.Y 0.0 Act MARKET	DLOWING: PERCENT 0.00 1.34 1.05 1.00 2.00 7.30
COUNT AVERAGE COUNT AVERAGE COUNT AVERAGE CRACKED OF APPE GRADE CRACKED OF BROW DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUIS WITH DAA MOISTURE (BY ELEC GRADE FA!LS TO L-CD REMARKS	RETIDES & KEYNEL WITH Undamages ROXIMATELY PEANUTS IF FACTOR EN SHELLS LS ECTS TOTAL AAGED KERNELS TRIC METER) APPLICANT ABOVE 1-AB MEET'S Requirement 2 CFR Par	PORTIONS PARAGED APPEAL OF AMERICA MARKETINE PROGRAMMENT OF AMERICA PROGRAMMENT PROGRAMMEN	PERCOUNCE CONTROL C	RAWN. ENT OTH SPU DAM MINO SOUR FORE ACCE ROY	INCH SC INCH SC INCH S SC	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR HELS HELS LED LS LSED ON BOD CMETER) LGL GAMEL A A A A A A A A A A A A A A A A A A A	UND LYZED CONTA LED PEANUTS OF CAU DORESS 4/Ce/y C	GRAMS GRAMS GRAMS 13.6 10.9 10.0 X.Y 0.0 Act MARKET	DLOWING: PERCENT 0.00 1.34 1.05 1.00 2.00 7.30
COUNT AVERAGE COUNT AVERAGE COUNT AVERAGE CRACKED OF APPR GRADE CRACKED OF BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUIS WITH DAA MOSTURE (BY ELEC GRADE FAILS 70 Neets At SAMPLES BILLED TO REMARKS CHARGES FEES 1	RETIDES & KEYNEL WITH Undamages ROXIMATELY PEANUTS IF FACTOR EN SHELLS LS ECTS TOTAL AAGED KERNELS TRIC METER) APPLICANT ABOVE 1-AB MEET'S Requirement 2 CFR Par	PORTIONS PARAGED APPEAL OF AMERICA MARKETINE PROGRAMMENT OF AMERICA PROGRAMMENT PROGRAMMEN	PERCOUNCE CONTROL C	RAWN. ENT OTH SPU DAM MINO SOUR FORE ACCE ROY	INCH SC INCH SC INCH S SC	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR HELS HELS LED LS LSED ON BOD CMETER) LGL GAMEL A A A A A A A A A A A A A A A A A A A	UND LYZED CONTA LED PEANUTS OF CAU DORESS 4/Ce/y C	GRAMS GRAMS GRAMS 13.6 10.9 10.0 X.Y 0.0 Act MARKET	DLOWING: PERCENT 0.00 1.34 1.05 1.00 2.00 7.30
COUNT AVERAGE COUNT AVERAGE COUNT AVERAGE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAA MOISTURE 18Y ELEC GRADE FAILS TOLE I-CU REMARKS CHARGES FEES \$ DRAWING &	RETIDES & KEYNEL WITH Undamages ROXIMATELY PEANUTS IF FACTOR EN SHELLS LS ECTS TOTAL AAGED KERNELS TRIC METER) MEETS Requirement TOTAL APPLICANT ABOVE HAWMAN (S. No P. Runner APPEAL DI APPEAL DI AMBIES OF Marketin F 996 F	PER OUNCE PER OUNCE PER OUNCE PERCOUNCE MS PERCO MS	ENT OTHER DAM MINOS SOUL FORE MOSS	GRANDED (FAILS to m	GRAMS ANAI GRAMS ANAI SHELI ADE FACTOR HELS NELS LS LS LS LS LS LS LS LS LS	UND LYZED CONTA LED PEANUTS OF THE COLOR O	GRAMS OLO 13.6 10.9 10.0 X.7 0.0 X.7 A.0 A.0 A.0 A.0 A.0 A.0 A.0 A	PERCENI O.CD 1.34 1.07 1.00 Ex 0.00 7.30 Date 2/20/03 D to Applicant
COUNT AVERAGE COUNT AVERAGE COUNT AVERAGE CRACKED OR BROK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAA MOISTURE 18Y ELEC GRADE FAILS I-CU REMARKS CHARGES FEES \$ DRAWING & AMBLING &	ROTINGS & Kernel Luts With Undamages ROXIMATELY PEANUTS IF FACTOR EN SHELLS LS ECTS TOTAL AAGED KERNELS TRIC METER) MEETS Requirement 7 CFR, Par HOWHAN (POPULOUS PARAGED APPEAL OF THE SHELL STATE OF THE S	PER OUNCE PER OUNCE PER OUNCE PER OUNCE PER OUNCE MS PERC MS	ENT OTHIN SPUT DAM MINOR SOUTH MOSS OF CACAGO PROTESTO BE	INCH SC INCH SC INCH S SC	GRAMS ANAL SHELL ADE FACTOR USED ON GOOD COMETER) ANAL SHELL SHE	UND LYZED CONTA LED PEANUTS Contact of Marketing A rety curity that at	GRAMS O.O. 13-6 10-9 10.0 ** ** ** ** ** ** ** ** **	PERCENV O-CO 1.34 1.09 1.00 EX D-OC 7.30 DATE 2/06/03 DIA Applicant
COUNT AVERAGE COUNT AVERAGE COUNT AVERAGE CHACKED OR BROKE DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAA MOISTURE (BY ELEC GRADE FAILS FAILS AMPLES BILLED TO REMARKS CHARGES FEES \$ DRAWING 8 AMPLING 8 AMPLING 8	PEANUTS IF FACTOR FENUTS IF FACTOR FENUTS IF FACTOR FACTOR FINELLS FOR FACTOR FOR FACTOR FOR FACTOR FOR FACTOR FOR FACTOR	POPULOUS PARAGED APPEAL OF THE SHELL STATE OF THE S	PER OUNCE PER OUNCE PER OUNCE PER OUNCE MS PERC MS P	ENT OTHIN SPUT DAM MINOR SOUTH MOSS OF CACAGO PROTESTO BE	GRANDER HER STUDIE BY ELECTRIC PHONED I FAILS to m	GRAMS ANAL SHELL ADE FACTOR USED ON GOOD COMETER) ANAL SHELL SHE	UND LYZED CONTA LED PEANUTS Contact of Marketing A rety curity that at	GRAMS O.O. 13-6 10-9 10.0 ** ** ** ** ** ** ** ** **	PERCENV O-CO 1.34 1.09 1.00 EX D-OC 7.30 DATE 2/06/03 DIA Applicant
GRADE FAILS TO MOSTURE BY BEE GRADE FAILS TO GRADE FAILS TO MOSTURE BY BEE GRADE FAILS TO GRADE GRADE FAILS TO GRADE FAILS TO GRADE FAILS TO GRADE GRADE GRADE GRADE FAILS TO GRADE GRADE GRADE FAILS TO GRADE GRAD	PEANUTS IF FACTOR FENUTS IF FACTOR FENUTS IF FACTOR FACTOR FINELLS FOR FACTOR FOR FACTOR FOR FACTOR FOR FACTOR FOR FACTOR	S. No / RVANCE APPEAL DI AMORETICA SUNT Topost admirst Top	PER OUNCE PER OUNCE PER OUNCE PER OUNCE MS PERC MS P	ENT OTHIN SPUT DAM MINOR SOUTH MOSS OF CACAGO PROTESTO BE	GRANDER HER STUDIE BY ELECTRIC PHONED I FAILS to m	GRAMS ANAL SHELL ADE FACTOR USED ON GOOD COMETER) ANAL SHELL SHE	UND LYZED CONTA LED PEANUTS Contact of Marketing A rety curity that at	GRAMS O.O. 13-6 10-9 10.0 ** ** ** ** ** ** ** ** **	PERCENV O-CO 1.34 1.09 1.00 EX D-OC 7.30 DATE 2/06/03 DIA Applicant
GRADE FAILS TO GRADE GRADE FAILS TO GRADE GRADE FAILS TO GRADE GRADE FAILS TO GRADE GRA	PEANUTS IF FACTOR EN SHELLS STOTAL AAGED KERNELS TOTAL AAGED KERNELS TRIC METER) SPAND I APPLICANT ABOVE 1-AB MEETS Requirement 7 CFL, Par Haman (S. No / RVANCE APPEAL DI AMORETICA SUNT Topost admirst Top	PER OUNCE PER OUNCE PER OUNCE PER OUNCE MS PERC MS P	ENT OTHIN SPUT DAM MINOR SOUTH MOSS OF CACAGO PROTESTO BE	GRANDER HER STUDIE BY ELECTRIC PHONED I FAILS to m	GRAMS ANAL SHELL ADE FACTOR USED ON GOOD COMETER) ANAL SHELL SHE	UND LYZED CONTA LED PEANUTS Contact of Marketing A rety curity that at	GRAMS O.O. 13-6 10-9 10.0 ** ** ** ** ** ** ** ** **	PERCENV O-CO 1.34 1.09 1.00 EX D-OC 7.30 DATE 2/06/03 DIA Applicant
GRADE FAILS TO MOSTURE BY BEE GRADE FAILS TO GRADE FAILS TO MOSTURE BY BEE GRADE FAILS TO GRADE GRADE FAILS TO GRADE FAILS TO GRADE FAILS TO GRADE GRADE GRADE GRADE FAILS TO GRADE GRADE GRADE FAILS TO GRADE GRAD	PEANUTS IF FACTOR EN SHELLS STOTAL AAGED KERNELS TOTAL AAGED KERNELS TRIC METER) SPAND I APPLICANT ABOVE 1-AB MEETS Requirement 7 CFL, Par Haman (S. No / RVANCE APPEAL DI AMORETICA SUNT Topost admirst Top	PER OUNCE PER OUNCE PER OUNCE PER OUNCE MS PERC MS P	ENT OTHIN SPUT DAM MINOR SOUTH MOSS OF CACAGO PROTESTO BE	GRANDER HER STUDIE BY ELECTRIC PHONED I FAILS to m	GRAMS ANAL SHELL ADE FACTOR USED ON GOOD COMETER) ANAL SHELL SHE	UND LYZED CONTA LED PEANUTS Contact of Marketing A rety curity that at	GRAMS O.O. 13-6 10-9 10-0 X-Y 0.O. Act MARE	PERCENV O-CO 1.34 1.09 1.00 EX D-OC 7.30 DATE 2/06/03 DIA Applicant

Exhibit XII - U.S. No. 1 Runner. Meets APSA "No. 1 Runner." UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE C 280165 C 280165 **MILLED PEANUT INSPECTION CERTIFICATE** This cortificate is issued in compliance with the regulations of the Secretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 et sup.) and is admissable as prima facie evidence in all courts of the United States. WARNING: Any person who knowingly shall falsely make, issue, alter, lorge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both. SAMPLING BEGAN TYPE OF INSPECTION (Mark One Only) SAMPLE ANALYSIS FINISHED HOUR DATE : DATE LOT INSPECTED 83c 11/28/03 1000 Am 11/29/63 LOT LOADED Into LOCATION CODE WHERE SAMPLE DRAWN WHERE SAMPLE ANALYZED CAR Smithville, GA Smithwille, CONVEYANCE IDENTIFICATION APPLICANT CODE APPLICANT NAME AND ADDRESS 13035 mc Claskey Milts Smithalle GA RECEIVER NAME AND ADDRESS APPLICANT GIVEN NOT SAME. 15 PRODUCT X FIBERBOARD BINS CLEANED IN THE SHELL WITH NO DISTINGUISHING MARKS **BURLAP SACKS** X SHELLED PEANUTS TAGGED WITH Sacme O COLORED TAGS TAG INSCRIPTION (15 No. Ç.i.Kuma "No I Commi weish TAG CONTROL 50 LOREN DON'THEN BE SA ISSUED CROP YE USED 46 03 USDA FEDERAL-STATE INSPECTED RETURNED APPLICANT STATES RUNNER 47670 CONTAINERS OR COUNT OF LOT NO. SIZE 6.47% S/W Kernels PASSING 16/49 : 3/4 Inch S Screen; 12.54% Wh Kernels RIDING 18/44 × 3/4 Inch S Screen % S/W Kernels PASSING Inch ___ Screen; 0.03 % S/W Kernels & Kernel Portions PASSING 17/104 % Peanuts With Undamaged Shells PASSING inch Screen X PER OUNCE **COUNT AVERAGES** 66 PER POUND QUALITY: SAMPLE OF APPROXIMATELY GRAMS DRAWN, GRAMS ANALYZED CONTAINED THE FOLLOWING: 73000 1000 PEANUTS IN THE SHELL SHELLED PEANUTS GRADE FACTOR **GRADE FACTOR** PERCENT GRAMS PERCENT CRACKED OR BROKEN SHELLS OTHER TYPES OF KERNELS 000 00 0.92 DISCOLORED SHELLS SPLIT OR BRIOKEN KERNIELS OTHER SHELL DEFECTS DAMAGED OR UNSHELLED 0.34 3.4 FOREIGN MATERIAL MINOR DEFECTS 0.27 5.7 SOUND WHOLE KERNELS TOTAL K Y PEANUTS WITH DAMAGED KERNELS FOREIGN MATERIAL (BASED ON 2000 GRAMS) 0.00 0.0 MOISTURE (BY ELECTRIC METER) MOISTURE (BY ELECTRIC METER) 7.20 GRADE SAMPLES BILLED TO APPLICANT ABOVE See Roma-KS (NAME OF LAB) Ains ∭ ı-CD APPEAL DRAWN AND SENT TO 11/24/03 10 Kely ANALYSIS RESULTS TO BE PHONED (WIFIED Collect MAIL ED to Applicant REMARKS MEETS Requirements of Marketing Agroament FAILS to most Requirements of Marketing Agreement 7052, Part 496 for Homan Conscription CHARGES FEES S clor of the United States Department of Agriculture, do hereby certify that of the request of the applic SIGNATURE OF INSPECTOR EXPENSES \$ FORM FV-184-9A (11-90)

MIGINAL

Exhibit XIII - U.S. Runner Splits. Meets APSA "Runner Splits." UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL STATE INSPECTION SERVICE C 280165 C 280165 MILLED PEANUT INSPECTION CERTIFICATE This certificate is issued in compliance with the requiations of the Secretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 of. seq.) and is admissable as prima facie evidence in all courts of the United States. WARNING: Any person who knowingly shall falsely make, issue, after, forge or counterfeit this certificate, or participate in any such actions, is subject to a line of not more than \$1,000 or imprisonment for not more than one year, or both. SAMPLING BEGAN SAMPLE ANALYSIS FINISHED TYPE OF INSPECTION (Mark One Only) DATE LOT INSPECTED 440 PM 645 AM LOT LOADED Into LOCATION CODE CAR TRAN FR APPLICANTS PLANT CONVEYANCE IDENTIFICATION APPLICANT CODE 13035 RECEIVER NAME AND ADDRESS APPLICANT NOT GIVEN PRODUCT X FIBERBOARD BINS CLEANED IN THE SHELL WITH NO DISTINGUISHING MARKS **BURLAP SACKS** SHELLED PEANUTS TAGGED WITH YELLOW COLORED TAGS TAG INSCRIPTION woner Solits, "Rugner Solits" Wright 2125 USS TAG CONTROL 50 Inc. Smithalle, E _ ISSUED LOT NUMBER CROP YR 42 USED USDA RETURNED APPLICANT STATES BULK LOT NO. 44 675 18 SUNN OR COUNT OF CONTAINERS SIZE % S/W Kernels PASSING inch Screen: % Wh Kernels RIDING Screen % S/W Kernels PASSING Inch Screen: % Wh Kernels RIDING Inch Screen 0.57 % SW Kemels & Kernel Portions PASSING Inch R Screen % Peanuts With Undamaged Shells PASSING loch Screen PER OUNCE PER POUND QUALITY SAMPLE OF APPROXIMATELY 75000 GRAMS DRAWN, GRAMS ANALYZED CONTAINED THE FOLLOWING: PEANUTS IN THE SHELL SHELLED PEANUTS GRADE FACTOR GHAMS PERCENT CRACKED OR BROKEN SHELLS OTHER TYPES OF KERNELS 0.0 0.00 DISCOLORED SHELLS SPLIT OR BROKEN KERNELS 1 OTHER SHELL DEFECTS DAMAGED OR UNSHELLED 9.4 0.96 FOREIGN MATERIAL 067 MINOR DEFECTS SOUND WHOLE KERNELS 31.9 3.19 PEANUTS WITH DAMAGED KERNELS FOREIGN MATERIAL (BASED ON ごつつ GRAMS) 0.0 0.00 MOISTURE (BY ELECTRIC METER) MOISTURE (BY ELECTRIC METER) GRADE INAME OF LAB 40ATE 1-CD APPEAL DRAWN AND SENT TO Blakely 9ms 27/02 WHIED Collect MAILED to Applicant ANALYSIS RESULTS TO BE] PHONED (REMARKS MEETS Requirements of Market FAILS to meet Flequirements of Marketing Agreement 7 CFR PART 996 FOR HUMAN CONSUMPTION CHARGES FEES 1 DRAWING & HAMDING 9 railment of Agriculture, do hereby certify that at the request of this applican SAMPLING \$

ORIGINAL

Exhibit XIV - U.S. No. 1 Runner. Meets APSA "Jumbo Runner." UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE C C 280165 280165 MILLED PEANUT INSPECTION CERTIFICATE This cortificate is issued in compliance with the regulations of the Secretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 et. seq.) and is admissable as prima facie evidence in all courts of the United States. WARNING: Any person who knowingly shall falsely make, issue, after, torge or counterfeit this certificate, or participate in any such actions, is subject to a line of not more than \$1,000 or imprisonment for not more than one year, or both. TYPE OF INSPECTION (Mark One Only) SAMPLING BEGAN SAMPLE ANALYSIS FINISHED LOT INSPECTED 130 PM 11 OT LOADED Into CAR TRAILER NE SAMPLE ANALYZED CONVEYANCE IDENTIFICATION APPLICANT COOF 13035 McCleskey Mills RECEIVER NAME AND SHIPPER NAME AND ADDRESS GLUEN APPLICIANT NOT 5.4 mE PRODUCT FIBERBOARD BINS CLEANED IN THE SHELL WITH NO DISTINGUISHING MARKS BURLAP SACKS TAGGED WITH LT. GREEN COLORED TAGS SHELLED PEANUTS BULK TAG INSCRIPTION US No. / Jumbo Rynner" 110.23 16s, 50 kilos TAG CONTROL 850 ISSUED CROP YH Inc. Southville, GA. 800_ USED 02 FEDERAL-STATE INSPECTED SO RETURNED Lo 8 APPLICANT STATES 800 88184 LBS CUNNEL TYPE OR COUNT OF CONTABIERS LOT NO SIZE Screen 2.27 % S/W Kernels PASSING 21/64 x 3/4 Inch S Screen; % Wh Kemels RIDING lach % Wh Kernels BIDING Inch Screen % S/W Kernels PASSING inch Screen; Screen % S/W Kernels & Kernel Portions PASSING Inch % Peanuts With Undamaged Shells PASSING inch Screen 38 × PER OUNCE COUNT AVERAGES PER POUND QUALITY GRAMS ANALYZED CONTAINED THE FOLLOWING: 75 OU GRAMS DRAWN, SAMPLE OF APPROXIMATELY 12000 SHELLED PEANUTS PEANUTS IN THE SHELL GRADE FACTOR GRADE FACTOR GRAMS PERCENT PERCENT OTHER TYPES OF KERNELS 0.0 0.00 CRACKED OR BROKEN SHELLS SPLIT OR BROKEN KERNELS 33.8 DISCOLORED SHELLS 1.69 OTHER SHELL DEFECTS DAMAGED OR LINSHELLED 0-16 0.29 MINOR DEFECTS 5.8 FOREIGN MATERIAL SOUND WHOLE KERNELS KK ×× 0.00 FOREIGN MATERIAL (BASED ON 4000 GRAMS) PEARLIS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) MOISTURE (BY ELECTRIC METER) GRADE Les No 1 Runner Meets APSA "Jumbo Runner SAMPLES BILLED TO APPLICANT ABOVE PHAME OF LABI 4ms 1-08 APPEAL DRAWN AND SENT TO Dawson WIRED Collect MAILED to Applicant PHONED (ANALYSIS RESULTS TO BE REMARKS MEETS Requirements of Marketing Agr 7 CFR Part 996 GC FAILS to meet Requirements of Marketing Agreement Human Consumption CHARGES FEES S DRAWING & HANDENIC S SAMPLING \$ XPENSES \$ TOTAL S FORM FV-184-9A (11-90) ORIGINAL

Exhibit XV – Fails U.S. No. 1 Runner Account Split or Broken Kernels. Fails APSA "Jumbo Runner" Account Split or Broken Kernels and Fall Through. Meets 7CFR, Part 996 for Runner with Splits.

c 280165			AGRICULTUI FEDERAL-ST.	EPARTMENT OF AGRICULA TALL MARIGETING SERVICE ATE INSPECTION SERVICE TINSPECTION CE	Æ	C 28	0165	
This certificate is issued in co Marketing Act of 1946, as ame knowingly shall falsely make, imprisonment for not more th:	issuo, alter, force	regulations of 21 et seq.) ar e or counterfo	I the Secretary	of Agriculture governing	The inspection of the	a Haitad Castar	WADAUAKO, A.	ow naman wha
SAMPLING		***					71014 (141	0 0-11
HOUR DATE	BEGAN	HOUR		NALYSIS FINISHED	15.3	E OF INSPEC	I KON (MBFR	Une Uniy)
815 Pm 91	17/02	_	io Am	9/18/02		INSPECTED ` LOADED ING		
	MPLE DRAWN	WHER	E SAMPLE ANA		1 7	CAR [TRALER	•
Monby	"12 Shelling	·	Ashbu	m. GA	CC	NVEYANCE IC	ENTIFICAT	ION
APPLICANT CODE APPLICAN	T NAME AND ADDRE	ESS	Z 5 R - 1	<u> </u>		NUMBER	s	
13020 Gai	DEN PEAS	JUT (W	meanif 1	Atlanta, EA	1 1			
RECEIVER NAME AND ADDRESS	المعل			SHIPPER NAME AND ADD	RESS	A-11.	24	
	1077			BOLDEN REAL	or co.	Ashbum,	()/-1	
PRODUCT								
			FIBERBOARD	BINS	1			•
L CLEANED IN TH		(Z	7		I WITH NO DIST	INQUISHING I	MARKS	
SHELLED PEAN	UTS IN	ĪΛ	A BOULAP	SACKS	TAGGED WITH	GEFFN	COLOD	ED TAGS
(A)		\Box	BULK		I MOOCO WIII		COLUM	ED TAGS
TAG INSCRIPTION (15 /Vo	1 "chambe	Rumer "	1 Bross	west 110.2	3 /15 575.	1: Erles	TAG C	ONTROL
NET WT. 109.12	115 49	S k. les	Golden	Peanut Compa	4/10	1a 64	"""	ISSUED
HOUSE LOT NUMBER	CROP YR							USED
17 1011	O+ USD	×	380CG.	1.9	FEDERAL-STAT	E INSPECTED		RETURNED
APPLICANT STATES	T							•
44092 185	0	CP TYPE	BULK	OR COL	BIT OF	400		CONTAINERS
SIZE	KULO	C/24	IDI NO	OH COIL	WI OF	7.0.0	10.000	CONTINUENS
7	DACONIO 21/	37						
29.40 % S/W Kernels	PASSING 3/2	14 × 3/4	/ Inch S	Screen; % V	Vh Kemels RIDII	NG	Inch Inch	Screen
E.D2 % S/W Kernels	& Kornel Postio	ne PASSIN	G 177			10	#ICII .	Screen
					TINHI			
% Peanuts With					creen Screen			
		hells PASS				JND		
% Peanuts With COUNT AVERAGES QUALITY	Undamaged S	hells PASS	ING		Screen	JND	47.4	
% Peanuts With COUNT AVERAGES	Undamaged S	ihells PASS	ING	Inch	Screen PER POL	IND YZED CONTAI	NED THE FO	OLLOWING:
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE	Undamaged S Uf	inells PASS PEI SHELL	ING R.OUNCE	Inch (Screen PER POL GRAMS ANAL SHELL		NEO THE FO	DLLOWING:
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR	Undamaged S Lf ELY 75700 EANUTS IN THE	ihells PASS V Y PEI	ING R.OUNCE	Inch (GRAMS ANAL SHELL ADE FACTOR	YZED CONTAI	NED THE FO	PERCENT
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL	Undamaged S Lf ELY 75700 EANUTS IN THE	inells PASS PEI SHELL	ING ROUNCE RAMS DRAW	Inch (N, / CCC GR OTHER TYPES OF KERN	GRAMS ANAL SHELL ADE FACTOR	YZED CONTAI	GRAMS O.O	PERCENT O CU
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS	Undamaged S Lf ELY 75700 EANUTS IN THE	inells PASS PEI SHELL	ING ROUNCE RAMS DRAW	Inch (N. /CCC GR OTHER TYPES OF KERN SPLIT OR BROKEN KER	GRAMS ANAL SHELL ADE FACTOR WELS	YZED CONTAI	GRAMS 0.0 35.3	PERCENT 0.00 3.53
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS	Undamaged S Lf ELY 75700 EANUTS IN THE	inells PASS PEI SHELL	ING ROUNCE RAMS DRAW	Inch OTHER TYPES OF KERN SPUT OR BROKEN KER	GRAMS ANAL SHELL ADE FACTOR WELS	YZED CONTAI	GRAMS 0.0 35.3 0.0	PERCENT - 0.00 - 3.53 - 0.00
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS	Undamaged S Lf ELY 75700 EANUTS IN THE	inells PASS PEI SHELL	ING ROUNCE RAMS DRAW	Inch OTHER TYPES OF KERR SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS	GRAMS ANAL SHELL ADE FACTOR WELS NELS LED	YZED CONTAI	GRAMS 0.0 35.3 0.0 3,0	PERCENT - 0.00 - 3.53 - 0.00 - 0.30
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS	Undamaged S Life ELY 7500 EANUTS IN THE S TOTAL	inells PASS PEI SHELL	ING ROUNCE RAMS DRAW	Inch OTHER TYPES OF KERN SPUT OR BROKEN KER	GRAMS ANAL SHELL ADE FACTOR WELS NELS LED	YZED CONTAI ED PEAMUTS	GRAMS 0.0 35.3 0.0 3.0 ×5	PERCENT -0.00 3.53 -0.00 6.30 -2.50
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PO GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL	Undamaged S Life ELY 7500 EANUTS IN THE S TOTAL RMELS	inells PASS PEI SHELL	ING ROUNCE RAMS DRAW	INCH S OTHER TYPES OF KERN SPUT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE	GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON BOCCO	YZED CONTAI ED PEAMUTS	GRAMS 0.0 35.3 0.0 3,0	PERCENT -0.00 3.53 -0.00 6.30 -2.50 -2.50
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOSTURE (BY ELECTRIC METE GRADE	Undamaged S Life ELY 7500 EANUTS IN THE S TOTAL RNELS ER	Hells PASS PEI PEI GRAMS	ING	OTHER TYPES OF KERI SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREISM MATERIAL (B) MOISTURE (BY ELECTRA	GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON SOCIETY C METER)	YZED CONTAI ED PEANUTS PEANUTS	GRAMS 0.0 35.3 0.0 3.0 ×F 0.0	PERCENT - 0.00 3.53 0.00 0.30 ×× 0.00 7.10
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE FALLS U.S. No. 1 R.	Undamaged S Life ELY 7500 EANUTS IN THE S TOTAL RNELS ROPE CORRELS	Hells PASS PEI SHELL GRAMS	ING	OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (A) MOISTURE (BY ELECTRA	GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON SCOUL C METER)	YZED CONTAI ED PEANUTS 2 GRAMS)	GRAMS 0.0 35.3 0.0 3.0 ×F 0.0	PERCENT - 0.00 3.53 0.00 0.30 ×× 0.00 7.10
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE FALLS U.S. No. 1 R.	Undamaged S Life ELY 7500 EANUTS IN THE S TOTAL RNELS ROPE CORRELS	Hells PASS PEI SHELL GRAMS	ING	OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (A) MOISTURE (BY ELECTRA	GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON SCOUL C METER)	YZED CONTAI ED PEANUTS 2 GRAMS)	GRAMS 0.0 35.3 0.0 3.0 ×F 0.0	PERCENT 0.00 3.53 0.00 6.30 ×* 0.00 7.10
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE FOLS U.S. NO. 1 R CALCOLITY (A) 7 CC SAMPLES BILLED TO APPLICAN	Undamaged S L/A ELY 7500 EANUTS IN THE S TOTAL RNELS E) LOCALCEN KE	Hells PASS PEI SHELL GRAMS GRAMS	PERCENT Sport of add fall	OTHER TYPES OF KERN SPUT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREISM MATERIAL (B) MOISTURE (BY ELECTRA THE FOREISM (REIN)	GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON SCOUL C METER)	YZED CONTAI ED PEANUTS 2 GRAMS)	GRAMS 0.0 35.3 0.0 3.0 ×F 0.0	PERCENT 0.00 3.53 0.00 0.30 xx 0.00 7.10
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE FALLS U.S. No. 1 R.	Undamaged S L/A ELY 7500 EANUTS IN THE S TOTAL RNELS E) LOCALCEN KE	GRAMS GALL GRAMS GALL GRAMS	PERCENT Spirt cond - Fall	OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BU MOSTURE (BY ELECTRA DITC KOLN RUMBE OF LABI ATT S	GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON SCOUL C METER)	YZED CONTAI ED PEANUTS CRAMS) APSA 19 CS. DORESSI EDAL, SA	GRAMS 0.0 35.3 0.0 3.0 × 10 0.0	PERCENT 0.00 3.53 0.00 0.30 xxx 0.00 7.10 Manner Manner 9/15/02
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOSTURE (BY ELECTRIC METE GRADE FATUS ULS NO. R CLUCYTH (AT TO APPLICAN SAMPLES BRILED TO APPLICAN L-CO 1-AB	TOTAL RNELS FILLY 7500 EANUTS IN THE S TOTAL RNELS FILL LOCALCE TABOVE APPE	COUNT ANALYS	PERCENT SOLIT CONTROL OF THE PERCENT CONTROL OF THE PERCENT TO TH	OTHER TYPES OF KERNESPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (AU MOISTURE (BY ELECTRA WATER OF LAU ATT S DE PHONED (GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON BOTTO C METER) LS SEE FE MICH	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 CS DORESSI WITED CORO	GRAMS 0.0 35.3 0.0 3.0 × × 0.0	PERCENT
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOSTURE (BY ELECTRIC METE GRADE FATUS ULS NO. R CLUCYTH (AT TO APPLICAN SAMPLES BRILED TO APPLICAN L-CO 1-AB	TOTAL RNELS FILLY 7500 EANUTS IN THE S TOTAL RNELS FILL LOCALCE TABOVE APPE	COUNT ANALYS	PERCENT SOLIT CONTROL OF THE PERCENT CONTROL OF THE PERCENT TO TH	OTHER TYPES OF KERNESPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (AU MOISTURE (BY ELECTRA WATER OF LAU ATT S DE PHONED (GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON SCOUL C METER)	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 CS DORESSI WITED CORO	GRAMS 0.0 35.3 0.0 3.0 × × 0.0	PERCENT 0.00 3.53 0.00 0.30 xx 0.00 7.10 Manne Manne 9/15/02
Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANAITS WITH DAMAGED KE MOSTURE (BY ELECTRIC METE GRADE FOLS U.S. JU. 1 R QLCCUTT (AT 17 CE	TOTAL RNELS RITANOME CONTENT AND THE ROUTE ACT AN	FERNANCE AND ANALYSMANGE ANALYSMAN	PERCENT SOLIT CONTROL OF THE PERCENT CONTROL OF THE PERCENT TO TH	OTHER TYPES OF KERNESPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (AU MOISTURE (BY ELECTRA WATER OF LAU ATT S DE PHONED (GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON BOTTO C METER) LS SEE FE MICH	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 CS DORESSI WITED CORO	GRAMS 0.0 35.3 0.0 3.0 × × 0.0	PERCENT 0.00 3.53 0.00 0.30 xx 0.00 7.10 Manne Manne 9/15/02
Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANAITS WITH DAMAGED KE MOSTURE (BY ELECTRIC METE GRADE FOLS U.S. JU. 1 R QLCCUTT (AT 17 CE	TOTAL RNELS FILLY 7500 EANUTS IN THE S TOTAL RNELS FILL LOCALCE TABOVE APPE	FERNANCE AND ANALYSMANGE ANALYSMAN	PERCENT SOLIT CONTROL OF THE PERCENT CONTROL OF THE PERCENT TO TH	OTHER TYPES OF KERNESPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (AU MOISTURE (BY ELECTRA WATER OF LAU ATT S DE PHONED (GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON BOTTO C METER) LS SEE FE MICH	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 CS DORESSI WITED CORO	GRAMS 0.0 35.3 0.0 3.0 × × 0.0	PERCENT 0.00 3.53 0.00 0.30 xx 0.00 7.10 Manne Manne 9/15/02
Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANAITS WITH DAMAGED KE MOSTURE (BY ELECTRIC METE GRADE FOLS U.S. JU. 1 R QLCCUTT (AT 17 CE	TOTAL RNELS RITANOME CONTENT AND THE ROUTE ACT AN	FERNANCE AND ANALYSMANGE ANALYSMAN	PERCENT SOLIT CONTROL OF THE PERCENT CONTROL OF THE PERCENT TO TH	OTHER TYPES OF KERNESPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (AU MOISTURE (BY ELECTRA WATER OF LAU ATT S DE PHONED (GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON BOTTO C METER) LS SEE FE MICH	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 CS DORESSI WITED CORO	GRAMS 0.0 35.3 0.0 3.0 × × 0.0	PERCENT 0.00 3.53 0.00 0.30 xx 0.00 7.10 Manne Manne 9/15/02
Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELL DISCOLONED SHELL DISCOLONED SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTLINE (BY ELECTRIC METE GRADE FAILS US JO. R QUELLY SAMPLES BILLED TO APPLICAN I-CD REMARKS MEETS F C. C	TOTAL RNELS RITANOME CONTENT AND THE ROUTE ACT AN	FERNANCE AND ANALYSMANGE ANALYSMAN	PERCENT SOLIT CONTROL OF THE PERCENT CONTROL OF THE PERCENT TO TH	OTHER TYPES OF KERNESPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (AU MOISTURE (BY ELECTRA WATER OF LAU ATT S DE PHONED (GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON BOTTO C METER) LS SEE FE MICH	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 CS DORESSI WITED CORO	GRAMS 0.0 35.3 0.0 3.0 × × 0.0	PERCENT 0.00 3.53 0.00 0.30 xx 0.00 7.10 Manne Manne 9/15/02
Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANAITS WITH DAMAGED KE MOSTURE (BY ELECTRIC METE GRADE FAILS U.S. J.C. R QLUCLIFY (A) T COUNTY (A)	TOTAL RNELS RITANOME CONTENT AND THE ROUTE ACT AN	FERNANCE AND ANALYSMANGE ANALYSMAN	PERCENT SOLIT CONTROL OF THE PERCENT CONTROL OF THE PERCENT TO TH	OTHER TYPES OF KERNESPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (AU MOISTURE (BY ELECTRA WATER OF LAU ATT S DE PHONED (GRAMS ANAL SHELL ADE FACTOR WELS NELS LED LS ASED ON BOTTO C METER) LS SEE FE MICH	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 CS DORESSI WITED CORO	GRAMS 0.0 35.3 0.0 3.0 × × 0.0	PERCENT 0.00 3.53 0.00 0.30 xx 0.00 7.10 Manne Manne 9/15/02
Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE FALLS US JIG. R QUECUME (BY ELECTRIC METE SAMPLES BILLED TO APPLICAN 1-CD REMARKS MEETS F CHARGES FEES \$	TOTAL RNELS FOR TABOVE ROQUIPMENT (LHE) After Tabove Appendix of Action (LHE)	GRAMS ANALYS Aduly supported	PERCENT SOLL COMMENT TO SERESULTS TO SERIESULTS TO S	OTHER TYPES OF KERN GR OTHER TYPES OF KERN SPUT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOTEISM MATERIAL (BU MOISTURE (BY ELECTRA THE FOXE OF LAB) FAILS TO THE STATE OF LAB.	GRAMS ANAL SHELL ADE FACTOR WELS LED LS ASED ON ACCUT C METER) LS	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 SOORESSI WHIED Collect Of Marketing Act	GRAMS O.O. 35.3 O.O. 3.0 X Fr. O.O. Lande Comment	PERCENT C.CU 3.53 C.CO C.30 EXY C.CO J.10 MATE 9/18/02 D to Applicant
Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE FAILS US NO. 1 K QLCCULT (AI) 7 C SAMPLES BILLED TO APPLICAN I-CD 1-AB REMARKS WHEETS F CHARGES FEES 3 DRAWING 8	TOTAL RNELS RICHT ANOVE REQUIREMENTS IN THE S TOTAL RNELS RICHT ANOVE REQUIREMENTS OF ME	COUNT AMELY AND SOLUTION OF SO	PERCENT SOLL COMMENT TO SERESULTS TO SERIESULTS TO S	OTHER TYPES OF KERNESPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (AU MOISTURE (BY ELECTRA WASTURE OF LAU AND STEELED PHONED (FAILS IO II	GRAMS ANAL SHELL ADE FACTOR WELS LED LS ASED ON ACCUT C METER) LS	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 SOORESSI WHIED Collect Of Marketing Act	GRAMS O.O. 35.3 O.O. 3.0 X Fr. O.O. Lande Comment	PERCENT C.CU 3.53 C.CO C.30 EXY C.CO J.10 MATE 9/18/02 D to Applicant
Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KE MOSTURE (BY ELECTRIC METE GRADE: FATUS US NO. R GLACUTE (A) TO SAMPLES BILLED TO APPLICAN I-CD I-AB REMARKS X MEETS F CHARGES FEES 1 DRAWING 8 MADLING 6 AMPLING 8	TOTAL RNELS RICHARDORE ROQUITOMENTS OF ACCURATE CONTROLLER ROLLER	COUNT AMELY AND SOLUTION OF SO	PERCENT SOLL COMMENT TO SERESULTS TO SERIESULTS TO S	OTHER TYPES OF KERN GR OTHER TYPES OF KERN SPUT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOTEISM MATERIAL (BU MOISTURE (BY ELECTRA THE FOXE OF LAB) FAILS TO THE STATE OF LAB.	GRAMS ANAL SHELL ADE FACTOR WELS LED LS ASED ON ACCUT C METER) LS	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 SOORESSI WHIED Collect Of Marketing Act	GRAMS O.O. 35.3 O.O. 3.0 X Fr. O.O. Lande Comment	PERCENT C.CU 3.53 C.CO C.30 EXY C.CO J.10 MATE 9/18/02 D to Applicant
% Peanuts With COUNT AVERAGES OUALITY SAMPLE OF APPROXIMAT PEARLE GRADE FACTOR CRACKED OR BROKEN SHELL DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEARLTS WITH DAMAGED KE MOISTURE (BY ELECTRIC METE GRADE FAILS U.S. J.C. R. QLCCUIT (AIT OF SAMPLES BRLED TO APPLICAN AMPLES BRLED TO APPLICAN CHARGES FEES 3 DRAWING B MADLING B AMPLING B AMPLING B	TOTAL RNELS RICHT ANOVE REQUIREMENTS IN THE S TOTAL RNELS RICHT ANOVE REQUIREMENTS OF ME	COUNT AMELY AND SOLUTION OF SO	PERCENT SOLL COMMENT TO SERESULTS TO SERIESULTS TO S	OTHER TYPES OF KERN GR OTHER TYPES OF KERN SPUT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOTEISM MATERIAL (BU MOISTURE (BY ELECTRA THE FOXE OF LAB) FAILS TO THE STATE OF LAB.	GRAMS ANAL SHELL ADE FACTOR WELS LED LS ASED ON ACCUT C METER) LS	YZED CONTAI ED PEANUTS 2 GRAMS) APSA 15 SOORESSI WHIED Collect Of Marketing Act	GRAMS O.O. 35.3 O.O. 3.0 X Fr. O.O. Lande Comment	PERCENT C.OU 3.53 C.OU C.SU EXP COU 7.10 MATE 9/18/07 D to Applicant

Exhibit XVI - U.S. No. 2 Runner. Meets 7CFR, Part 996 for Human Consumption. UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE C 280165 C 280165 MILLED PEANUT INSPECTION CERTIFICATE This cortificate is issued in compliance with the regulations of the Secretary of Agricultura governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 et. seq.) and is admirssable as prima facte evidence in all courts of the United States. WARRING: Any person who knowingly shall falsely make, issue, after, forge or counterfeit this cartificate, or participate in any such actions, is subject to a line of not more than \$1,000 or nent for not more than one year, or both. TYPE OF INSPECTION (Mark One Only) SAMPLING BEGAN SAMPLE ANALYSIS FINISHED : DATE LOT INSPECTED 1230 12/20/07 730 AM: 12/20/02 LOT LOADED Into HERE SAMPLE DEAWN I'MS LOCATION CODE CAR TRAILER CONVEYANCE IDENTIFICATION APPLICANT CODE PRIFFIX 13020 Goldon RECEMER NAME AND ADDRESS Peanut Company, NOT GIVEN PRODUCT FIBERBOARD BINS CLEANED IN THE SHELL WITH NO DISTINGUISHING MARKS BURLAP SACKS IN SHELLED PEANUTS TAGGED WITH GRAY **COLORED TAGS** TAG CONTROL TAG INSCRIPTION Weight 2150 50 Compan ISSUED Hanta, 46 USED UGDA FEDERAL-STATE INSPECTED RETURNED APPLICANT STATES UNNET TYPE CONTAINERS 49 450 485 LOT NO. OR COUNT OF SIZE Screen 3454 % Wh Kernels RIDING 18/w x 3/4 Inch Screen Screen 7.46 % Wh Kernels RIDING 11/64 x 3/4 Inch Screen and gassing through the stat screen Inch Screen 18/64 x 3/4 Inch Stat screen % S/W Kernels PASSING inch % S/W Kemels PASSING Inch % S/W Kernels & Kernel Portions PASSING 17/64 % Peanuts With Undamaged Shells PASSING PER OUNCE PER POUND **COUNT AVERAGES** QUALITY GRAMS ANALYZED CONTAINED THE FOLLOWING: SAMPLE OF APPROXIMATELY GRAMS DRAWN, SHELLED PEANUTS PEANUTS IN THE SHELL GRADE FACTOR PERCENT GRADE FACTOR PERCENT OTHER TYPES OF KERNELS 0,0 CRACKED OR BROKEN SHELLS 0.00 504.4 SPLIT OR BROKEN KERNELS 50.44 DISCOLORED SHELLS DAMAGED OR UNSHELLED 0.50 OTHER SHELL DEFECTS 5,0 5,7 FOREIGN MATERIAL MINOR DEFECTS 0.57 SOUND WHOLE KERNELS XX 0.00 FOREIGN MATERIAL (BASED ON 200 OGRAMS) PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) MOISTURE (BY ELECTRIC METER) 7.60 See Remarks SAMPLES BELEF DATE (NAME OF LAB) AM S 1-00 12/20/02 APPEAL DRAWN AND SENT TO Bialcely, WIRED Collect MAILED to Applicant PHONED ANALYSIS RESULTS TO BE REMARKS MEETS Requirements of Madeling Agreement 7 CFR PART 996 FOR HUMAN FAILS to meet Requirements of Marketing-Agreement CONSUMPTION * Size determined & Reported at applicant's request. CHARGES DRAWING 8 plan Of the United States Department of Agriculture, do heroby cartify that at the request of the app and out the stille indicated, same as travelin stated. SIGNATUPE, OF INSPECTOR SAMPING S EXPENSES \$

ORIGINAL.

FORM FV-184-9A (11-90)

Exhibit XVII – Fails U.S. Runner Splits Account Damage & Minor Defects. Meets APSA "Runner Splits" and 7CFR, Part 996 for Human Consumption.

C	200	100			UN	AGRICULTU	DEPARTMENT OF AGRICU RAL MARKETING SERVIC TATE INSPECTION SERVIC	Ε.	•	20465	·
		165		M	ILLE	D PEANUT	INSPECTION CE	RTIFICATE	1	30165	
knowingly	shall fall	soly maka.	issue, alle	.s.c. rezi et. er. force or co			y of Agriculture governing de as prima facio evidenc ale, or participata in any				
imprisonm	TOTAL TOTAL	MPLING	er one year	, or both.	_	· · · · · · · · · · · · · · · · · · ·					
HOUR		DATE	BEGAN		HOUF		NALYSIS FINISHED DATE	<u> </u>		TION (Mark	One Only)
	o Pm	101	50	3	6	730 PM	10/6/03		SPECTED ADED Into_		
LOCATION CO	UDE	WHERE SA	MPLE DRAN	helling	WHE	RE SAMPLE ANA	LYZED		CAR _	TRAILER	
APPLICANT (T NAME AN		ب	m. thu.ll	le, 64	<u></u>	MEER I	DENTIFICAT	
1303		McCl	eske-	mills	10	ic, Smi	thuille. 6/7		,	ľ	•
RECEIVER N	AME AND	NOT	AIN	1, EA)		-,	SHIPPER NAME AND ADDE	NESS			
PRODUC	ा ।	,				•					
П	CLEAN	ED IN TH	ECUEII		X	FIBERBOARO) BINS]			
127				IN	Г	BURLAP	SACKS	WITH NO DISTIN	_		
IX	SHELLI	ED PEAN	JTS	1	$\overline{\Box}$	 BULK	X	TAGGED WITH	YELLOU	<u>ಿ</u> COLORI	ED TAGS
TAG INSCRI	PROM 1	(S.P.	1000	501.45	<u> </u>		Polits' Wash	1 7175 IL		7400	ONTROL
MeC	فأعيا	-	115 1	~#.0.1.1.3.y ^		Haville, 6	2/1	W81.2518	<u></u>	50	ISSUED
HOUSE 42	LOI M	JMESER	CHOP YR				_			42	USED
APPLICANT		25	0.3	USDA		<u>Secl</u>	174	FEDERAL-STATE	NSPECTED	&	RETURNED
		25 uss	\mathcal{Q}_{o}	NNER	TYPE	BULK LOT NO.	00.000	NT OF) /		CONTAINERS
SIZE			7(-			20110.	0,,000				ÇONTA-ICHS
	% S/W	Kernels F	PASSING	}		Inch	Screen: % W	h Kernels RIDING	``````````````````````````````````````	Inch	Screen
1.12	% S/W	Kernels F	PASSING	,		Inch	Screen; % W	h Kernels RIDING	}	loch	Screen
1-1	% Pean	uts With	r vetuei r vetuei	ged Shells	NSSIN PASS	اردا SING	中 Inch 尺 So				
COUNT					٦.	R OUNCE		PER POUN	D		
QUALITY	AVERAG	ES .	,		PE	R OUNCE		PER POUN			
COUNT	AVERAG	ES ROXIMATI	ELY	15000	PE G	·		GRAMS ANALYZ	ED CONTA	INED THE FO	OLLOWING:
COUNT /	OF APP	ES ROXIMATI	ELY	75000 N THE SHEL	PE G	R OUNCE	N. 1000	GRAMS ANALYZ			DLLOWING:
COUNT /	OF APPI	ES ROXIMATI PE FACTOR	ELY	75000 N THE SHEL	PE G L	R OUNCE	N. 1000	GRAMS ANALYZ SHELLEL VDE FACTOR	ED CONTA	GRAMS	
CRACKED DISCOLOR	OF APPE GRADE OR BROK ED SHELL	ROXIMATI PE FACTOR EN SHELL:	ELY	75000 N THE SHEL	PE G L	R OUNCE	GRUTHER TYPES OF KERN SPLIT OR BROKEN KER	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS	ED CONTA	GRAMS O.O XX YC	PERCENT Ø-0 CI
CRACKED DISCOLOR	OF APPE GRADE OR BROK ED SHELL ELL DEFE	PES POXIMATI PE FACTOR EN SHELLS SCTS	ELY	75000 N THE SHEL	PE G L	R OUNCE	OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR LINSHEL	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS	ED CONTA	GRAMS O.O: X:Y= Q.8	PERCENT 6.00 ×× 0.98
CRACKED DISCOLOR	OF APPE GRADE OR BROK ED SHELL ELL DEFE	PES POXIMATI PE FACTOR EN SHELLS SCTS	ELY	75000 N THE SHEL	PE G L	R OUNCE	GRUOTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR LINSHELI MINOR DEFECTS	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS LED	ED CONTA	67.0	PERCENT 6.00 x x 6.98
COUNT / OUALITY SAMPLE (CRACKED DISCOLORI OTHER SH FOREIGN K	AVERAGE OF APPP GRADE OR BROKED SHELL ELL DEFE	PES POXIMATI PE FACTOR PEN SHELLS CTS PAGED KEF	ANUTS II	75000 N THE SHEL	PE G L	R OUNCE	OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR LINSHEL	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS LED	ED CONTAI	GRAMS O.O: X:Y= Q.8	PERCENT 6.00 ×× 0.98
COUNT / OUALITY SAMPLE (CRACKED DISCOLOR) OTHER SHI FOREIGN K PEANLITS V MOKSTURE	AVERAGE OF APPP GRADE OR BROKED SHELL ELL DEFE	PES POXIMATI PE FACTOR PEN SHELLS CTS PAGED KEF	ANUTS II	75000 N THE SHEL	PE G L	R OUNCE	OTHER TYPES OF KERN SPLIT OR BROKEN KER GAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE	GRAMS ANALYZ SHELLEL NDE FACTOR HELS NELS LED LS ISED ON JOCO	ED CONTAI	GRAMS 0.0: X: X: 9.8 14.8 19.0	PERCENT 0.00 x x 0.98 1.48
COUNT / OUALITY SAMPLE (CRACKED OF CRACKED	OF APPI GRADE GRADE	ROXIMATI PE FACTOR IEN SHELLS S CCTS AAGED KEFE	ANUTS III	SOCO N THE SHEL GRV	PE G	R OUNCE RAMS DRAW PERCENT	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FORBISH MATERIAL (BA MOISTURE (BY ELECTRIC	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS LED LS LS LSED ON	CED CONTAIN PEANUTS	GRAMS Ø.0 % % 9,8 14,8 19.0 Ø.0	PERCENT 0-00 ×× 0-98 1-48 1-90 0-00 7-20
COUNT / OUALITY SAMPLE (CRACKED DISCOLOR OTHER SHI FOREIGN & PEANUTS (MORSTURE GRADE FA) L.S DEET	OF APPI GRADE OR BROKED SHELL BELL DEFE MATERIAL WITH DAM (BY ELEC	PES ROXIMATI PE FACTOR EN SHELLS S COTS MAGEO KEF FIRIC METEL S T.A. OE PSA	ANUTS III S TOTAL RINELS RI	SOCO N THE SHEL GRU	PE G	R OUNCE RAMS DRAW PERCENT SP CITS	GRUCTURE TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FORBIGN MATERIAL (BU MOISTURE (BY ELECTRIC)	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS LED LS LS LSED ON	CED CONTAIN PEANUTS	GRAMS Ø.0 % % 9,8 14,8 19.0 Ø.0	PERCENT 0-00 ×× 0-98 1-48 1-90 0-00 7-20
COUNT / OUALITY SAMPLE (CRACKED OF CRACKED	OF APPR GRADE OA BROK ED SHELL ELL DEFE MATERIAL MITH DAM (BY ELEC	PES FACTOR EN SHELLS SCITS AAGED KEFF TRIC METER APPLICAN SEPERATOR APPLICAN TO APPLICA	ANUTS III S TOTAL RINELS RI	RUNN DEZ SPEN	PE G	R OUNCE RAMS DRAW PERCENT SP CITS	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FORBISH MATERIAL (BA MOISTURE (BY ELECTRIC	GRAMS ANALYZ SHELLEL NDE FACTOR HELS NELS LED LS LS SED ON	CED CONTAIN PEANUTS	GRAMS Ø.0 % % 9,8 14,8 19.0 Ø.0	PERCENT 0-00 ×× 0-98 1-48 1-90 0-00 7-20
CRACKED DISCOLOR OTHER SHIP FOREIGN & MORSTURE GRADE FAILS DEET	OF APPR GRADE OA BROK ED SHELL ELL DEFE MATERIAL MITH DAM (BY ELEC	PES ROXIMATI PE FACTOR EN SHELLS S COTS MAGEO KEF FIRIC METEL S T.A. OE PSA	ANUTS III S TOTAL RINELS RI	RUMAN APPEAL D	PE G L L L L L L L L L L L L L L L L L L	PERCENT PERCENT SPC) TS	GRUNDER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC S. ACCOUNT J. E. REMALY S. (NAME OF LAR)	GRAMS ANALYZ SHELLEL NDE FACTOR HELS NELS LED LS LS SED ON	CRAMS) CRAMS) CRAMS)	GRAMS O.O. X.Y. Q.8 14.8 14.0 O.O.	PERCENT 0.00 xx 0.98 1.48 1.90 0.00 7.20 CTS,
COUNT / OUALITY SAMPLE (CRACKED OISCOLORI OTHER SHIP FOREIGN IN MOISTURE GRADE FA) L.S No EST SAMPLES DI ESSA	OF APPE GRADE OR BROK ED SHELL BLL DEFE MATERIAL WITH DAM (BY ELEC	PES FACTOR EN SHELLS S CTS MAGED KETE FACTOR APPLICAN 1-AB	ANUTS III S TOTAL RHELS RI LL. S RUSA TABOVE	RUNAL APPEAL D	PE G L L MANS	PENCENT SPCTT SPCTT AND SENT TO US FIESULTS TO	GRUNDER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FORBISM MATERIAL (BA MOISTURE (BY ELECTRIC S. ACCOUNT J. E. REMACKS (NAME OF LAR) D. BE. PHONED (PER POUN GRAMS ANALYZ SHELLED ADE FACTOR HELS NELS LED LS SEED ON	GRAMS) GRAMS) MESS WIRED COMP	GRAMS	PERCENT 0.00 xx 0.98 1.48 1.90 0.00 7.20 CTS,
COUNT / OUALITY SAMPLE (CRACKED DISCOLOR OTHER SHE FOREIGN K PEANUTS \(\) MOISTURE GRADE \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\	OF APPE GRADE OR BROK ED SHELL BLL DEFE MATERIAL WITH DAM (BY ELEC	PE FACTOR EN SHELL: S CCTS MAGEO KEF THIC METER 1.AB MEETS R 7 CF	ANUTS III S YOTAL SNELS RULLS	REDAN APPEAL D	PE G L L AMS	PERCENT SPCT SPC	GRUNDER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FORBISM MATERIAL (BA MOISTURE (BY ELECTRIC S. ACCOUNT J. E. REMACKS (NAME OF LAR) D. BE. PHONED (GRAMS ANALYZ SHELLEL NDE FACTOR HELS NELS LED LS LS LS LSED ON	GRAMS) GRAMS) MESS WIRED COMP	GRAMS	PERCENT 0.00 xx 0.98 1.48 1.90 0.00 7.20 CTS,
COUNT / OUALITY SAMPLE (CRACKED DISCOLOR OTHER SHE FOREIGN & MOISTURE GRADE FA) LS FA LS TAMPLES DISCOLOR OTHER SAMPLES DISCOLOR OTHER DISCOLOR OTHER SAMPLES DISCOLOR OTHER	OF APPE GRADE OR BROK ED SHELL BLL DEFE MATERIAL WITH DAM (BY ELEC	PE FACTOR EN SHELL: S CCTS MAGEO KEF THIC METER 1.AB MEETS R 7 CF	ANUTS III S YOTAL SNELS RULLS	RUNAL APPEAL D	PE G L L AMS	PERCENT SPCT SPC	GRUNDER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FORBISM MATERIAL (BA MOISTURE (BY ELECTRIC S. ACCOUNT J. E. REMACKS (NAME OF LAR) D. BE. PHONED (PER POUN GRAMS ANALYZ SHELLED ADE FACTOR HELS NELS LED LS SEED ON	GRAMS) GRAMS) MESS WIRED COMP	GRAMS	PERCENT 0.00 xx 0.98 1.48 1.90 0.00 7.20 CTS,
COUNT / OUALITY SAMPLE (CRACKED DISCOLOR OTHER SHE FOREIGN K PEANUTS \(\text{MOISTURE GRADE FA} \) LS \(\text{FAPLES BE INC.} \) REMARKS CHARGES	OF APPE GRADE OR BROK ED SHELL BLL DEFE MATERIAL WITH DAM (BY ELEC	PE FACTOR EN SHELL: S CCTS MAGEO KEF THIC METER 1.AB MEETS R 7 CF	ANUTS III S YOTAL SNELS RULLS	REDAN APPEAL D	PE G L L AMS	PERCENT SPCT SPC	GRUNDER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FORBISM MATERIAL (BA MOISTURE (BY ELECTRIC S. ACCOUNT J. E. REMACKS (NAME OF LAR) D. BE. PHONED (PER POUN GRAMS ANALYZ SHELLED ADE FACTOR HELS NELS LED LS SEED ON	GRAMS) GRAMS) MESS WIRED COMP	GRAMS	PERCENT 0.00 xx 0.98 1.48 1.90 0.00 7.20 CTS,
COUNT / OUALITY SAMPLE (CRACKED DISCOLOR OTHER SHE FOREIGN & MOISTURE GRADE FA) LS FA LS TAMPLES DISCOLOR OTHER SAMPLES DISCOLOR OTHER DISCOLOR OTHER SAMPLES DISCOLOR OTHER	OF APPE GRADE OR BROK ED SHELL BLL DEFE MATERIAL WITH DAM (BY ELEC	PE FACTOR EN SHELL: S CCTS MAGEO KEF THIC METER 1.AB MEETS R 7 CF	ANUTS III S YOTAL SNELS RULLS	REDAN APPEAL D	PE G L L AMS	PERCENT SPCT SPC	GRUNDER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FORBISM MATERIAL (BA MOISTURE (BY ELECTRIC S. ACCOUNT J. E. REMACKS (NAME OF LAR) D. BE. PHONED (PER POUN GRAMS ANALYZ SHELLED ADE FACTOR HELS NELS LED LS SEED ON	GRAMS) GRAMS) MESS WIRED COMP	GRAMS	PERCENT 0.00 xx 0.98 1.48 1.90 0.00 7.20 CTS,
COUNT / OUALITY SAMPLE (CRACKED DISCOLOR OTHER SHE FOREIGN & MOISTURE GRADE FA) L.S. PEANUTS \(\text{MOISTURE} \) FAMPLES BE \(\text{MOISTURE} \) REMARKS CHARGES FEES 1	OF APPE GRADE OR BROK ED SHELL BLL DEFE MATERIAL WITH DAM (BY ELEC	PE FACTOR EN SHELL: S CCTS MAGEO KEF THIC METER 1.AB MEETS R 7 CF	ANUTS III S TOTAL RNELS RI TABOVE REQUIREMENT RAPA REAL RAPA REAL REAL RAPA REAL REAL RAPA REAL REAL RAPA REAL REAL REAL REAL REAL REAL REAL REA	READ AND AND AND AND AND AND AND AND AND A	PEC GLAMS ELLAMS FRAWN NALYS FLAWN FLAW	PERCENT PERCENT SPCITS SPCITS AND SENT TO US RESULTS TO COMMENT FOR COMMENT AND SENT TO US RESULTS TO COMMENT TO MARKET TO MARKET TO US RESULTS TO COMMENT TO MARKET TO MARKET TO US RESULTS T	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FORBISH MATERIAL (BA MOISTURE (BY ELECTRIC S. ACCOUNT) E. REMYACK S. (NAME OF LAN) D. BE. PHONED (FAILS TO ME	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS ED LS SED ON	GRAMS) GRAMS) MARCO College Marketing A.	GRAMS O.O. X.Y. 9,8 14.8 19.C O.O. DEFEC	PERCENT 0.00 x x 0.98 1.48 1.90 0.00 7.20 CTS, (DATE) /6/0.3 0 to Applicant
COUNT OUALITY SAMPLE OF CRACKED O	OF APPE GRADE OR BROK ED SHELL BLL DEFE MATERIAL WITH DAM (BY ELEC	PES PACTOR PER SHELLS. SCITS PAGE NAME OF SHELLS PAGE NAME OF SHEL	ANUTS III S YOTAL RNELS R) LUS ROWE ROWING ANGER ROWING LANGE ROWING LANGE ROWING LANGE ROWING LANGE ROWING LANGE LANGE	READ AND A ADDRESS OF MANAGEMENT AND A ADDRESS OF A ADDRE	PAWN NALYS	PERCENT PERCENT SPCITS SPCITS AND SENT TO US RESULTS TO COMMENT FOR COMMENT AND SENT TO US RESULTS TO COMMENT TO MARKET TO MARKET TO US RESULTS TO COMMENT TO MARKET TO MARKET TO US RESULTS T	GRU OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNISHELI MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC S. ACCOUNT J. E. REMALY S. (NAME OF LAR) D. BE. PHONED (FAILS TO M	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS ED LS SED ON	GRAMS) GRAMS) MARCO College Marketing A.	GRAMS O.O. X.Y. 9,8 14.8 19.C O.O. DEFEC	PERCENT 0.00 x x 0.98 1.48 1.90 0.00 7.20 CTS, (DATE) /6/0.3 0 to Applicant
COUNT / OUALITY SAMPLE (CRACKED OF CRESS OF CRE	OF APPE GRADE OR BROK ED SHELL BLL DEFE MATERIAL WITH DAM (BY ELEC	PES PACTOR PER SHELLS. SCITS PAGE NAME OF SHELLS PAGE NAME OF SHEL	ANUTS III S YOTAL RNELS R) LUS ROWE ROWING ANGER ROWING LANGE ROWING LANGE ROWING LANGE ROWING LANGE ROWING LANGE LANGE	RUMAN APPEAL DA AMERICA SPILL SUM SUM SAN	PAWN NALYS	PERCENT PERCENT SPCITS SPCITS AND SENT TO US RESULTS TO COMMENT FOR COMMENT AND SENT TO US RESULTS TO COMMENT TO MARKET TO MARKET TO US RESULTS TO COMMENT TO MARKET TO MARKET TO US RESULTS T	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FORBISH MATERIAL (BA MOISTURE (BY ELECTRIC S. ACCOUNT) E. REMYACK S. (NAME OF LAN) D. BE. PHONED (FAILS TO ME	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS ED LS SED ON	GRAMS) GRAMS) MARCO College Marketing A.	GRAMS O.O. X.Y. 9,8 14.8 19.C O.O. DEFEC	PERCENT 0.00 x x 0.98 1.48 1.90 0.00 7.20 CTS, (DATE) /6/0.3 0 to Applicant
COUNT / OUALITY SAMPLE (CRACKED DISCOLORI DISCOLORI OTHER SHI FOREIGN K PEANUTS V MOKSTURE GRADE FA) LS INCEPT SAMPLES BI SAMPLES BI DRAWING 3 HANDLING 3 SAMPLING 3	OF APPR GRADE OR BROKED SHELL ELL DEFE MATERIAL WITH DAM (BY ELEC TO GE LLED TO	PES ROXIMATI PE FACTOR EN SHELLS SCTS AAGED KEF TRIC METE TRIC M	ANUTS III S YOTAL RNELS R) LUS ROWE ROWING ANGER ROWING LANGE ROWING LANGE ROWING LANGE ROWING LANGE ROWING LANGE LANGE	READ AND A ADDRESS OF MANAGEMENT AND A ADDRESS OF A ADDRE	PAWN NALYS	PERCENT PERCENT SPCITS SPCITS AND SENT TO US RESULTS TO COMMENT FOR COMMENT AND SENT TO US RESULTS TO COMMENT TO MARKET TO MARKET TO US RESULTS TO COMMENT TO MARKET TO MARKET TO US RESULTS T	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FORBISH MATERIAL (BA MOISTURE (BY ELECTRIC S. ACCOUNT) E. REMYACK S. (NAME OF LAN) D. BE. PHONED (FAILS TO ME	GRAMS ANALYZ SHELLEL ADE FACTOR HELS NELS ED LS SED ON	GRAMS) GRAMS) MARCO College Marketing A.	GRAMS O.O. X.Y. 9,8 14.8 19.C O.O. DEFEC	PERCENT 0.00 x x 0.98 1.48 1.90 0.00 7.20 CTS, (DATE) /6/0.3 0 to Applicant

Exhibit XVIII – Fails U.S. Runner Splits Account Sound Whole Kernels. Meets APSA "Runner Splits" and 7CFR, Part 996 for Human Consumption.

C 280165	мн	AGRICULTU FEDERAL-SY	DEPARTMENT OF AGRICUM RAL MARKETING SERVICE ATE INSPECTION SERVICE INSPECTION CE	E E	C 28	0165	
This cortificate is issued in compliance Marketing Act of 1946, as amended (7 thousands) knowingly shall falsely make, issue, ah imprisonment for not more than one year	J.S.C. 1621 et. se er, forge or cou	eq:) and is admissat	da as prima locio evidono	e in all courts of the Ur	ritod States.	WARNING: As	y person who
SAMPLING BEGAN		SAMPLE A	NALYSIS FINISHED	TYPE	F INSPECT	ION (Mark	One Only)
HOUR DATE		HOUR	DATE	X LOT INS	PECTED		
450 PM 101271	03		10/30/03	LOTLO	ADED Into	-	
LOCATION CODE WHERE SAMPLE DRA	Shelling	Smithu			AR L	TRAILER	· · · · · · · · · · · · · · · · · · ·
APPLICANT CODE APPLICANT NAME AN	IN ADDRESS		ille, ar		EYANCE ID	ENTIFICATI ST	
13030 McCleske		loc Sn	LITHUILLE GA	1.11.21.2		[*"	
RECEIVER NAME AND ADDRESS	4 111113	Tricy CAL	SHIPPER NAME AND ADDI	ESS .	····		
NOT GI	UEN						
PRODUCT							
CLEANED IN THE SHELL		FIBERBOARD	SACKS	WITH NO DISTING	DUISHING M	IARKS	
SHELLED PEANUTS	IN [BULK	X	TAGGED WITH	ELLOU	COLORE	D TAGS
TAGINSCRIPTION US Runner	Solits	"Ryones"	Splits: Wen	At 21251	ઇ ડ.	TAG CO	ONTROL
mcCleskey mills in		Thuille 6	A	·)		<u>50</u>	ISSUED
100SE LOT NOMBER CROP YR		יי זיכי נכי ייארייאלייאריי		•••••		-	USED
68 1069 03 APPLICANT STATES	USDA	GEORGI	2/	FEDERAL-STATE IN	SPECIED		RETURNED
	SBIRIN	TYPE LOT NO	OR COU	NT OF	2/	· •	DONTAINERS
SIZE							
% S/W Kernels PASSING	G	Inch _	Screen, % V	Vh Kemels RIDING		Inch	Screen
% S/W Kernels PASSING	6	Inch	Screen; % V	Vh Kemels RIDING		Inch	Screen
O-411 % 8/W Hornels & Kernel							
% Peanuts With Undama	aged Shells P	,	Inch	Screen			
COUNT AVERAGES	eged Shells P	PER OUNCE	ncns	ECREPOUNG)		
COUNT AVERAGES QUALITY		,				NED THE FO	OLLOWING:
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY	25000 IN THE SHELL	PER OUNCE	wi. 1000	GRAMS ANALYZ		NED THE FO	OLLOWING:
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY	25000	PER OUNCE GRAMS DRAY	VN. /000 GR	GRAMS ANALYZ SHELLED AGE FACTOR	ED CONTAI	GRAMS	PERCENT
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS	PSOCO IN THE SHELL	PER OUNCE GRAMS DRAY	VN. /OOO GR.	PER POUNC GRAMS ANALYZ SHELLED ADE FACTOR WELS	ED CONTAI	GRAMS	PERCENT 0-CO
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS	PSOCO IN THE SHELL	PER OUNCE GRAMS DRAY	VN. COO GR. OTHER TYPES OF KERN SPLIT OR BRICKEN KER	GRAMS ANALYZ SHELLED ADE FACTOR WELS	ED CONTAI	GRAMS Ø. Ø. ××	PERCENT O.CO K. M
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS	PSOCO IN THE SHELL	PER OUNCE GRAMS DRAY	OTHER TYPES OF KERN SPLIT OR BRICKEN KER DAMAGED OR UNISHEL	GRAMS ANALYZ SHELLED ADE FACTOR WELS	ED CONTAI	GRAMS Ø.O: ×× Ø.O	PERCENT O.CO K. M. O. 6 O
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL	PSOCO IN THE SHELL	PER OUNCE GRAMS DRAY	VN. COO GR. OTHER TYPES OF KERN SPLIT OR BRICKEN KER	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED	ED CONTAI	GRAMS 0.0: xx 6.0 12.8	PERCENT 0.00 x.× 0.60 1.28
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS	PSOCO IN THE SHELL	PER OUNCE GRAMS DRAY	OTHER TYPES OF KERR SPLIT OR BRICKEN KER DAMAGED OR LINISHEL MINOR DEFECTS	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED	ED CONTAI	GRAMS Ø.O: ×× Ø.O	PERCENT O.CO K. M. O. 6 O
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL	PSOCO IN THE SHELL	PER OUNCE GRAMS DRAY	OTHER TYPES OF KERN SPLIT OR BRICKEN KER DAMAGED OR LINISHEL MINOR DEFECTS SOUND WHOLE KERNE	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED LS ASED ON ATTOR OF	ED CONTAI	GRAMS 0.0: x x 6.0 12.8 43.8	PERCENT 0.00 x.y 0.60 1.28 4.38
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE	25000 IN THE SHELL GRAI	PER OUNCE GRAMS DRAV MS PERCENT	OTHER TYPES OF KERR SPLIT OR BRICKEN KER BAUAGED OR LINSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRI	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED LS LSC CMETER)	ED CONTAI PEANUTS	GRAMS 0.0 xx 6.0 /2.8 43.8 0.0	PERCENT 0-CO x > 0.60 1.28 1.1.38 0.00 4.50
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR DROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE U.S.	SOCO IN THE SHELL GRAI	PER OUNCE GRAMS DRAV MS PERCENT	OTHER TYPES OF KERR SPLIT OR BRICKEN KER BAUAGED OR LINSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOISTURE (BY ELECTRI	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED LS LSC CMETER)	ED CONTAI PEANUTS	GRAMS 0.0 xx 6.0 /2.8 43.8 0.0	PERCENT 0-CO x > 0.60 1.28 1.1.38 0.00 4.50
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE (L.S.) "LUNCE SPLITS" SAMPLES BILLED TO APPLICANT ABOVE	CUMARE SEE REY	PER OUNCE GRAMS DRAV MS PERCENT	OTHER TYPES OF KERN SPLIT OR BRICKEN KER BAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B) MOISTURE (BY ELECTRI	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED LS ASED ON STOCK C METER) LUTTOLE C.	PEANUTS STAMS) ERANGEL S.	GRAMS 0.0 x x 6.0 12.8 43.8 0.0	PERCENT 0-CO K. W. 0-6 C 1-28 4-38 0-0 C 6-5 0 APSA
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR DROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE U.S.	SOCO IN THE SHELL GRAI GRAI CUMARE SIEE REI	PER OUNCE GRAMS DRAV MS PERCENT	OTHER TYPES OF KERING SPLIT OR BROKEN KERING BAMAGED OR LINISHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B. MOISTURE (BY ELECTRIC CO. J. N. T. S. C. N. J. A. A. C. DIAME OF LAB	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED LS ASED ON STOCK C METER) LUTTOLE C.	EENELS.	GRAMS 0.0 XX 6.0 12.8 43.8 0.0	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 6.50 APSA (DATE) 30/03
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE U.S. SAMPLES BILLED TO APPLICANT ABOVE	CULLAREZ SIEE REY	PER OUNCE GRAMS DRAV MS PERCENT SPLIT'S ACCOUNTS ACCOUNTS EAWN AND SENT TO LIVEYSIS RESULTS TO	OTHER TYPES OF KERR SPLIT OR BRIOKEN KER BAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B) MOISTURE (BY ELECTRA PHAME OF LAB) O BE PHONED (PER POUNC GRAMS ANALYZ SHELLED ADE FACTOR WELS INCLS LED LS ASED ON A COMMETTER COMMETTER (ADDRA COMMETTER) (ADDRA COMMETTER)	ERACLS.	GRAMS 0.0 x x 6.0 12.8 43.8 0.0 MEETS	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 6.50 APSA (DATE) 30/03
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE (L.S.) SAMPLES BILLED TO APPLICANT ABOVE 1-CD REMARKS MEETS Requirement TOTAL MOSTURE SPLITES SAMPLES BILLED TO APPLICANT ABOVE REMARKS	CULLARE RELATIONS OF Marketing and Marketing are 1996	SPLITS ACCUMANTS OF SENT TO SAGREGIANT TO SA	OTHER TYPES OF KERR SPLIT OR BRIOKEN KER BAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B) MOISTURE (BY ELECTRA PHAME OF LAB) O BE PHONED (GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED LS ASED ON STOCK C METER) LUTTOLE C.	ERACLS.	GRAMS 0.0 x x 6.0 12.8 43.8 0.0 MEETS	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 6.50 APSA (DATE) 30/03
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE U.S. SAMPLES BILLED TO APPLICANT ABOVE	CULLARE RELATIONS OF Marketing and Marketing are 1996	SPLITS ACCUMANTS OF SPRINGS OF SP	OTHER TYPES OF KERR SPLIT OR BRIOKEN KER BAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B) MOISTURE (BY ELECTRA PHAME OF LAB) O BE PHONED (PER POUNC GRAMS ANALYZ SHELLED ADE FACTOR WELS INCLS LED LS ASED ON A COMMETTER COMMETTER (ADDRESS)	ERACLS.	GRAMS 0.0 x x 6.0 12.8 43.8 0.0 MEETS	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 6.50 APSA (DATE) 30/03
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE (L.S.) SAMPLES BILLED TO APPLICANT ABOVE 1-CD REMARKS MEETS Requirement TOTAL MOSTURE SPLITES SAMPLES BILLED TO APPLICANT ABOVE REMARKS	CULLARE RELATIONS OF Marketing and Marketing are 1996	SPLITS ACCUMANTS OF SPRINGS OF SP	OTHER TYPES OF KERR SPLIT OR BRIOKEN KER BAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B) MOISTURE (BY ELECTRA PHAME OF LAB) O BE PHONED (PER POUNC GRAMS ANALYZ SHELLED ADE FACTOR WELS INCLS LED LS ASED ON A COMMETTER COMMETTER (ADDRESS)	ERACLS.	GRAMS 0.0 x x 6.0 12.8 43.8 0.0 MEETS	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 6.50 APSA (DATE) 30/03
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE U.S. SAMPLES BILLED TO APPLICANT ABOVE I-CD REMARKS MEETS Requirement TOTAL ABOVE REMARKS	CULLARE RELATIONS OF Marketing and Marketing are 1996	SPLITS ACCUMANTS OF SPRINGS OF SP	OTHER TYPES OF KERR SPLIT OR BRIOKEN KER BAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B) MOISTURE (BY ELECTRA PHAME OF LAB) O BE PHONED (PER POUNC GRAMS ANALYZ SHELLED ADE FACTOR WELS INCLS LED LS ASED ON A COMMETTER COMMETTER (ADDRESS)	ERACLS.	GRAMS 0.0 x x 6.0 12.8 43.8 0.0 MEETS	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 6.50 APSA (DATE) 30/03
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE (L.S.) SAMPLES BILLED TO APPLICANT ABOVE 1-CD REMARKS MEETS Requireme TOTAL CHARGES	CULLARE RELATIONS OF Marketing and Marketing are 1996	SPLITS ACCUMANTS OF SPRINGS OF SP	OTHER TYPES OF KERR SPLIT OR BRIOKEN KER BAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B) MOISTURE (BY ELECTRA PHAME OF LAB) O BE PHONED (PER POUNC GRAMS ANALYZ SHELLED ADE FACTOR WELS INCLS LED LS ASED ON A COMMETTER COMMETTER (ADDRESS)	ERACLS.	GRAMS 0.0 x x 6.0 12.8 43.8 0.0 MEETS	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 6.50 APSA (DATE) 30/03
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE (L.S.) SAMPLES BRILED TO APPLICANT ABOVE I-CD REMARKS MEETS REquireme 7 CFR Hu man CHARGES FEES 1 DRAWING 8 HANDLING 1	CONSUM;	PER OUNCE GRAMS DRAV MS PERCENT SPLITS ACC WARKS WARE	OTHER TYPES OF KERN SPLIT OR BRICHEN KER BAUAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (III MOISTURE (BY ELECTRI PHANE OF LAB PHANE OF LAB FAILS to n	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED LS LSED ON STOCK COMETER) ADDOR COMETER OF Addiculture, do bereby	EZAMS) EZAMS) EZAMS WIFED Collecting Agreement in the control of the control o	GRAMS O-O XX G-O /2.8 43.8 O-O MEETS IC MAILEI processor	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 4.75A (DATE) 1.30 10.3 D to Applicant
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS DISCOLORED SHELLS TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE U.S. SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB REMARKS MEETS REquireme T. CFR. HU MAN CHARGES FEES 1 DRAWING 1 SAMPLING 5 SAMPLING 5 SAMPLING 5 SAMPLING 5 PANDOXIMATELY PEANUTS PEANUTS REMARKS PANDUING 3 SAMPLING 5 SAMPLING 5 PEANUTS PEANUTS PEANUTS PEANUTS PEANUTS PEANUTS PEANUTS PEANUTS PEANUTS POTAL PEANUTS PEANU	APPEAL DE ANTONIO DE COM SUM,	PER OUNCE GRAMS DRAV MS PERCENT SPLIT'S ACC WA-2 K.S. RAWN AND SENT TO WLYSIS RESULTS TO GRAMS DRAV Advancement GRAMS DRAV Advancement Advancement GRAMS DRAV Advancement	OTHER TYPES OF KERR SPLIT OR BROKEN KER BAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREGON MATERIAL (B) MOISTURE (BY ELECTRIC PHAME OF LAB) O BE PHONED (FAILS TO IT	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED LS LSED ON STOCK COMETER) ADDOR COMETER OF Addiculture, do bereby	EZAMS) EZAMS) EZAMS WIFED Collecting Agreement in the control of the control o	GRAMS O-O XX G-O /2.8 43.8 O-O MEETS IC MAILEI processor	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 4.75A (DATE) 1.30 10.3 D to Applicant
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE U.S. "LUDAGE SPLICED TO APPLICANT ABOVE SAMPLES BILLED TO APPLICANT ABOVE I-OD I-AB REMARKS CHARGES FEES 3 DRAWING 4 HANDLING 5 SAMPLING 5 EXPENSES 1 PARTICIPATION STRIPPINGES FERPENSES 1 PRANTING SAMPLING 5 EXPENSES 1	APPEAL DE AN CONSCIENTS OF Marketing and Application and Application of the state o	PER OUNCE GRAMS DRAV MS PERCENT SPLIT'S ACC WA-2 K.S. RAWN AND SENT TO WLYSIS RESULTS TO GRAMS DRAV Advancement GRAMS DRAV Advancement Advancement GRAMS DRAV Advancement	OTHER TYPES OF KERN SPLIT OR BRICHEN KER BAUAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (III MOISTURE (BY ELECTRI PHANE OF LAB PHANE OF LAB FAILS to n	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED LS LSED ON STOCK COMETER) ADDOR COMETER OF Addiculture, do bereby	EZAMS) EZAMS) EZAMS WIFED Collecting Agreements and the second	GRAMS O-O XX G-O /2.8 43.8 O-O MEETS IC MAILEI processor	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 4.75A (DATE) 1.30 10.3 D to Applicant
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS DISCOLORED SHELLS TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS TO GRADE U.S. SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB REMARKS MEETS REquireme T. CFR. HU MAN CHARGES FEES 1 DRAWING 1 SAMPLING 5 SAMPLING 5 SAMPLING 5 SAMPLING 5 PANDOXIMATELY PEANUTS PEANUTS REMARKS PANDUING 3 SAMPLING 5 SAMPLING 5 PEANUTS PEANUTS PEANUTS PEANUTS PEANUTS PEANUTS PEANUTS PEANUTS PEANUTS POTAL PEANUTS PEANU	APPEAL DE ANTONIO DE COM SUM,	PER OUNCE GRAMS DRAV MS PERCENT SPLIT'S ACC WA-2 K.S. RAWN AND SENT TO WLYSIS RESULTS TO GRAMS DRAV Advancement GRAMS DRAV Advancement Advancement GRAMS DRAV Advancement	OTHER TYPES OF KERN SPLIT OR BRICHEN KER BAUAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (III MOISTURE (BY ELECTRI PHANE OF LAB PHANE OF LAB FAILS to n	GRAMS ANALYZ SHELLED ADE FACTOR WELS NELS LED LS LSED ON STOCK COMETER) ADDOR COMETER OF Addiculture, do bereby	EZAMS) EZAMS) EZAMS WIFED Collecting Agreements and the second	GRAMS O.O. XX G.O. 12.8 43.8 O.O. MEETS ICE MAILEI PROMINENT The request of the hown by said can	PERCENT 0.00 x x 0.60 1.28 4.38 0.00 4.75A (DATE) 1.30 10.3 D to Applicant

Exhibit XIX – Fails U.S. Runner Splits, APSA "Runner Splits" & 7CFR, Part 996 for Human Consumption Account Damage & Minor Defects.

		TARREST AND A STAR A					
	UNIT	AGFIICULTUI	PEPARTMENT OF AGRICU RAL MARKETING SERVICE	E			· ·
C 280165		FEDERAL-ST	ATE INSPECTION SERVIC	E	I C 28	0165	
			INSPECTION CE		i		
This certificate is issued in compliance with the Marketing Act of 1946, as amended (7 U.S.C.)	621 et. seg.) an	rd is admissab	de as prima facie evidenc	e in all courts of the	United States.	WARNING: A	odw nosteg vn
knowingly shall falsely make, issue, after, for imprisonment for not more than one year, or b	g e or counterfei	it this certifica	ste, or participate in any	such actions, is sub	ject to a fine (of not more l	than \$1,000 or
SAMPLING BEGAN		CANADIE A	*******	70/04	OF INCORC	DOM Work	Obs. Osta
HOUR DATE	HOUR	SAMPLE A	NALYSIS FINISHED		OF INSPECT	IION (Mark	One Only)
945 Am 12/12/02	1	30 Am	12/14/02		ISPECTED OADED Into		
LOCATION CODE WHERE SAMPLE DRAWN	WHER	E SAMPLE ANA			CAR	TRALER	
Applicants Shall	·~5	Same	ILLE GA	(0)	VEYANCE ID	w	ION .
APPLICANT CODE APPLICANT NAME AND ADDI		O / / 11:0	, , , , ,		UMBER	s	
13035 McCLESKEY 1	nills In	C, Smr	THUILLE GA	l l		1	
RECEIVER NAME AND ADDRESS	*****		SHIPPER NAME AND ADDR	£\$\$			······································
NOT GIVEN			Same	43 APPLIC	31UT		
PRODUCT						•	
		EIDEODOADO	DIAIC		·		
CLEANED IN THE SHELL		FIBERBOARD	BINS	WITH NO DISTR	OUT HELING I	AADVC	
	ı İx	BURLAP	SACKS				
SHELLED PEANUTS		-	X	TAGGED WITH	YELLCZI	COLORE	ED TAGS
		BULK					
TAG INSCRIPTION LES Runnes Solo	ts 12	voner.	Solits' 110	23 145,50	Kilos	TAG C	ONTROL
	Sugar	He GA	1			425	ISSUED
HOUSE LOT NUMBER CROP YR						400	USED
	DA	ECCE	4	FEDERAL STATE	INSPECTED	_ <u></u>	RETURNED
APPLICANT STATES							
44092 LBS RUN	NER IME	BULK LOT NO.	OR COU	MT OF	400	^	CONTAINERS
SIZE		LOI NO.	UN 000	W			CONTINUESTS
% S/W Kernels PASSING % S/W Kernels PASSING				h Kernels RIDIN		Inch .	Screen
0-40 % SW Kernels & Kernel Porti	one PASSING	Inch	Screen; % W	'n Kernels RIDIN	٠ <u></u>	Inch _	Screen
% Peanuts With Undamaged	Challa DACCI	7776		10011			
	งเหมร หลองเ	ING	Inch S	creen			
COUNT AVERAGES	J1	R OUNCE	InchS	icreen PER POU	4D		
	J1		InchS		VD.		
COUNT AVERAGES	PER					NED THE FO	OLLOWING:
COUNT AVERAGES QUALITY	PEF	OUNCE		GRAMS ANALY		NED THE FO	DLLOWING:
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500	PEF	OUNCE	n. <u>/000</u>	GRAMS ANALY	ZED CONTAIL	NED THE FO	DLLOWING:
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE	PER O O GF E SHELL	RAMS DRAW	n. <u>/000</u>	GRAMS ANALY SHELLE DE FACTOR	ZED CONTAIL		
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR	PER O O GF E SHELL	RAMS DRAW	/N. /006 GR/	GRAMS ANALY SHELLE DE FACTOR ELS	ZED CONTAIL	GRAMS	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS	PER O O GF E SHELL	RAMS DRAW	OTHER TYPES OF KERN	GRAMS ANALY SHELLE ADE FACTOR ELS WELS	ZED CONTAIL	GRAMS	PERCENT O.O.C
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS	PER O O GF E SHELL	RAMS DRAW	OTHER TYPES OF KERN SPLIT OR BROKEN KER	GRAMS ANALY SHELLE ADE FACTOR ELS WELS	ZED CONTAIL	GRAMS O.O.	PERCENT O.OC XX
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS	PER O O GF E SHELL	RAMS DRAW	OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHEL	GRAMS ANALY SHELLE ADE FACTOR ELS WELS ED	ZED CONTAIL	GRAMS 0.0 : X'X	PERCENT 0.00 XX 1.75
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS	GRAMS	RAMS DRAW	OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS	GRAMS ANALY SHELLE ADE FACTOR ELS VELS ED	ZED CONTAIL	GRAMS 0.0 XX 17.5 10.0	PERCENT 0.00 XX 1.75
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL	GRAMS	RAMS DRAW	OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE	GRAMS ANALY SHELLE NDE FACTOR ELS NELS SED SED DN 2000	ZED CONTAIL D PEANUTS	GRAMS 0.0 : XX 17.5 10.0 34.9	PERCENT 0.00 x x j.75 1.00 3.49
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE (BY ELECTRIC METER) GRADE	PEF	RAMS DRAW PERCENT	OTHER TYPES OF KEHN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNES FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC	GRAMS ANALY SHELLE ADE FACTOR ELS WELS ED SED DW 2006 METER)	ZED CONTAI D PEANUTS D PEANUTS	GRAMS 0.0 : X'X 17.5 10.0 34,9 0.0	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE Fails & grode US Lux	PEF	RAMS DRAW PERCENT	OTHER TYPES OF KEHN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNES FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC	GRAMS ANALY SHELLE ADE FACTOR ELS WELS ED SED DW 2006 METER)	ZED CONTAI D PEANUTS D PEANUTS	GRAMS 0.0 : X'X 17.5 10.0 34,9 0.0	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BRICKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE (BY ELECTRIC METER) GRADE Fails & grode US Lungard Med Mings Dofacts	PEF	RAMS DRAW PERCENT	OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNES FOREIGN MATERIAL (BA MOKSTURE (BY ELECTRIC DAMAGE (BY ELECTRIC DAMAGE (BY ELECTRIC)	GRAMS ANALY SHELLE ADE FACTOR ELS VELS LED LS SED DW 2000 AMETER)	ZED CONTAIL D PEANUTS GRAMS GRAMS **CO	GRAMS 0.0 : X'X 17.5 10.0 34,9 0.0	PERCENT 0.00 XX 1.75 1.00 3.49 0.00 7.60
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE (BY ELECTRIC METER) GRADE Fails & grade US Run Ond Minot Dofe of S SAMPLES BILLED TO APPLICANT ABOVE	PER SEC Ren	RAMS DRAW PERCENT	OTHER TYPES OF KEHN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNES FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC	GRAMS ANALY SHELLE ADE FACTOR ELS WELS ED SED ON 2006 AMETER)	ZED CONTAIN D PEANUTS GRAMS) S'''GCCO	GRAMS 0.0 XX 17.5 10.0 34.9 0.0	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE (BY ELECTRIC METER) GRADE Fails to grode U.S. Kurg Quad Mines Defects	PEF O GF E SHELL GRAMS Oner So Seo Ren	RAMS DRAW PERCENT	OTHER TYPES OF KERN SPLIT OR BROKEN KERI DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNES FOREIGN MATERIAL (BA MORSTURIE (BY ELECTRIC APS A "ILU PHASE OF LIAN AND C"	GRAMS ANALY SHELLE ADE FACTOR ELS WELS ED SED ON 2006 AMETER)	GRAMS) GRAMS) GRAMS) GRAMS)	GRAMS 0.0 XX 17.5 10.0 34.9 0.0	PERCENT 0.00 X X 1.75 1.00 3.49 0.00 7.60 9mm(:E
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE (BY ELECTRIC METER) GRADE Fails to grode US Lun Cod Minor Dofects SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB APPLICATION APPLICANT ABOVE	PEF SEC RETT ANALYSE PEF	PERCENT PERCENT PERCENT AND SENT TO SESSUES TO SESSU	OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEE FORIEGN MATERIAL (BA MOSTURE (BY ELECTRIC OF MARKE OF LIFE OR DE PHONED (GRAMS ANALY SHELLE IDE FACTOR ELS VELS ED SED ON 2000 METER) MATTER ADDITIONALE AND AGE AGE AND AGE AGE AND AGE	GRAMS) GRAMS) GRAMS) GRAMS)	GRAMS 0.0 XY 17.5 10.0 34.9 0.0	PERCENT 0.00 X X 1.75 1.00 3.49 0.00 7.60 9mm(:E
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BRUKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE BY ELECTRIC METER) GRADE Fails & grade US Lun Grad Minos Defects SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB APPLICATION OF APPLICANT ABOVE	PEF SEC RETT ANALYSE PEF	PERCENT PERCENT PERCENT AND SENT TO SESSUES TO SESSU	OTHER TYPES OF KERN SPLIT OR BROKEN KERI DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BA MOSTURE (BY ELECTRIC AMME OF LAR) PHONED (FOREIGN S IO OR	GRAMS ANALY SHELLE NDE FACTOR ELS VELS ED SED DIV 2000 METER) AND ANALY AN	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	GRAMS 0.0 XX 17.5 10.0 34.9 0.0	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE (BY ELECTRIC METER) GRADE Fails to grode US Lun Cod Minor Dofects SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB APPLICATION APPLICANT ABOVE	PEF SEC RETT ANALYSE PEF	PERCENT PERCENT PERCENT AND SENT TO SESSUES TO SESSU	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNISHELI MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL, BA MOSTURE (BY ELECTRIC AMAGE OF LAR) O BE PHONED (FAILS IN M	GRAMS ANALY SHELLE NDE FACTOR ELS VELS ED SED ON 2000 METER) COLUMN ANALY AN	GRAMS)	GRAMS O.O. XX 17.5 10.0 34,9 O.O. AT D	PERCENT 0.00 XX 1.75 1.00 3.49 0.00 7.60 977762 10ATE 10/14/02 0 to Applicant
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE (BY ELECTRIC METER) GRADE Fails to grode US Lun Cod Minor Dofects SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB APPLICATION APPLICANT ABOVE	PEF SEC RETT ANALYSE PEF	PERCENT PERCENT PERCENT AND SENT TO SESSUES TO SESSU	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNISHELI MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL, BA MOSTURE (BY ELECTRIC AMAGE OF LAR) O BE PHONED (FAILS IN M	GRAMS ANALY SHELLE NDE FACTOR ELS VELS ED SED DIV 2000 METER) AND ANALY AN	GRAMS)	GRAMS O.O. XX 17.5 10.0 34,9 O.O. AT D	PERCENT 0.00 XX 1.75 1.00 3.49 0.00 7.60 977762 10ATE 10/14/02 0 to Applicant
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 750 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE Tails & grade us lung GRADE Jails & grade us	PEF SEC RETT ANALYSE PEF	PERCENT PERCENT PERCENT AND SENT TO SESSUES TO SESSU	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNISHELI MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL, BA MOSTURE (BY ELECTRIC AMAGE OF LAR) O BE PHONED (FAILS IN M	GRAMS ANALY SHELLE NDE FACTOR ELS VELS ED SED ON 2000 METER) COLUMN ANALY AN	GRAMS)	GRAMS O.O. XX 17.5 10.0 34,9 O.O. AT D	PERCENT 0.00 XX 1.75 1.00 3.49 0.00 7.60 977762 10ATE 10/14/02 0 to Applicant
CHARGES OUALITY SAMPLE OF APPROXIMATELY 750 PEANUTS IN THI GRADE FACTOR CRACKED OR BRIDGEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FALLS AS GRADE US LUNG SAMPLES BILLED TO APPLICANT ABOVE SAMPLES BILLED TO APPLICANT ABOVE APPLICATION OF THE STANDARD STANDARD SHEETS REQUIREMENTS OF	PEF SEC RETT ANALYSE PEF	PERCENT PERCENT PERCENT AND SENT TO SESSUES TO SESSU	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNISHELI MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL, BA MOSTURE (BY ELECTRIC AMAGE OF LAR) O BE PHONED (FAILS IN M	GRAMS ANALY SHELLE NDE FACTOR ELS VELS ED SED ON 2000 METER) COLUMN ANALY AN	GRAMS)	GRAMS O.O. XX 17.5 10.0 34,9 O.O. AT D	PERCENT 0.00 XX 1.75 1.00 3.49 0.00 7.60 977762 10ATE 10/14/02 0 to Applicant
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 750 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE Tails to grove us lung GRADE LOD Defects SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB APPLICANTSOL CHARGES FEES \$	PEF SEC RETT ANALYSE PEF	PERCENT PERCENT PERCENT AND SENT TO SESSUES TO SESSU	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNISHELI MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL, BA MOSTURE (BY ELECTRIC AMAGE OF LAR) O BE PHONED (FAILS IN M	GRAMS ANALY SHELLE NDE FACTOR ELS VELS ED SED ON 2000 METER) COLUMN ANALY AN	GRAMS)	GRAMS O.O. XX 17.5 10.0 34,9 O.O. AT D	PERCENT 0.00 XX 1.75 1.00 3.49 0.00 7.60 977762 10ATE 10/14/02 0 to Applicant
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 750 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE FAILS & Grade US Lun Ond Mines Dafects SAMPLES BILLED TO APPLICANT ABOVE LCD 1-AB APPLICANTED APPLICANT ABOVE REMARKS MEETS Requirements of CHARGES FEES 8 DRAWING 6	PEF O GF E SHELL GRAMS ONCE Ser CAL DRAWN ANALYSE Makeing Agra	PERCENT PERCENT PERCENT AND SENT TO SESULTS FOR DOWNSON	OTHER TYPES OF KERN SPLIT OR BROKEN KERI DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNES FOREIGN MATERIAL (BA MORSTURIE (BY ELECTRIC PHONED (PHONED (THE COLUMN ACCUST OTHER TYPES OF KERN GRAPH OF LARI OTHER TYPES OF KERN OTHER	GRAMS ANALY SHELLE DE FACTOR ELS VELS ED SED DW 2000 METER) MODER SPITT WOOD CEL REQUIREMENTS OF ATT 996 AT damage	GRAMS) GRAMS G	GRAMS 0.0 XX 17.5 10.0 34.9 0.0 MALE MALE	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 750 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE Tay 15 & grade us lun Ond Mines Dafects SAMPLES BILLED TO APPLICANT ABOVE LCD 1-AB APPLICANT ABOVE REMARKS MEETS Requirements of CHARGES FEES 8 DRAWING 8 ANDLING 8	PER	PERCENT PERCENT PERCENT AND SENT TO SENTENTIANS DESCRIPTION AND SENT TO SENTENTIANS DESCRIPTION AND SENT TO SENTENTIANS DESCRIPTION AND SENTENTIANS DESCRIP	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNISHELI MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL, BA MOSTURE (BY ELECTRIC AMAGE OF LAR) O BE PHONED (FAILS IN M	GRAMS ANALY SHELLE IDE FACTOR ELS VELS ED SED ON 2000 METER) MADER ADDITION OF THE PROPERTY OF THE PR	GRAMS) GRAMS) GRAMS) GRAMS) WHED Collection House Agent House	GRAMS O.O. XX 17.5 10.0 34.9 O.O. ANT DE MALE FRAME THE FRAME CON THE F	PERCENT C.OC XX 1.75 1.00 3.49 0.00 7.60 9 PERCENT PARE
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE (BY ELECTRIC METER) GRADE FAILS & Grade US LUN GRADE LOD DAPPLICANT ABOVE SAMPLES BELLED TO APPLICANT ABOVE LOD MEETS REquirements of CHARGES FEES 8 DRAWING B AANDLING S AMPLING S	PER	PERCENT PERCENT PERCENT AND SENT TO SENTENTIANS DESCRIPTION AND SENT TO SENTENTIANS DESCRIPTION AND SENT TO SENTENTIANS DESCRIPTION AND SENTENTIANS DESCRIP	OTHER TYPES OF KEHN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEI FORIEGN MATERIAL (BA MOISTURE (BY ELECTRIC PHONED (PHONED (PHONED (TO CERT CACCOCC	GRAMS ANALY SHELLE IDE FACTOR ELS VELS ED SED ON 2000 METER) MADER ADDITION OF THE PROPERTY OF THE PR	GRAMS) GRAMS) GRAMS) GRAMS) WHED Collection House Agent House	GRAMS O.O. XX 17.5 10.0 34.9 O.O. ANT DE MALE FRAME THE FRAME CON THE F	PERCENT C.OC XX 1.75 1.00 3.49 0.00 7.60 9 PERCENT PARE
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE (BY ELECTRIC METER) GRADE FAILS & Grade US LUN GRADE FAILS BELIED TO APPLICANT ABOVE SAMPLES BELIED TO APPLICANT ABOVE 1-CD 1-AB APPLICANT ABOVE REMARKS MEETS REquirements of CHARGES FEES 8 DRAWING B AANDLING S AMPLING S SAMPLING S S	PER	PERCENT PERCENT PERCENT AND SENT TO SENTENTIANS DESCRIPTION AND SENT TO SENTENTIANS DESCRIPTION AND SENT TO SENTENTIANS DESCRIPTION AND SENTENTIANS DESCRIP	OTHER TYPES OF KEHN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEI FORIEGN MATERIAL (BA MOISTURE (BY ELECTRIC PHONED (PHONED (PHONED (TO CERT CACCOCC	GRAMS ANALY SHELLE IDE FACTOR ELS VELS ED SED ON 2000 METER) MADER ADDITION OF THE PROPERTY OF THE PR	GRAMS) GRAMS) GRAMS) GRAMS) WHED Collection House Agent House	GRAMS O.O. XX 17.5 10.0 34.9 O.O. ANT DE MALE FRAME THE FRAME CON THE F	PERCENT C.OC XX 1.75 1.00 3.49 0.00 7.60 9 PERCENT PARE
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7500 PEANUTS IN THE GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURIE (BY ELECTRIC METER) GRADE FAILS & Grade US LUN GRADE LOD DAPPLICANT ABOVE SAMPLES BELLED TO APPLICANT ABOVE LOD MEETS REquirements of CHARGES FEES 8 DRAWING B AANDLING S AMPLING S	PER	PERCENT PERCENT PERCENT AND SENT TO SENTENTIANS DESCRIPTION AND SENT TO SENTENTIANS DESCRIPTION AND SENT TO SENTENTIANS DESCRIPTION AND SENTENTIANS DESCRIP	OTHER TYPES OF KEHN SPLIT OR BROKEN KER DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEI FORIEGN MATERIAL (BA MOISTURE (BY ELECTRIC PHONED (PHONED (PHONED (TO CERT CACCOCC	GRAMS ANALY SHELLE IDE FACTOR ELS VELS ED SED ON 2000 METER) MADER ADDITION OF THE PROPERTY OF THE PR	GRAMS) GRAMS) GRAMS) GRAMS) WHED Collection House Agent House	GRAMS O.O. XX 17.5 10.0 34.9 O.O. ANT DE MALE FRAME THE FRAME CON THE F	PERCENT C.OC XX 1.75 1.00 3.49 0.00 7.60 9 PERCENT PARE

Exhibit XX - Oil Stock Lot. Meets 7 CFR, Part 996 for Non-Edible Quality.

									
C 280	165	·· Mi		AGRICULTU FEDERAL-ST	DEPARTMENT OF AGRICUMAL MARKETING SERVICE ATE INSPECTION SERVICE INSPECTION CE	E Æ	C 28	0165	,
This certificate is is	sued in compliance wi	th the recuta	tions r	d the Secretary	of Amicultum covernion	the inspection of ver	ious products	pursuant to t	he Agricultural
knowingly shall fal:	MOY WE REMEMBER TO IN O'?	longe or co	SARO) SE	nd it admictal	lo as prima facie evidenc ste, or participate in any	on in all course of this	Inited States	WARNING- A	nu narena wha
	MPLING BEGAN			SAMPLE A	NALYSIS FINISHED	ТҮРЕ	OF INSPEC	TION (Mark	One Only)
HOUR // ma Pa	narch 21,	7007	HOUP		DATE (DZ Zee)	X LOT IN	SPECTED		
LOCATION CODE	WHERE SAMPLE DRAW			30 AM	March 22,2003	ाजा ।	Okal GBCAC	¬	
	CLARKTEN,			DUBLIA			CAR L	TRAILER	
APPLICANT CODE	APPLICANT NAME AND	ADDRESS	•			 	VEYANCE IC	S	
37020	E.J. Cox	× Co.	C	LAZKTON), NC			ľ	•
RECEIVER NAME AND A	NOT 6	insent		· · · · · · · · · · · · · · · · · · ·	STRPPER NAME AND ADDE	ne As APA	2 10 1 17		· · · · · · · · · · · · · · · · · · ·
PRODUCT	700, 0	, , , ,			SAM	ne As m	210407		
				FIBERBOARE	BINS	1		•	
L CLEAN	ED IN THE SHELL			y used		WITH NO DISTIN	IQUISHING A	MARKS	
SHELLI	ED PEANUTS	IN		BURLAP	SACKS	TAGGED WITH	RED	COLORI	ED TAGS
لنسا				BULK		I MOOLD WINI	,,,,,,		LD 1700
TAG INSCRIPTION		 1				<u> </u>		TAG C	ONTROL
		•••••••						<u> 500</u>	ISSUED
	AMBER CROPYR			***********	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	••••••		225	
APPLICANT STATES	SK-3 02	USDA		ICDA (014	FEDERAL-STATE I	NSPECTED	275	RETURNED
APPLICANT STATES	· · · · · · · · · · · · · · · · · · ·			- mail			•		
16,875	LOS VIRE	SINIA	TYPE	LOT NO:	OR COU	NT OF	225		CONTAINERS
SIZE		·	•			₩ '			
	Kernels PASSING			Inch	Screen; <u>2,34</u> 0% W	/h Kernels RIDIN(315/4	× / Inch	S Screen
	Kernels PASSING			Inch	Screen; % W	th Kemels RIDIN(}	Inch	Screen
	Kemels & Kernel P uts With Undamag					reen Screen			
COUNT AVERAG	-	- O O O O O	7	R OUNCE		PER POUN	n		•
QUALITY				All Survey	and the first of the second of		T		
SAMPLE OF APPE	ROXIMATELY 4	0.000	G	RAMS DRAW	N	GRAMS ANALY	ED CONTAI	NED THE FO	OLLOWING:
	PEANUTS IN	THE SHELL	L				PEANUTS		
	FACTOR	GRA	MS	PERCENT		ADE FACTOR		GRAMS	PERCENT
CRACKED OR BROK			-		OTHER TYPES OF KERN			· · · · · · · · · · · · · · · · · · ·	
OTHER SHELL DEFE					SPLIT OR BROKEN KER				
FOREIGN MATERIAL	U13	-			MINOR DEFECTS	14537			
	TOTAL				SOUND WHOLE KERNE	LS			
PEANUTS WITH DAN					FOREIGN MATERIAL (BA		GRAMS)	281.30	28,13*
MOISTURIE (BY ÈLEC	TRIC METER)				MOISTURE (BY ELECTRIC	METER)		. D. T. A.	6.38×
GRADE									
SEE	REMARI	دع							
SAMPLES BILLED TO					PANHE OF LABI	=	RESS)	4	(DATE)
1-co	1-AB			AND SENT TO		given to a	OP) LOGIT		D to Applicant
REMARKS V	MEETS Requirement			IS RESULTS TO		noel Requirements of			O to Appacaria
	7CFR PART	996 fo	e .			noci i icquironactus ci		,	
	NEW- EDIBLE	BUALIT	74				,		.1
		a alors	است	~ to = ~ .	and and rea	crited at a	plicar	Hs se	quest.
CHARGES	N. F.	acto:	.) <u>(</u> ,	2 542,5 1711		e to be Vi	orinia Crimia	LSKŚ	U *
FEES \$	- Applic	ant S-	+-6++2	es bean	ned and reports in Sack	3 JU Mac. 11	· 7 · · · ·		-
DRAWING B									
HANDLING S	and youthe o	ate prificated. I	inthosis:	ou inspector of It s of the above de	ne United Status Dopartment critod products were inspec	of Agriculture, this hareby that and the quality and	r cornig livel at 1 or condition as s	he request of the hown by said s	ne applicant Imples were
XPENSES \$	SIGNATURE	ud OF INSPECTO	OIL	//	,		<u>·</u>		
TOTAL S	7 3		1						
ORM FV 184-9A (11-5	201	-J// 12				 	· · · · · · · · · · · · · · · · · · ·		
				_					RIGINAL

Exhibit XXI – FV-184-9A Used as a "Notice of Sampling" Only.

_	l		EPARTMENT OF AGRICU PAL MARKETING SERVICE				
C 280165			ATE INSPECTION SERVIC		C 28	0165	
*			INSPECTION CE		ľ		
This cortificate is issued in compliance in	vith the regula	tions of the Secretary	of Agriculture governing	the inspection of van	ous products	pursuant to Il	he Agricultural
Marketing Act of 1946, as amended (7 U knowingly shall falsely make, issue, alte	ar tombu or rei	seq.) and is admisseb unterfail this contilies	le as prima lecie ovidenc	o in all courts of the U	inited States.	WARNING: A	bea \$1,000 or
imprisonment for not more than one year	r, or both.	onoron and comme	io, or persopera in any	such actions, is such			11417 \$1,000 00
SAMPLING BEGAN		. SAMPLE A	NALYSIS FINISHED	TYPE	OF INSPEC	TION (Mark	One Only)
HOUR DATE	<i>'</i>	40040	TOATE /		SPECTED		
LOCATION CODE WHERE SAMPLE ORAL	94	11:45 Am	1/16/04	LATIOTIO	ADED Into		
LOCATION CODE WHERE SAMPLE ORAL	wystart	WHERE SAMPLE ANA	LYZED		CAR T	TRAILER	
Southville	61	Albo	my, A	- Promote -		ENTIFICATI	ON
APPLICANT CODE APPLICANT MAANE AND	O ADDDECC				MBER	s	
13035 Mr. Clask	Cay Post	1/3 lar 5	mitholle, 64			. [
			SHIPPER HAME AND ADDR	F88			·····
Jock's Pearut Co	Alle	ion GA	SHPPER NAME AND ADDR	AS APPL	ICANT		
PRODUCT	191120	- // 9	3/1/12	77			
	ſ		···				·
	l l	FIBERBOARE	BINS	1			
CLEANED IN THE SHELL			L	WITH NO DISTIN	QUISHING N	MARKS	
SHELLED PEANUTS	IN	✓ BURLAP	SACKS	TAGGED WITH	Rive		
[7] GIRCLED PEANOTS		BULK	V	TAGGED WITH _	73746	COLORE	ED TAGS
715 manner 115 M/	10.00		.,				
TAG INSCRIPTION 115 No	Medi	um Krinnes	110.23 16	15, 50 K10	Ş		ONTROL
HOUSE LOT HUMBER CROPYR	-and H	Cille 61				415	ISSUED
CHOP YR						400	
	USDA			FEDERAL-STATE I	NSPECTED		RETURNED
APPLICANT STATES							
44,092 LBS R	(2)	TYPE HOTTING	on one	NT OF	600		CONTAINERS
	UNNE	LOT NO.	UN COU	NI OF		 '	CONTINENS
SIZE							
% S/W Kernels PASSHN	3		Screen; % V	h Kernels RIDING	ì		Screen
SW Kernels PASSING	3	Inch	Screen: %V	Th Kernels RIDING	i	Inch	Screen
% S/W Kernels & Kernel	Portions P7	hssing		reen	$\overline{}$		
% Peanuts With Hodama	Portions P7 aged Shells	PASSING		sereen Teen			
26 Fearuts With Hodama COUNT AVERAGES	Portions P7 aged 8hells	PASSING PER OUNCE		reen	0		
COUNT AVERAGES OUALITY	aged 8hells	PASSING PER OUNCE	inch_	Sergen PER POUN			
26 Fearuts With Hodama COUNT AVERAGES	aged 8hells	PASSING PER OUNCE	inch_	sereen Teen		NEO THE FO	
OUALITY SAMPLE OF APPROXIMATELY	aged 8hells	PASSING PER OUNCE GRAMS DRAV	Inch	GRAMS ANALYZ		NED THE FO	
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	inch	GRAMS ANALYZ SHELLEI ADE FACTOR	ED CONTA	NED THE FO	
PEANUTS I GRADE FACTOR CRACKETTER PROXIMATELY PEANUTS I GRADE FACTOR	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	Inch	GRAMS ANALYZ SHELLEI ADE FACTOR	ED CONTA		OLLOWING:
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	inch	GRAMS ANALYZ SHELLEI ADE FACTOR	ED CONTA		OLLOWING:
PEANUTS I GRADE FACTOR CRACKETTER PROXIMATELY PEANUTS I GRADE FACTOR	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	Inch OTHER TYPES OF KERN	GRAMS ANALYZ GRAMS ANALYZ SHELLEI ADE FACTOR HELS	ED CONTA		OLLOWING:
PEANUTS I GRADE FACTOR CRACKETTER PROXIMATELY DISCOLORED SHELLS	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	Inch OTHER TYPES OF KERN SPLIT OR BROKEN KER	GRAMS ANALYZ GRAMS ANALYZ SHELLEI ADE FACTOR HELS	ED CONTA		OLLOWING:
PEANUTS I GRADE FACTOR CRACKEDTHR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	Inch GR OTHER TYPES OF KERN SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL	GRAMS ANALYZ GRAMS ANALYZ SHELLEI ADE FACTOR HELS MELS LED	ED CONTA		OLLOWING:
PEANUTS I GRADE FACTOR CRACKETTER PROCESS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	Inch OTHER TYPES OF KERN SPLIT OR BRICKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS	GRAMS ANALYZ GRAMS ANALYZ SHELLEI ADE FACTOR MELS LED	ED CONTA		OLLOWING:
Peanuts With Undama COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKETTER PROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	OTHER TYPES OF KERN SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE	GRAMS ANALYZ SHELLEI ADE FACTOR HELS LED LSS HELS HELS HELS HELS HELS HELS HELS	PEANUTS		OLLOWING:
PEANUTS INTERIORS OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKETTER DRICKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KERNELS	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	OTHER TYPES OF KERN SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MARREIAL (B.	GRAMS ANALYZ SHELLEI ADE FACTOR HELS LED LSS HELS HELS HELS HELS HELS HELS HELS	PEANUTS		OLLOWING:
PEANUTS WITH Undama COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKETTER PROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KERNELS JUCKSTURE: (BY ELECTRIC METER)	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	OTHER TYPES OF KERN SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MARREIAL (B.	GRAMS ANALYZ SHELLEI ADE FACTOR HELS LED LSS HELS HELS HELS HELS HELS HELS HELS	PEANUTS		OLLOWING:
PEANUTE WITH DAMAGED KERNELS OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKETTER PROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTE WITH DAMAGED KERNELS JUDISTURIE (BY ELECTRIC METER)	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	OTHER TYPES OF KERN SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MARREIAL (B.	GRAMS ANALYZ SHELLEI ADE FACTOR HELS LED LSS HELS HELS HELS HELS HELS HELS HELS	PEANUTS		OLLOWING:
PEANUTE WITH DAMAGED KERNELS OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKETTER PROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTE WITH DAMAGED KERNELS JUDISTURIE (BY ELECTRIC METER)	aged 8hells 75 0000 IN THE SHEL	PASSING PER OUNCE GRAMS DRAV	OTHER TYPES OF KERN SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B. MOISTURE (BY ELECTRI	GRAMS ANALYZ SHELLEI ADE FACTOR HELS LED LES ASED ON C METER)	CED CONTAIN PEANUTS		DLLOWING:
COUNT AVERAGES COUNT AVERAGES COUNT AVERAGES CHARLETY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKEDTER BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTE WITH DAMAGED KERNELS JUDISTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE	aged 8hells 75 0000 IN THE SHELL GR	PASSING PER OUNCE GRAMS DRAW L AMS PERCENT	OTHER TYPES OF KERF SPLIT OR BRICKEN KERF DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MARRETAL (B. MOISTURE (BY ELECTRA	GRAMS ANALYZ SHELLEI ADE FACTOR WELS LED LES ASED OW C. METER)	GRAMS)		OLLOWING:
GRADE FOREIGN MATERIALS OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRICKETTER BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUES WITH DAMAGED KERNELS JUCISTURIE (BY ELECTRIC METER) GRADE	APPEAL (PASSING PER OUNCE GRAMS DRAW L AMS PERCENT	OTHER TYPES OF KERN OTHER TYPES OF KERN SPLIT OR BRICKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B. MOISTURE (BY ELECTRA	GRAMS ANALYZ SHELLEI ADE FACTOR HELS LED LES ASED ON C METER)	GRAMS)	GRAMS	DLLOWING: PERCENT (DATE) //7/04
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKETTER BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUES WITH DAMAGED KERNELS JUDISTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE	APPEAL (PASSING PER OUNCE GRAMS DRAW L AMS PERSENT PRAWN AND SENT TO NALYSIS RESULTS TO	OTHER TYPES OF KERN OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNIG FOREIGN MAREFRAL (B. MOISTURE (BY ELECTRA BUME OF LAG) O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR MELS LED LED LES MELS LED LAG LECT MELS LECT LAG	GRAMS) PESSI WHIED CORO	GRAMS	DLLOWING:
COUNT AVERAGES COUNT AVERAGES COUNT AVERAGES CHARLETY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKEDTERS BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KERNELS JUDISTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB REMARKS MEETS Requirement	APPEAL C	PASSING PER OUNCE GRAMS DRAW L AMS PERSENT PRAWN AND SENT TO NALYSIS RESULTS TO IT Agreement	OTHER TYPES OF KERN SPLIT OR BRIOKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNIG FOREIGN MAREFRAL (B. MOISTURE (BY ELECTRA BUME OF LAG) FAILS TO RE	GRAMS ANALYZ SHELLEI ADE FACTOR WELS LED LES ASED OW C. METER)	GRAMS) PESSI WHIED CORO	GRAMS	DLLOWING: PERCENT (DATE) //7/04
COUNT AVERAGES COUNT AVERAGES COUNT AVERAGES CHARLETY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKEDTERS BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KERNELS JUDISTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB REMARKS MEETS Requirement	APPEAL C	PASSING PER OUNCE GRAMS DRAW L AMS PERSENT PRAWN AND SENT TO NALYSIS RESULTS TO IT Agreement	OTHER TYPES OF KERN SPLIT OR BRIOKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNIG FOREIGN MAREFRAL (B. MOISTURE (BY ELECTRA BUME OF LAG) FAILS TO RE	GRAMS ANALYZ SHELLEI ADE FACTOR MELS LED LED LES MELS LED LAG LECT MELS LECT LAG	GRAMS) PESSI WHIED CORO	GRAMS	DLLOWING: PERCENT (DATE) //7/04
COUNT AVERAGES COUNT AVERAGES COUNT AVERAGES CHARLETY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKEDTERS BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KERNELS JUDISTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB REMARKS MEETS Requirement	APPEAL C	PASSING PER OUNCE GRAMS DRAW L AMS PERSENT PRAWN AND SENT TO NALYSIS RESULTS TO IT Agreement	OTHER TYPES OF KERN SPLIT OR BRIOKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNIG FOREIGN MAREFRAL (B. MOISTURE (BY ELECTRA BUME OF LAG) FAILS TO RE	GRAMS ANALYZ SHELLEI ADE FACTOR WELS LED LED LAG AMETER)	GRAMS) PESSI WHIED CORO	GRAMS	DLLOWING: PERCENT (DATE) //7/04
COUNT AVERAGES COUNT AVERAGES COUNT AVERAGES CHARLETY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKEDTERS BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KERNELS JUDISTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB REMARKS MEETS Requirement	APPEAL C	PASSING PER OUNCE GRAMS DRAW L AMS PERSENT PRAWN AND SENT TO NALYSIS RESULTS TO IT Agreement	OTHER TYPES OF KERN SPLIT OR BRIOKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNIG FOREIGN MAREFRAL (B. MOISTURE (BY ELECTRA BUME OF LAG) FAILS TO RE	GRAMS ANALYZ SHELLEI ADE FACTOR WELS LED LED LAG AMETER)	GRAMS) PESSI WHIED CORO	GRAMS	DLLOWING: PERCENT (DATE) //7/04
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKETTER PROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTER WITH DAMAGED KERNELS JUDISTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE I-CD I-AB CHARGES	APPEAL C	PASSING PER OUNCE GRAMS DRAW L AMS PERSENT PRAWN AND SENT TO NALYSIS RESULTS TO	OTHER TYPES OF KERN SPLIT OR BRIOKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNIG FOREIGN MAREFRAL (B. MOISTURE (BY ELECTRA BUME OF LAG) FAILS TO RE	GRAMS ANALYZ SHELLEI ADE FACTOR WELS LED LED LAG AMETER)	GRAMS) PESSI WHIED CORO	GRAMS	DLLOWING: PERCENT (DATE) //7/04
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKEDTHAL PHONEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS JACKSTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB CHARGES FRES \$	APPEAL C	PASSING PER OUNCE GRAMS DRAW L AMS PERSENT PRAWN AND SENT TO NALYSIS RESULTS TO IT Agreement	OTHER TYPES OF KERN SPLIT OR BRIOKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNIG FOREIGN MAREFRAL (B. MOISTURE (BY ELECTRA BUME OF LAG) FAILS TO RE	GRAMS ANALYZ SHELLEI ADE FACTOR WELS LED LED LAG AMETER)	GRAMS) PESSI WHIED CORO	GRAMS	DLLOWING: PERCENT (DATE) //7/04
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKEDTHAL PHONEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS JACKSTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE SAMPLES BILLED TO APPLICANT ABOVE I-CD I-AB CHARGES FRES 3 DRAWING B	APPEAL O	PASSING PER OUNCE GRAMS DRAW AMS DRAWN AND SENT TO WALYSIS RESULTS TO WALYSIS RESULTS TO WALY A GRAMM AND SENT TO WALY SIS RESULTS TO WALY A GRAMM AND SENT TO WALY SIS RESULTS TO WALT SIS	OTHER TYPES OF KERN SPLIT OR BROKEN KER SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNS FOREIGN MATERIAL (BL MOISTURE (BY ELECTRA BURNE OF LAGH AM S O BE PHONED (FAILS TO R	GRAMS ANALYZ SHELLEI ADE FACTOR HELS HELS HELS HELS HELS HELS HELS HELS	GRAMS) GRAMS) Markoting A	GRAMS CI MARLE	DLLOWING: PERCENT (DATE) // 7 / C // D to Applicant
PEANUTS I GRADE FACTOR CHACKETTER PHONEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS JACKSTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB CHARGES FEES \$ DRAWING B HANDLING \$ L Mo under the shell on the shel	APPEAL CONTRIBUTION OF SIGNED A SHELL CONTRIBUTION OF SIGNED AS SHELL CONTRIBUTION OF SIGNED SIGNED AS SHELL CONTRIBUTION OF SIGNED AS SHELL CONTRIBUTION OF S	PASSING PER OUNCE GRAMS DRAW L AMS PERCENT PRAWN AND SENT TO NALYSIS RESULTS TO INJ. Agrocomunit L AR R. W authorized inspector of	OTHER TYPES OF KERN SPLIT OR BRIOKEN KERN DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNIG FOREIGN MAREFRAL (B. MOISTURE (BY ELECTRA BUME OF LAG) FAILS TO RE	GRAMS ANALYZ SHELLEI ADE FACTOR WELS LED ASED ON C METER) Of Agriculture, do hereby	GRAMS) OPEANUTS GRAMS) OPESS! WHIED Colle Markoting An	GRAMS ct MARE presmont	DLLOWING: PERCENT (DATE) //7/0 // O to Applicant
COUNT AVERAGES CUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKETTHE DROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUE WITH DAMAGED KERNELS JUCKSTURIE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB CHARGES FEES 3 DRAWING 8 HANDLING 3 SAMPLING 3 SAMPLING 3 SAMPLING 3 SAMPLING 3 SAMPLING 3	APPEAL CONTINUES OF STATE OF S	PASSING PER OUNCE GRAMS DRAW L AMS PERCENT PRAWN AND SENT TO NAL YSIS RESULTS TO IMPLY A PROPORTION BY R. W authorized inspector of a sumples of the above de	OTHER TYPES OF KERN OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTION SOUND WHOLE KERNE FOREIGN MAREFIAL (B. MOISTURE (BY ELECTRA (D.) (D.) (D.) (D.) (D.) (The United States Department	GRAMS ANALYZ SHELLEI ADE FACTOR WELS LED ASED ON C METER) Of Agriculture, do hereby	GRAMS) OPEANUTS GRAMS) OPESS! WHIED Colle Markoting An	GRAMS ct MARE presmont	DLLOWING: PERCENT (DATE) //7/0 // O to Applicant
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKEDTER DROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUE WITH DAMAGED KERNELS JACKSTURSE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB CHARGES FEES 3 DRAWING 5 HANDLING 3 SAMPLING 3 SAMPLING 5 EXPENSES 5 EXPENSES 5 SKRIATUR	APPEAL CONSIGNED APPEAR	PASSING PER OUNCE GRAMS DRAW L AMS PERCENT PRAWN AND SENT TO NAL YSIS RESULTS TO IMPLY A PROPORTION BY R. W authorized inspector of a sumples of the above de	OTHER TYPES OF KERN OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTION SOUND WHOLE KERNE FOREIGN MAREFIAL (B. MOISTURE (BY ELECTRA (D.) (D.) (D.) (D.) (D.) (The United States Department	GRAMS ANALYZ SHELLEI ADE FACTOR WELS LED ASED ON C METER) Of Agriculture, do hereby	GRAMS) OPEANUTS GRAMS) OPESS! WHIED Colle Markoting An	GRAMS ct MARE presmont	DLLOWING: PERCENT (DATE) //7/0 // O to Applicant
COUNT AVERAGES COUNT AVERAGES COUNT AVERAGES COUNT AVERAGES COUNT AVERAGES CHACKETT SE CONCENT OF APPROXIMATELY PEANUTS I GRADE FACTOR CRACKETT SE CHOKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTE WITH DAMAGED KERNELS JACKSTURSE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB CHARGES FEES 5 DRAWING 8 HANDLING 3 SAMPLING 5 SAMPLING 5 SAMPLING 5 SAMPLING 5 SAMPLING 5 SAMPLING 5	APPEAL CONTINUES OF STATE OF S	PASSING PER OUNCE GRAMS DRAW L AMS PERCENT PRAWN AND SENT TO NAL YSIS RESULTS TO IMPLY A PROPORTION BY R. W authorized inspector of a sumples of the above de	OTHER TYPES OF KERN OTHER TYPES OF KERN SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTION SOUND WHOLE KERNE FOREIGN MAREFIAL (B. MOISTURE (BY ELECTRA (D.) (D.) (D.) (D.) (D.) (The United States Department	GRAMS ANALYZ SHELLEI ADE FACTOR WELS LED ASED ON C METER) Of Agriculture, do hereby	GRAMS) OPEANUTS GRAMS) OPESS! WHIED Colle Markoting An	GRAMS ct MARE presmont	DLLOWING: PERCENT (DATE) //7/0 // O to Applicant

Exhibit XXII – Fails U.S. No. 2 Virginia Account Damage & Minor Defects. Meets 7CFR, Part 996 for No. 2 Virginia.

					- Democratical Control of the Contro			
		UN	AGRICULTUI	REPARTMENT OF AGRICU	E :			
C 280	165		FEDERAL-ST	ATE INSPECTION SERVIC	Ε	C 28	30165	
				INSPECTION CE				
Marketing Act of 19	sued in compliance with 146, as amended (7 U.S.C	Uno regulations (C. 1621 al. sea.) s	of the Secretary and is admissab	i ol Agriculturo gaverning do as prima facio ovidenc	the inspection of vari e in all courts of the L	ous products inited States.	: pursusust 10. Bi "WARNING: An	e Agricultural y porson who
inowingly shall fals	soly make, issue, alter, l of more than one year, o	lorge or counterl	oit this certifica	nte, or participate in any	such actions, is subje	ect to a line	of not more #	nan \$1,000 or
		r DOBI.	24404 = 4		Type	OE INCOCO	TION (Mark (One Only)
HOUR .	MPLING BEGAN	HOU		NALYSIS FINISHED :			THOM (MOTAL)	one Gray,
120 Pm	317104					SPECTED INIO		
LOCATION CODE	WHERE SAMPLE DRAWN	WHE	RE SAMPLE ANA	3/17/04	• —	CAR	TRAILER	
37002	Auranne		54 n				DENTIFICATI	ON
APPLICANT CODE	AULANDE AND A	DONESS	Maria - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100	<u></u>	PREFIX NU	MBER	รา	
37002	GOLDEN PEN	WUT CO	Aura	382 NC				
RECEIVER NAME AND	ADDRESS			SHIPPER NAME AND ADDI	ESS			,
	NOT GO	48.30		CA	mE AS A	COCK CH	7	
PRODUCT	:							
F-3		र	FIBERBOARD) RINS	1			
CLEAN	ED IN THE SHELL				WITH NO DISTIN	QUISHING !	MARKS	·
57		IN L	BURLAP	SACKS				
Y SHELLI	ED PEANUTS	\Box	Dr. at L	[X	TAGGED WITH	See Fro	COLORE	D TAGS
· · ·		للي	BULK	·			·	
	IRGINIA No. 7	L Sheller	d. Plansi	4s, Golden	Resourt King	14.n.w.,	TAG CO	
HOUSE LIOTH	DEDGIA 305	34.2		***************************************	*****		25	ISSUED
_ #	~ ~							USED
	123 L 03 L	USDA	T NCD	<u> </u>	FEDERAL-STATE	Naracia.		RETURNED
APPLICANT STATES			-					
44,000	ins VIRO	GINIA THE	BULK LOT NO.	OR COU	NT OF $2a$	ζ		CONTAINERS
SIZE	50-17-1		*	<u> </u>				
% S/W	Kernels PASSING		Inch	Screen: % V	Vn Kernels RIDING	 ;	lnch	Screen
	Kernels PASSING		Inch -		Vh Kernels RIDING		Inch	Screen
1.11 % SM	Kernels & Kernel Po	ortions PASSII	VG /7/6	4 Inch K So	creen			
o/ D	iuts With Undamage	of Challe DACI	OID IO					
% Pear	iois with Ondoniage	17		Inch	Screen			
COUNT AVERAG	· ·	17	ER OUNCE	inch	PER POUN	D		gs.
COUNT AVERAGE	SES.	Pt	ER OUNCE		PER POUN	i na inania		TO MANO
COUNT AVERAG	ROXIMATELY 22	OWO_0			PER POUN	ED CONTA		ELOWING:
COUNT AVERAGE OUALITY SAMPLE OF APPL	BES ROXIMATELY <u>72</u> PEANUTS IN	CZZO C	ER OUNCE	WN. 1000	GRAMS ANALYZ	i na inania		
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE	ROXIMATELY 22 PEANUTS IN	OWO_0	ER OUNCE	VN, <i>1000</i>	PER POUN GRAMS ANALYZ SHELLEI ADE FACTOR	ED CONTA	GRAMS	PERCENT
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW	ROXIMATELY 22 PEANUTS IN FEACTOR GEN SHELLS	CZZO C	ER OUNCE	VN. 1000 GR OTHER TYPES OF KERU	PER POUN GRAMS ANALYZ SHELLEI ADE FACTOR VELS	ED CONTA	GRAMS C.O	PERCENT O.O.O.
COUNT AVERAGE QUALITY SAMPLE OF APPL CRACKED OR BROW DISCOLORED SHELL	ROXIMATELY 72 PEANUTS IN EFACTOR GEN SHELLS LS	CZZO C	ER OUNCE	VN. /OCT) GA OTHER TYPES OF KERI SPLIT OR BROKEN KER	GRAMS ANALYZ SHELLEI ADE FACTOR VELS NIELS	ED CONTA	GRAMS 0.0 813. 2	PERCENT 0.00 §1.32
COUNT AVERAGE QUALITY SAMPLE OF APPL CRACKED OR BROW DISCOLORED SHELL OTHER SHELL DEFI	ROXIMATELY 22 PEANUTS IN PEACTOR GEN SHELLS LS ECTS	CZZO C	ER OUNCE	VN. 1000 GR OTHER TYPES OF KERU	GRAMS ANALYZ SHELLEI ADE FACTOR VELS NIELS	ED CONTA	GRAMS 6.0 813 Z 9.0	PERCENT O.O.O.
COUNT AVERAGE QUALITY SAMPLE OF APPL CRACKED OR BROW DISCOLORED SHELL	ROXIMATELY 72 PEANUTS IN PEACTOR GEN SHELLS LS ECTS	CZZO C	ER OUNCE	VN. /COCTÓ GR OTHEN TYPES OF KERU SPLIT OR BRICKEN KERU DAMAGED OR UNSHEL	PER POUN GRAMS ANALYZ SHELLEI ADE FACTOR VELS INCLS LED	ED CONTA	GRAMS 0.0 813. 2	PERCENT 0.00 \$1.32 0.90
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW DISCOLORED SHELL OTHER SHELL DEFI	ROXIMATELY 22 PEANUTS IN THE FACTOR VEN SHELLS LS ECTS L TOTAL	CZZO C	ER OUNCE	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL NINOR DEFECTS	PER POUN GRAMS ANALYZ SHELLEI ADE FACTOR WELS MELS LED	ED CONTA	GRAMS 0.0 313.2 9.0 /w.5	PERCENT 0.00 \$1.32 0.90 1.65
COUNT AVERAGE QUALITY SAMPLE OF APPL CRACKED OR BROW DISCOLORED SHELL OTHER SHELL DEFI	PEANUTS IN PEANUTS IN PEANUTS IN PEANUTS IN PEACTOR REN SHELLS LS ECTS L TOTAL MAGEO KERNELS	CZZO C	ER OUNCE	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE	GRAMS ANALYZ SHELLEI ADE FACTOR NELS LED LS ASED ON / OCCU	ED CONTA	GRAMS 6.0 313 2 9.0 /w.5 x.*	PERCENT 0.00 \$7.32 0.90 1.65 xx
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW DISCOLORED SHELL OTHER SHELL DEFI FOREIGH MATERIAL PEANALTS WITH OAR	PEANUTS IN PEANUTS IN PEANUTS IN PEANUTS IN PEACTOR REN SHELLS LS ECTS L TOTAL MAGEO KERNELS	CZZO C	ER OUNCE	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B	GRAMS ANALYZ SHELLEI ADE FACTOR NELS LED LS ASED ON / OCCU	ED CONTA	GRAMS 6.0 313 2 9.0 /w.5 x.*	PERCENT 0.00 \$7.32 0.90 1.65 xx
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW DISCOLORED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANAITS WITH DAI MOSTURE (BY ELEC GRADE	PEANUTS IN	COO COTHE SHELL GRAMS	PERCENT	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRA	GRAMS ANALYZ SHELLEI ADE FACTOR VELS INCLS LED LS ASED ON 1000	CED CONTA D PEANUTS PEANUTS	GRAMS 0.0 \$13.2 9.0 16.5 × ~ 0.0	PERCENT 0.00 \$7.32 0.90 1.65 x x 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROD DISCOLORED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANUTS WITH DAI MOISTURE (BY ELEC GRADE	PEANUTS IN PEANUTS IN FEACTOR GEN SHELLS LS ECT'S L TOTAL MAGEO KERNELS CTRIC METER)	COO COTHE SHELL GRAMS	PERCENT	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B	GRAMS ANALYZ SHELLEI ADE FACTOR VELS INCLS LED LS ASED ON 1000	CED CONTA D PEANUTS PEANUTS	GRAMS 0.0 \$13.2 9.0 16.5 × ~ 0.0	PERCENT 0.00 \$1.32 6.40 1.45 x x 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW DISCOLORED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANAITS WITH DAI MOSTURE (BY ELEC GRADE	PEANUTS IN PEANUTS IN FACTOR GEN SHELLS LS ECT'S L TOTAL MAGEO KERNELS CTRIC METER) PAPPLICANT ABOVE	ODO OTHE SHELL GRAMS	PERCENT	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B MOISTURE (BY ELECTRA	GRAMS ANALYZ SHELLEI ADE FACTOR WELS INCLS LED LS ASED ON OCCU C METER) DAM AGE: AN	GRAMS)	GRAMS 6.0 313.2 9.0 16.5 X = 0.0	PERCENT 0.00 \$1.32 6.40 1.45 × × 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROD DISCOLORED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANUTS WITH DAI MOISTURE (BY ELEC GRADE	PEANUTS IN PEANUTS IN FACTOR GEN SHELLS LS ECT'S L TOTAL MAGEO KERNELS CTRIC METER) PAPPLICANT ABOVE	COO COTHE SHELL GRAMS	PERCENT	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B. MOISTURE (BY ELECTRI WAR ACCUENT	GRAMS ANALYZ SHELLEI ADE FACTOR WELS INCLS LED LS ASED ON OCCU C METER) DAM AGE: AN	GRAMS) GRAMS) A MINACORESSI FOLK, U	GRAMS 0.0 313.2 9.0 16.5 x & 0.0 C DEFE	PERCENT 0.00 81.32 0.90 1.65 2.6 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW DISCOLOPED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANUTS WITH DAY MOISTURE (BY ELEC GRADE TAILS TO SAMPLES BULED TO	PEANUTS IN PEANUTS IN FACTOR GEN SHELLS LS ECT'S L TOTAL MAGEO KERNELS CTRIC METER) 0 APPLICANT ABOVE 1-AB 1-AB	CONTROL OFFICE O	PERCENT PERCENT VIRGIA N AND SENT TO SIS RESULTS TO	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B. MOISTURE (BY ELECTRI WAR ACCUENT	GRAMS ANALYZ SHELLEI ADE FACTOR WELS INCLS LED LS ASED ON OCCU C METER) DAM AGE: AN	GRAMS) GRAMS) A MINACORESSI FOLK, U	GRAMS 6.0 313.2 9.0 16.5 X = 0.0	PERCENT 0.00 81.32 0.90 1.65 2.6 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROD DISCOLONED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANALTS WITH DAY MOISTURE (BY ELEC GRADE FAILS TO SAMPLES BILLED TO	PEANUTS IN	COTO COTHE SHELL GRAMS GRAMS S, No. A	PERCENT PERCENT N AND SENT TO SIS RESULTS TO PROGRAMS DRAV	OTHER TYPES OF KERNESPLIT OR BRICKEN KERNESPLIT OR BRICKEN KERNESPLIT OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNESFOREIGN MATERIAL (BL. MOISTURE (BY ELECTRAL MOISTURE (BY ELECTRAL MARIE OF LAIN O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR WELS INCLS LED LS ASED ON OCCU C METER) DAM AGE: AN	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	GRAMS	PERCENT 0.00 81.32 0.90 1.65 2.6 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW DISCOLOPED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANUTS WITH DAY MOISTURE (BY ELEC GRADE TAILS TO SAMPLES BULED TO	PEANUTS IN	COOO COTHE SHELL GRAMS GRAMS S. No. 21 APPEAL DRAW OI Markoting Ap Let 996	PERCENT PERCENT N AND SENT TO SIS RESULTS TO PROGRAMS DRAV	OTHER TYPES OF KERNESPLIT OR BRICKEN KERNESPLIT OR BRICKEN KERNESPLIT OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNESFOREIGN MATERIAL (BL. MOISTURE (BY ELECTRAL MOISTURE (BY ELECTRAL MARIE OF LAIN O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR VELS NELS LED LS ASED ON FOCE C METER) DAMAGE AN	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	GRAMS	PERCENT 0.00 81.32 0.90 1.65 2.6 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW DISCOLOPED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANUTS WITH DAY MOISTURE (BY ELEC GRADE TAILS TO SAMPLES BULED TO	PEANUTS IN	COOO COTHE SHELL GRAMS GRAMS S. No. 21 APPEAL DRAW OI Markoting Ap Let 996	PERCENT PERCENT N AND SENT TO SIS RESULTS TO PROGRAMS DRAV	OTHER TYPES OF KERNESPLIT OR BRICKEN KERNESPLIT OR BRICKEN KERNESPLIT OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNESFOREIGN MATERIAL (BL. MOISTURE (BY ELECTRAL MOISTURE (BY ELECTRAL MARIE OF LAIN O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR VELS NELS LED LS ASED ON FOCE C METER) DAMAGE AN	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	GRAMS	PERCENT 0.00 81.32 0.90 1.65 2.6 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW DISCOLORED SHEL OTHER SHELL DEFI FOREIGN MATERIAL MOSTURE (BY ELEC GRADE FAILS 70 SAMPLES BILLED TO SAMPLES BILLED TO REMARKS	PEANUTS IN	COOO COTHE SHELL GRAMS GRAMS S. No. 21 APPEAL DRAW OI Markoting Ap Let 996	PERCENT PERCENT N AND SENT TO SIS RESULTS TO PROGRAMS DRAV	OTHER TYPES OF KERNESPLIT OR BRICKEN KERNESPLIT OR BRICKEN KERNESPLIT OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNESFOREIGN MATERIAL (BL. MOISTURE (BY ELECTRAL MOISTURE (BY ELECTRAL MARIE OF LAIN O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR VELS NELS LED LS ASED ON FOCE C METER) DAMAGE AN	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	GRAMS	PERCENT 0.00 81.32 0.90 1.65 2.6 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL CRACKED OR BROW DISCOLORED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANUTS WITH DAI MOISTURE (BY ELEC GRADE FAILS 70 SAMPLES BILLED TO REMARKS CHARGES	PEANUTS IN	COOO COTHE SHELL GRAMS GRAMS S. No. 21 APPEAL DRAW OI Markoting Ap Let 996	PERCENT PERCENT N AND SENT TO SIS RESULTS TO PROGRAMS DRAV	OTHER TYPES OF KERNESPLIT OR BRICKEN KERNESPLIT OR BRICKEN KERNESPLIT OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNESFOREIGN MATERIAL (BL. MOISTURE (BY ELECTRAL MOISTURE (BY ELECTRAL MARIE OF LAIN O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR VELS NELS LED LS ASED ON FOCE C METER) DAMAGE AN	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	GRAMS	PERCENT 0.00 81.32 0.90 1.65 2.6 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL CRACKED OR BROW DISCOLORED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANUTS WITH DAI MOSTURE (BY BLEE GRADE FAILS 70 SAMPLES BILLED TO REMARKS CHARGES FEES \$	PEANUTS IN	COOO COTHE SHELL GRAMS GRAMS S. No. 21 APPEAL DRAW OI Markoting Ap Let 996	PERCENT PERCENT N AND SENT TO SIS RESULTS TO PROGRAMS DRAV	OTHER TYPES OF KERNESPLIT OR BRICKEN KERNESPLIT OR BRICKEN KERNESPLIT OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNESFOREIGN MATERIAL (BL. MOISTURE (BY ELECTRAL MOISTURE (BY ELECTRAL MARIE OF LAIN O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR VELS NELS LED LS ASED ON FOCE C METER) DAMAGE AN	GRAMS) GRAMS) GRAMS) GRAMS) GRAMS) GRAMS)	GRAMS	PERCENT 0.00 81.32 0.90 1.65 2.6 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW DISCOLORED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANUTS WITH DAI MOSTURE (BY BLEE GRADE FAILS 70 SAMPLES BILLED TO SAMPLES BILLED TO REMARKS CHARGES FEES \$ DRAWING 8	PEANUTS IN	COOO COTHE SHELL GRAMS GRAMS S. No. 21 APPEAL DRAW OI Marketing Apple LET 1996 ELINIA	PERCENT PERCENT V. A.G. A. N AND SENT TO SER MESULTS TO SPECIMENT TO SE	OTHER TYPES OF KERNESPLET OR BRIOKEN KERNESPLET OR BRIOKEN KERNESPLETS SOUND WHOLE KERNESFOREIGN MATERIAL (B. MOISTURE (BY ELECTRAL PARAME OF LAW) O BE PHONED (FAILS IO IN	GRAMS ANALYZ SHELLEI ADE FACTOR VELS INCLS LED LS ASED ON 1000 C METER) DAMAGE AN ADD SUF- heet Requirements of	GRAMS) GRAMS) GRAMS) AESSI FO 1 K-1 U WIRED COM	GRAMS G.O \$13.2 9.0 Ju.5 x x O.O A BEEL MARE	PERCENT 0.00 97.32 0.90 1.65 x x 0.00 7.00
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROW DISCOLORED SHEL OTHER SHELL DEFI FOREIGN MATERIAL MOSTURE (BY ELEC GRADE FAILS 70 SAMPLES BILLED TO SAMPLES BILLED TO REMARKS CHARGES FEES I DRAWING 6 HANDLING 1	PEANUTS IN	THE SHELL GRAMS S. No. of APPEAL DRAW ANALY GOI Markobing As LT 996 KINIA**	PERCENT PERCENT V. 261 N AND SENT TO SIS RESULTS TO PROGRAMMENT TO THE PROGRAMMENT	OTHER TYPES OF KERNESPLIT OR BRICKEN KERNESPLIT OR BRICKEN KERNESPLIT OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNESFOREIGN MATERIAL (BL. MOISTURE (BY ELECTRAL MOISTURE (BY ELECTRAL MARIE OF LAIN O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR VELS INCLS LED LS ASED ON JOCE C METER) DAM AGE: ANA (ADD SOFT	GRAMS) GRAMS) GRAMS) A 1911AC NESS Fo \ K, U WIRED Coll Marketing A	GRAMS G. O S13. 2 G. O Jun 5 X & O. O A SECTIMAR EN Grooment	PERCENT O.GO \$1.32 O.GO 1.65 x.w O.GO 7.co
COUNT AVERAGE QUALITY SAMPLE OF APPL CRACKED OR BROWN DISCOLORED SHELL OTHER SHELL DEFI FOREIGH MATERIAL PEANUTS WITH DAI MOSTURE (BY ELEC GRADE FAILS 70 SAMPLES BILLED TO REMARKS CHARGES FEES 1 DRAWING 8 HANDLING 1	PEANUTS IN PEANUTS IN FACTOR GEN SHELLS LS ECT'S L TOTAL MAGEO KERNELS CTRIC METER) MEETS Requirements 1-AB MEETS Requirements TOTAL LS	THE SHELL GRAMS S. No. of APPEAL DRAW ANALY GOI Markobing As LT 996 KINIA**	PERCENT PERCENT V. 261 N AND SENT TO SIS RESULTS TO PROGRAMMENT TO THE PROGRAMMENT	OTHER TYPES OF KERR SPLIT OR BRICKEN KER DAMAGED OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MOSTURE (BY ELECTIVA (PLANE OF LAD) AM S O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR VELS INCLS LED LS ASED ON JOCE C METER) DAMAGE: ANA (ADD SOFT	GRAMS) GRAMS) GRAMS) A 1911AC NESS Fo \ K, U WIRED Coll Marketing A	GRAMS G. O S13. 2 G. O Jun 5 X & O. O A SECTIMAR EN Grooment	PERCENT O.GO \$1.32 O.GO 1.65 x.w O.GO 7.co
COUNT AVERAGE QUALITY SAMPLE OF APPL CRACKED OR BROWN DISCOLOPED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANATS WITH DAI MOSTURE (BY ELEC GRADE FAILS 70 SAMPLES BILLED TO REMARKS CHARGES FEES 1 DRAWING 8 HANDLING 1 SAMPLING 1	PEANUTS IN PEANUTS IN FACTOR GEN SHELLS LS ECT'S L TOTAL MAGEO KERNELS CTRIC METER) MEETS Requirements 1-AB MEETS Requirements TOTAL LS	THE SHELL GRAMS S, No. 20 APPEAL DRAW ANALY Of Marketing All LET 996 KINIA**	PERCENT PERCENT V. 261 N AND SENT TO SIS RESULTS TO PROGRAMMENT TO THE PROGRAMMENT	OTHER TYPES OF KERR SPLIT OR BRICKEN KER DAMAGED OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MOSTURE (BY ELECTIVA (PLANE OF LAD) AM S O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR VELS INCLS LED LS ASED ON JOCE C METER) DAMAGE: ANA (ADD SOFT	GRAMS) GRAMS) GRAMS) A 1911AC NESS Fo \ K, U WIRED Coll Marketing A	GRAMS G. O S13. 2 G. O Jun 5 X & O. O A SECTIMAR EN Grooment	PERCENT O.GO \$1.32 O.GO 1.65 x.w O.GO 7.co
COUNT AVERAGE QUALITY SAMPLE OF APPL GRADE CRACKED OR BROD DISCOLONED SHELL OTHER SHELL DEFI FOREIGN MATERIAL PEANAITS WITH OAL MOISTURE (BY ELEC GRADE FAILS 70 SAMPLES BILLED TO TOB TOB TOB TOB TOB TOB TOB TOB TOB T	PEANUTS IN PEANUTS IN FFACTOR GEN SHELLS LS ECT'S TOTAL MAGEO KERNELS CRUC METER) MEETS Requirements 7 CF/2 Po No. 2 V/2 L the understand on the day as her for the SCHATTREE	THE SHELL GRAMS S, No. 20 APPEAL DRAW ANALY Of Marketing All LET 996 KINIA**	PERCENT PERCENT V. 261 N AND SENT TO SIS RESULTS TO PROGRAMMENT TO THE PROGRAMMENT	OTHER TYPES OF KERR SPLIT OR BRICKEN KER DAMAGED OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MOSTURE (BY ELECTIVA (PLANE OF LAD) AM S O BE PHONED (GRAMS ANALYZ SHELLEI ADE FACTOR VELS INCLS LED LS ASED ON JOCE C METER) DAMAGE: ANA (ADD SOFT	GRAMS) GRAMS) GRAMS) A 1911AC NESS Fo \ K, U WIRED Coll Marketing A	GRAMS G. O \$13. 2 G. O	PERCENT O.GO \$1.32 O.GO 1.65 x.w O.GO 7.co

Exhibit XXIII – U.S. Virginia Splits. Meets 7CFR, Part 996 for Human Consumption.

0 0000			DEDARTHEAR OF ACOICL	TI KOC ·			
UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE							
C 280165	1	FEDERAL STATE INSPECTION SERVICE				30165	
This cartificate is issued in compliance	I M	MILLED PEANUT INSPECTION CERTIFICATE ith the regulations of the Secretary of Agriculture governing the inspection of various products pur					
knowingly shall lalsely make, issue, a imprisonment for not more than one ye	vo r, romper of co	ounterfeit this certific	ale, or participale in any	such actions, is subje	oct lo a line	of not more	han \$1,000 or
SAMPLING BEGAN	ar, or both.						· .
HOUR : DATE		SAMPLE A	NALYSIS FINISHED		OF INSPEC	TION (Mark	One Only)
	ast .	A Crara Can			SPECTED		
950 AM 2-12 - LOCATION CODE WHERE SAMPLE DR	AWAI	MANERE CAMPAGE AND	2-12-04 ALYZED		ADED Into	-	
					CAR L	TRAILER	
37002 AULAN, APPLICANT CODE APPLICANT NAME A	NO ADDRESS	SA	me_	CONVEYANCE IDENTIFICATIO			
3700Z Gars	DE CALLET	Commen	1	PREFIX MU	MOER	S	T
RECEIVER MAME AND ADDRESS NOT GIVEN PRODUCT P							
NOT 611	المعراج ز		SIMPLER NAME AND ADDR	ess Add To	1	لعصد	· ·
PRODUCT			DOC DEN 12	4007 CD ., .	recon	is they "	·
	į	FIBERBOAR	D BINS	1			
CLEANED IN THE SHEL	•		L	WITH NO DISTIN	OUISHING I	MARKS	
SHELLED PEANUTS	IN	BURLAF	SACKS	1	Dink		į
LA GREEZE LEVINOIS	1	BULK	M	TAGGED WITH _		COLOAI	ED TAGS
TAGINSCRIPTION VIAGINIA	3.			ردنو يحور			
**************************************	£51.7.3	shilled le	musts, Gilden	· Kenwit C	¢		ONTROL
	¥7_					400	ISSUED
11 4028 03	11 1/22 0 57					400	USED
	USDA		· 4.34	FEDERAL-STATE	KSPECTED		RETURNED
APPLICANT STATES							
1/4/092 105 1	1281NIA	TYPE LOT NO.	OR COL	NT OF 4	60		
SIZE		EOT NO.	- On COD	VI CA			CONTAINERS
% SAW Kernels PASSIN		Inch	Screen: % W	h Kernels RIDING		Inch	Screen
% SAW Kernels PASSIN	G 	Inch	Screen;% W	h Kernels RIDING		Inch _	Screon
OUI % SW Kernels & Kerne % Peanuts With Undam	Ponions PA	ISSING ZO /	64 Inch R Sci				
COUNT AVERAGES	ayed shells		Inch S	[]			
QUALITY		PER OUNCE		PER POUNE	•		
CANOLE OF APPROXIME	- 5	OB MIC PO					
SAMPLE OF APPROXIMATELY	72000	GRAMS DRAV	VN. 1600	GRAMS ANALYZ		NED THE FO	LLOWING:
SAMPLE OF APPROXIMATELY PEANUTS	IN THE SHEL	L ,		SHELLED	ED CONTAI	NED THE FO	LLOWING:
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR		L ,	GRA	SHELLED DE FACTOR		NED THE FO	PERCENT
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS	IN THE SHEL	L ,	GRA OTHER TYPES OF KERN	SHELLED DE FACTOR ELS		GRAMS Øz 0	PERCENT O.CO
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS	IN THE SHEL	L ,	GRA OTHER TYPES OF KERN SPLIT ON BROKEN KERN	SHELLED DE FACTOR ELS ÆLS		GRAMS	PERCENT (0.00)
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS	IN THE SHEL	L ,	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL	SHELLED DE FACTOR ELS ÆLS		GRAMS Øz 0	PERCENT 0.00 94,26 0.31
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL	IN THE SHEL	L	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS	SHELLED DE FACTOR ELS ÆLS		GRAMS 0.0: 942.6	PERCENT 0.00 94,26 6.31 0.30
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL	IN THE SHEL	L	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL	SHELLED DE FACTOR ELS WELS ED	PEANUTS	GRAMS 0.0: 942.6 3.1	PERCENT 0.00 94,26 0.31
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS	IN THE SHEL	L	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (8A	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (GRAMS 0.0: 942.6 3:1 3.6	PERCENT 0.00 94,26 0.31 0.30 **
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER)	IN THE SHEL	L	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (PEANUTS	GRAMS 0.0: 942.6 3.1 3.4 ××	PERCENT 0.00 94,26 0.31 0.30 **
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS	IN THE SHEL	L	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (8A	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (PEANUTS	GRAMS 0.0: 942.6 3.1 3.4 ××	PERCENT 0.00 94,26 0.31 0.30 **
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE	IN THE SHEL	L PERCENT	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (8A	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (PEANUTS	GRAMS 0.0: 942.6 3.1 3.4 ××	PERCENT 0.00 94,26 0.31 0.30 **
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE U.S. VIRGINIA	IN THE SHEL	L PERCENT	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA: MORSTURE (BY ELECTRIC	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (PEANUTS	GRAMS 0.0: 942.6 3.1 3.4 ××	PERCENT 0.00 94,26 0.31 0.30 **
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE LLS. VERGINAL SAMPLES BILLED TO APPLICANT ABOVE	IN THE SHELL GRA	L PERCENT	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (8A	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (METER)	PEANUTS SRAMS)	GRAMS 0.0 942.6 3.1 3.6 ×× 0.0	PERCENT 0.00 94,26 0.31 0.30 **
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE U.S. VIEGINIC SAMPLES BILLED TO APPLICANT ABOVE 1-AB	IN THE SHELL GRA	L PERCENT	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA: MORSTURE (BY ELECTRIC	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (METER)	PEANUTS PEANUTS	GRAMS 0.0 942.6 3.1 3.6 ×× 0.0	PERCENT 0.00 94,26 0.31 0.30 *** 0.00 7.40
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE L.S. V. E. G. N. C. SAMPLES BILLED TO APPLICANT ABOVE 1-CO 1-AB S. L.	O SPUTT	L MS PERCENT S RAWN AND SENT TO NALYSIS RESULTS TO	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA: MOKSTURE (BY ELECTRIC	SHELLED DE FACTOR ELS ELS ED S SED ON /OCO (METER)	PEANUTS STAMS) ESSI OLICIVA	GRAMS 0.0 942.6 3.1 3.6 ×× 0.0	PERCENT 0.00 94,26 0.30 7.40 (pate) 12/04
PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE LLS. V. 2 6 Million SAMPLES BRILED TO APPLICANT ABOVE 1-CO 1-AB 2 REMARKS MEETS ROQUIRED	THE SHELL OF SPECIAL OF SHELL	S RAWN AND SENT TO NALYSIS RESULTS TO THE PROPERTY OF THE PRO	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MORSTURE (BY ELECTRIC (NAME OF LIB) (NAME OF LIB) (DE PHONED)	SHELLED DE FACTOR ELS ELS ED S SED ON /OCO (METER)	PEANUTS PRAMS) PRAMS) PRAMS) WIRED College	GRAMS 0.0 942.4 3.1 3.6 ×× 0.0	PERCENT 0.00 94,26 0.30 7.40 (pate) 12/04
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE U.S. V. & G. N. O. SAMPLES BILLED TO APPLICANT ABOVE 1.CO. 1.AB SOLUTION OF THE CONTROL OF THE CO	SPLIT	S RAWN AND SENT TO NALYSIS RESULTS TO MA A PROCESS A PR	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MORSTURE (BY ELECTRIC (NAME OF LIB) (NAME OF LIB) (DE PHONED)	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (METER) (ADDR	PEANUTS PRAMS) PRAMS) PRAMS) WIRED College	GRAMS 0.0 942.4 3.1 3.6 ×× 0.0	PERCENT 0.00 94,26 0.30 7.40 (pate) 12/04
PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE LLS. V. 2 6 Million SAMPLES BRILED TO APPLICANT ABOVE 1-CO 1-AB 2 REMARKS MEETS ROQUIRED	SPLIT	S RAWN AND SENT TO NALYSIS RESULTS TO MA A PROCESS A PR	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MORSTURE (BY ELECTRIC (NAME OF LIB) (NAME OF LIB) (DE PHONED)	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (METER) (ADDR	PEANUTS PRAMS) PRAMS) PRAMS) WIRED College	GRAMS 0.0 942.4 3.1 3.6 ×× 0.0	PERCENT 0.00 94,26 0.30 7.40 (pate) 12/04
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE L.S. V. 2 G M. C. SAMPLES BRILED TO APPLICANT ABOVE SOLUTION 1-AB	SPLIT	S RAWN AND SENT TO NALYSIS RESULTS TO MA A PROCESS A PR	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MORSTURE (BY ELECTRIC (NAME OF LIB) (NAME OF LIB) (DE PHONED)	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (METER)	PEANUTS PRAMS) PRAMS) PRAMS) WIRED College	GRAMS 0.0 942.4 3.1 3.6 ×× 0.0	PERCENT 0.00 94,26 0.30 7.40 (pate) 12/04
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURIE (BY ELECTRIC METER) GRADE U.S. V.E.G. N.C. SAMPLES BILLED TO APPLICANT ABOVE 1-CO 1-AB SOLUTION 1-AB SOLUTION 1-AB SOLUTION 1-AB CHARGES	SPLIT	S RAWN AND SENT TO NALYSIS RESULTS TO MA A PROCESS A PR	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MORSTURE (BY ELECTRIC (NAME OF LIB) (NAME OF LIB) (DE PHONED)	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (METER)	PEANUTS PRAMS) PRAMS) PRAMS) WIRED College	GRAMS 0.0 942.4 3.1 3.6 ×× 0.0	PERCENT 0.00 94,26 0.30 7.40 (pate) 12/04
PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE LLS. V. 26 Mail SAMPLES BRILED TO APPLICANT ABOVE 1-CO 1-AB 1-AB SEMARKS MEETS ROQUIRON CHARGES FEES 1	SPLIT	S RAWN AND SENT TO NALYSIS RESULTS TO MA A PROCESS A PR	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MORSTURE (BY ELECTRIC (NAME OF LIB) (NAME OF LIB) (DE PHONED)	SHELLED DE FACTOR ELS WELS ED S SED ON /OCO (METER)	PEANUTS PRAMS) PRAMS) PRAMS) WIRED College	GRAMS 0.0 942.4 3.1 3.6 ×× 0.0	PERCENT 0.00 94,26 0.30 7.40 (pate) 12/04
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE L.S. V. 26 J. M. SAMPLES BRILED TO APPLICANT ABOVE 1-CO 1-AB 1-AB SCI. 1 4 L. L. 3 REMARKS CHARGES FEES 1 DRAWING 4	APPEAL ON A SPECIAL STATE OF Marketin Section 1996	S RAWN AND SENT TO NALYSIS RESULTS TO THE TAXABLE PROPERTY OF TAX	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA- MORSTURE (BY ELECTRIC (MAME OF LIB) ATTO S DE PHONED (FAILS to my	SHELLED DE FACTOR ELS ELS ED S SED ON /OCC (METER) (ANDA) □ cel Requirements of I	PEANUTS SRAWS) ESS) OLIC VA WIRED Collect Marketing Ag	GRAMS O.C. 942.6 3.1 3.4 ×× O. O	PERCENT 0.00 94,26 0.31 0.30 ** 0.00 7.40 12/04 D to Applicant
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS DISCOLORED SHELLS DISCOLORED SHELLS TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE L.S. V. E.G. N SAMPLES BILLED TO APPLICANT ABOVE SAMPLES BILLED TO APPLICANT ABOVE TO CHARGES FEES \$ DRAWING \$ LINGUIST L	APPEAL ON A SPICE OF THE STATE	FRAWN AND SENT TO NALYSIS RESULTS TO TO A Appearment TO T	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MORSTURE (BY ELECTRIC INAME OF UR) FARLS IO ITM FARLS IO ITM Uniting States Department	SHELLED DE FACTOR ELS ELS ED S SED ON /OCO (METER) (ADDR) Del Requirements of I	PEANUTS PRAMS) PRAMS) PRAMS) PRAMS) PRAMS) PRAMS) PRAMS)	GRAMS O. C. 942.4 3.1 3.4 ×× O. C. MARLET	PERCENT 0.00 94,26 0.31 0.30 ** 0.00 7.40 (PATE) 12/04) to Applicant
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS DISCOLORED SHELLS DISCOLORED SHELLS DISCOLORED SHELLS TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE L.S. V. E.G. N SAMPLES BILLED TO APPLICANT ABOVE SOLUTION TO APPLICANT ABOVE SOLUTION TO APPLICANT ABOVE CHARGES FEES B DRAWNELS FEES B DRAWNELS GANOLING B SAMPLING	APPEAL ON A Sonts of Marketing and any part of the company of the	FRAWN AND SENT TO NALYSIS RESULTS TO TO A Appearment TO T	OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA- MORSTURE (BY ELECTRIC (MAME OF LIB) ATTO S DE PHONED (FAILS to my	SHELLED DE FACTOR ELS ELS ED S SED ON /OCO (METER) (ADDR) Del Requirements of I	PEANUTS PRAMS) PRAMS) PRAMS) PRAMS) PRAMS) PRAMS) PRAMS)	GRAMS O. C. 942.4 3.1 3.4 ×× O. C. MARLET	PERCENT 0.00 94,26 0.31 0.30 ** 0.00 7.40 (PATE) 12/04) to Applicant
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE L.S. V. & G. N. C. SAMPLES BRILED TO APPLICANT ABOVE SOLUTION 1-AB SOLUTION 1-AB SOLUTION 1-AB CHARGES FEES 8 DRAWING 8 JANOLING 1 ASSENTIAL L. LINGUISTON ASSENTIAL ASSENTIAL ASSENTIAL L. LINGUISTON ASSENTIAL APPEAL OF THE SHELL OF THE SHEL	FRAWN AND SENT TO NALYSIS RESULTS TO TO A Appearment TO T	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MORSTURE (BY ELECTRIC INAME OF UR) FARLS IO ITM FARLS IO ITM Uniting States Department	SHELLED DE FACTOR ELS ELS ED S SED ON /OCO (METER) (ADDR) Del Requirements of I	PEANUTS PRAMS) PRAMS) PRAMS) PRAMS) PRAMS) PRAMS) PRAMS)	GRAMS O. C. 942.4 3.1 3.4 ×× O. C. MARLET	PERCENT 0.00 94,26 0.31 0.30 ** 0.00 7.40 (PATE) 12/04) to Applicant	
SAMPLE OF APPROXIMATELY PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE L.S. V. & G. N. C. SAMPLES BRILED TO APPLICANT ABOVE SOLUTION 1-AB SOLUTION 1-AB CHARGES FEES 8 DRAWING 8 JANOLING 1 ASSENTIAL L. L	APPEAL ON A Sonts of Marketing and any part of the company of the	FRAWN AND SENT TO NALYSIS RESULTS TO TO A Appearment TO T	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MORSTURE (BY ELECTRIC INAME OF UR) FARLS IO ITM FARLS IO ITM Uniting States Department	SHELLED DE FACTOR ELS ELS ED S SED ON /OCO (METER) (ADDR) Del Requirements of I	PEANUTS PRAMS) PRAMS) PRAMS) PRAMS) PRAMS) PRAMS) PRAMS)	GRAMS O. C. 942.4 3.1 3.4 ×× O. C. MARLET	PERCENT 0.00 94,26 0.31 0.30 ** 0.00 7.40 (PATE) 12/04) to Applicant
PEANUTS GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE LO 1-CO 1-AB SAMPLES BRLED TO APPLICANT ABOVE SAMPLES BRLED TO APPLICANT ABOVE TOTAL PEANUTS WITH DAMAGED KERNELS MOSTURE (BY ELECTRIC METER) GRADE CHARGES FEES B DRAWING B SAMPLING	APPEAL ON A Sonts of Marketing and any part of the company of the	FRAWN AND SENT TO NALYSIS RESULTS TO TO A Appearment TO T	GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGED OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MORSTURE (BY ELECTRIC INAME OF UR) FARLS IO ITM FARLS IO ITM Uniting States Department	SHELLED DE FACTOR ELS ELS ED S SED ON /OCO (METER) (ADDR) Del Requirements of I	PEANUTS PRAMS) PRAMS) PRAMS) PRAMS) PRAMS) PRAMS) PRAMS)	GRAMS O. C 942.6 3.1 3. e ×× O. C MAREI proment	PERCENT 0.00 94,26 0.31 0.30 ** 0.00 7.40 (PATE) 12/04) to Applicant

Exhibit XXIV – In-Shell Virginia Peanuts – U.S. Fancy Hand Picked. Meets 7CFR, Part 996 for Human Consumption.

								·	
C 280	165	4.8		AGRICULTUI FEDERAL-ST	EPARTMENT OF AGRICUM TAL MARKETING SERVICE ATE INSPECTION CEI	E E	C 28	0165	
This cortificato ie le	trad in compliance w				of Agriculture governing		inus nordicals s	nervent to H	na Acricultural
Marketing Act of 19	146, as amended (7 ti	S.C 1621 of	seq.) an	d is admissah	le as prima facie evidence	e in all courts of the	Inited States.	WARAHNG: Ar	y parson who
imprisonment for n	iery mako, issue, ailo X more than one year	r, longe er co , or both.	xunterfei	il livs cortifica	ito, or participate in any	such actions, is subj	OCI TO 8 HPB 0	r not more ii	1817 \$ 1,000 OF
	MPLING BEGAN		T	SAMPLE AL	NALYSIS FINISHED	TYPE	OF INSPECT	ION (Mark	One Only)
HOUR	DATE		HOUR	<u> </u>	: DATE	[Y] LOTIN	SPECTED		
120 AM	3/S/C4		8	30 PM	3/5/04		ADED Into_	_	
LOCATION CODE	WHERE SAMPLE DRAI	YN	WHER	E SAMPLE ANA	YZED		CAR	TRAILER	
37007	AULANDES	aic.	1	-5'2	mE	CON	VEYANCE ID	ENTIFICATI	ON
APPLICANT CODE	APPLICANT NAME AN		_			PREFIX N	MER	S	ſ
3700 2	GOLDEN PO	ant (Č0	Ausmi	see NC			<u> </u>	
RECEIVER NAME AND		_ 1			SHIPPER NAME AND ADDR	ESS	a a c	p	
	NOT GU	1810			GULDEN MEA	Apply Co. !	the Copyrige	5, U.	
PRODUCT			-						
IVI .			F	HBERBOARD	BINS				
CLEAN	ED IN THE SHELL		ΓV	7	اسا	WITH NO DISTIN	M DMHARUOI	ARKS	
SHELL	ED PEANUTS	IN	L	BURLAP	SACKS	TAGGED WITH	ORDNEE	COLORE	D TAGS
<u>ا</u>	20 / 2/ 4/0/0		П	BULK -	ب ا	indoco illini			
TAG INSCRIPTION	VIRGINIA I	FANCY	725	SHELL	PEANUTS	GOLDEN F	TUNKS	TAG C	ONTROL
COMPANY	*** ******************	(-74)						800	ISSUED
	MADER CROP YR	<u> </u>						300	USED
14 7	169 03	USDA		N	<u> </u>	FEDERAL-STATE	NSPECTED	<u></u>	RETURNED
APPLICANT STATES									
<u></u>	ra tês V/	REINIG	7 2000	BULK	on cou	*** **	800		CONTAINERS
8000	9 100 V/	KEN ININ	, , , , ,	LOT NO	ORIXO	m or	<u> </u>		007772
SIZE								An afec	S
	Kernels PASSING			_ Inch		th Kernels RIDINA Th Kernels RIDINA		Inch Inch	Screen Screen
	Kernels PASSIN(Kernels & Kernel		MISSA	inch		ri kendis riidiivi Teen	·	ики	0
3.41 % Pear	uts With Undama	aed Shells	PASSI	ING 32/60	7 4 3 Inch S 8	Screen	•		
COUNT AVERAG		13 D	73	OUNCE			iD O		
QUALITY					A CANADA AND A CAN				
SAMPLE OF APP	ROXIMATELY	40,000	G/	RAMS DRAW	M, 2000	GRAMS ANALY	ZED CONTAI	WED THE FO	ENIMO:
	PEANUTS	N THE SHE	L				D PEANUTS		
GRADI	FACTOR	GA	AMS .	PERCENT	GR.	ADE FACTOR		GRAMS	PERCENT
CRACKED OR BROK	CEN SHELLS	16	4.6	8.23	OTHER TYPES OF KERN	eels .			
DISCOLORED SHEL	LS		7.4	057	SPUT OR BROKEN KER				
OTHER SHELL DEFI	ECTS		7, 0	0.35	DAMAGED OR UNSHELL	LED			<u> </u>
FOREIGN MATERIAL		3	2 4	0.17	MINOR DEFECTS				
	TOTAL			9.62	SOUND WHOLE KEPINE				<u> </u>
PEANUTS WITH DA		C	. 3	0.32	FOREIGN MATERIAL (B)		GRAMS)		
MOISTURE (BY ELEC	TRIC METER)			6.70	MOISTURE IBY ELECTRA	C METERIJ		- mi nomenum r	
GRADE									
1/5	FANCY H	AND P	CKE	D					
SAMPLES BALED TO					PIAME OF LAB	(ADI	PESSI		(DATE)
I-CD	1-48	APPEAL	WALLAN.	AND SENT TO		0.44	IK.VA		3/5/04
	47243	,		IS RESULTS TO		30712		t X MALE	D to Applicant
	MEETS Requireme	nts of Market	مواه ومن	اتنوشون		neet Requirements of			
LA	170 EC A	+ 996	Cor	•	٠			,	
	Heman	Censumo	4.00	~			*		
							است. سر ده	۔ سے مل سی سا	ken
CHARGES		7 4 (14	1675 W	7£45	75.68% inclu	ding 7.89	in Spill	E! K) nz.	
	12:	, ., ., .,							
FEES \$	To de	temme	d- 04.	nd repor	Hed at Appli	cents requ	es T		
DRAWING &	de de	temine	d- Q	nd repo	Hed it Appli	cents regu			
~	1 the which	te m. n.	d- G	A TEPO	Hed of Appli	of Agriculture, do heret	y continy that ad h	he request of t	he applicant
DRAWING &	l the white	rugned attily	authory	A TEPO	Hed it Appli	of Agriculture, do heret	y continy that ad h	he request of t	he applicant
DRAWING &	l the white	rugned addly	authory	A TEPO	Hed of Appli	of Agriculture, do heret	y continy that ad h	he request of t	he applicant
DRAWING & HANDLING & SAMPLING &	l the white	rugned attily	authory	A TEPO	Hed of Appli	of Agriculture, do heret	y continy that ad h	he request of t	he applicant
DRAWING & HANDLING & SAMPLING & EXPENSES &	L the said and on the standing	rugned attily	authory	A TEPO	Hed of Appli	of Agriculture, do heret	y continy that ad h	he request of f hown by said a	he applicant

Exhibit XXV – In-Shell Valencia Peanuts. UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE C 280165 C 280165 MILLED PEANUT INSPECTION CERTIFICATE This cartificate is issued in compliance with the regulations of the Socrotary of Agricultura governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 at seq.) and is admissable as prime facile evidence in all courts of the United States. WARNING: Any person who knowingly shall falsely make, issue, after, longe or counterfeit this certificate, or participate in any, such actions, is subject to a line of not more than \$1,000 or imprisonment for not more than one year, or both. SAMPLING BEGAN SAMPLE ANALYSIS FINISHED TYPE OF INSPECTION (Mark One Only) HOUR DATE LOT INSPECTED 83c 8:45 AM 3-11-04 3 -9-04 OT LOADED Into Applicants Plant Portabs, NM LOCATION CODE SAMPLE ANALYZED CAR TRAILER *BRTALES* CONVEYANCE IDENTIFICATION APPLICANT CODE BEST PEANUTS CTALES NM RECEIVER NAME AND ADDRESS NOT GIVEN APPLICANT. SAME AS PRODUCT FIBERBOARD BINS CLEANED IN THE SHELL WITH NO DISTINGUISHING MARKS OPEN MESH BUREAP SACKS IN SHELLED PEANUTS TAGGED WITH WHITE COLORED TAGS 1407) 50 16 880 mesh sacks inshall valencia perants TAG CONTROL 50 16 open much sacks mishall valencia granuts. S<u>≤⇔</u> issued HERITE 439_USED NEW MEXICO FEDERAL-STATE INSPECTED 9 02 03 RETURNED APPLICANT STATES BUILK LOT NO. 21,150 VALENCIA 439 OR COUNT OF CONTAINERS SIZE % S/W Kernels PASSING Screen; Inch % Wh Kernels RIDING Inch Screen % S/W Kemels PASSING Inch Screen: % Wh Kernels RIDING Inch Screen % S/W Kernels & Kernel Portions PASSING Inch Screen % Peanuls With Undamaged Shells PASSING Inch Screen PER OUNCE **COUNT AVERAGES** PER POUND QUALITY SAMPLE OF APPROXIMATELY 12, 258 GRAMS DRAWN. GRAMS ANALYZED CONTAINED THE FOIL OWING: PEANUTS IN THE SHELL SHELLED PEANUTS GRADE FACTOR GRADE FACTOR CHAMS PERCENT GRAMS PERCENT CRACKED OR DROKEN SHELLS 21.2 1.06 OTHER TYPES OF KERNELS DISCOLORED SHELLS 190.4 9.52 SPLIT OR BROKEN KERNELS OTHER SHELL DEFECTS XXX DAMAGED OR UNSHELLED **λ** <× FOREIGN MATERIAL 0.08 MINOR DEFECTS 1.6 $x_{x_{\lambda}}$ XXY SOUND WHOLE KERNELS PEANUTS WITH DAMAGED KERNELS 0.33 FOREIGN MATERIAL (BASED ON 6.6 GRANISI MOISTURE (BY ELECTRIC METER) MOISTURE (BY ELECTRIC METER) GRADE NO ESTABLISHED U.S. STANDARD. SEE REMARKS SAMPLES BILLED TO APPLICANT ABOVE (NAME OF LAB) (ADDRESS) (DATE) 1-00 1-48 APPEAL DRAWN AND SENT TO ANALYSIS RESULTS TO BE PHONED () WIRED Collect MAILED to Applicant MEETS Requirements of Marketing Agreement 7 CFR, PART 996 For Human Conscaption REMARKS FAILS to meet Requirements of Marketing Agreement Cracked or Broken shells, Foreign Material, & peanists with damaged Kernels based on U.S. Stundards for Claud Virginia Type founds CHARGES Cracked and Broken shalls and discolored shalls in the Shell. FEES 1 DRAWING & reported at applicants request HANDLING S for of the United States Dupartment of Agriculture, do hereby certify that at the request of the applicant SAMPLING 1 SIGNATURE OF INSPECTOR EXPENSES 1 TOTAL S

ORIGINAL.

FORM FV-184-9A (11-90)

Exhibit XXVI – Shelled Valencia's Certified Using Shelled Spanish Standard. UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE 280165 **C** 280165 MILLED PEANUT INSPECTION CERTIFICATE This certificate is issued in compliance with the regulations of the Socretary of Agricultura governing the inspection of various products pursuant to the Agricultural Marketing Act of 1945, as amended (7 U.S.C. 1621 et. seq.) and is admissable as prima facia evidence in all courts of the United States. WARNING: Any person who knowingly shall falsely make, issue, after, lorge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both. SAMPLING BEGAN SAMPLE ANALYSIS FINISHED TYPE OF INSPECTION (Mark One Only) HOUR DATE DATE LOT INSPECTED 3:00 Pm 3:00 PM 11-6-03 11-4-03 LOT LOADED Into WHERE SAMPLE DRAWIP LONT LOCATION CODE WHERE SAMPLE AMALYZED CAR TRAILER Portales NM Portales, Nin CONVEYANCE IDENTIFICATION APPLICANT CODE APPLICANT NAME AND ADDRESS Borden Peanut Co. Portales, NM RECEIVER HAME AND ADDRESS GIVEN SHIPPER NAME AND ADDRESS SAME AS APPLICANT PRODUCT FIBERBOARD BINS CLEANED IN THE SHELL WITH NO DISTINGUISHING MARKS BUREAR SACKS **SHELLED PEANUTS** X TAGGED WITH WHITE COLORED TAGS X BULK PAPER SACKS TAGINSCRIPTION 900 50 16 paper sacks shelled Valence, granuts TAG CONTROL 950 ISSUED Super Sacks shelled Valencia preauts 902 03 au Mexico 451 02 FEDERAL-STATE INSPECTED RETURNED APPLICANT STATES 49,000 185 902 VALENCIA THE LOT NO. OR COUNT OF CONTAINERS SIZE 0.55 % SAW Kernels PASSING $15/64 \times 3/4$ Inch S Screen; % Wh Kernels RIDING meh Screen % S/W Kernels PASSING Inch Screen; % Wh Kernels RIDING Inch Screen ○ ② 3 SW Kernels & Kernel Portions PASSING 164 Inch R Screen % Peanuls With Undamaged Shells PASSING Screen **COUNT AVERAGES** PER OUNCE PER POUND QUALITY SAMPLE OF APPROXIMATELY 160 105 GRAMS DRAWN, GRAMS ANALYZED CONTAINED THE FOLLOWING: SHELLED PEAMUTS PEANUTS IN THE SHELL GRADE FACTOR PERCENT PERCENT GRAMS CRACKED OR BROKEN SHELLS OTHER TYPES OF KERNELS 2.00 0.00 DISCOLORED SHELLS SPLIT OR BROKEN KERNELS 1.00 20.0 OTHER SHELL DEFECTS DAMAGED OR UNSHELLED 6.3 0.32 FOREIGN MATERIAL MINOR DEFECTS **3-3** 0.17 SOUND WHOLE KERNELS XXX PEANUTS WITH DAMAGED KERNELS FOREIGN MATERIAL (BASED ON 4000 GRAMS) 0.02 06 MOISTURE (BY ELECTRIC METER) MOISTURE (BY ELECTRIC METER) 7.90 GRADE SEE REMARKS ESTABLISHED U.S. STANDARDS -SAMPLES BILLED TO APPLICANT ABOVE (DATE) 1-co 1-AB 11-6.03 AMS MADILL WIRED Collect MAILED to Applicant DANOHED (ANALYSIS RESULTS TO BE -MEETS Requirements of Mark REMARKS FAILS to meet Requirements of Marketing Agreement 7CFR, Part 996 for Human Consumption Meets requirements of US No I grade based on U.S. Standards for Shelled Spanish Tyre Pennuls at applicant's request CHARGES FEES 1 DRAWING & HANDLING S horizod/inspector of the Wolfelf Space Department of Agriculture, do horeby cortify that at the request of the applican hopiga of the above departition printects were inspected and the quality singler condition as shown by soid samples were SAMPLING S EXPENSES 1 TOTAL \$ FORM FV-184-97 (11-90)

ORIGINAL

Exhibit XXVII – Meets 7CFR, Part 996 for Blanched Peanuts.

FV-184-9A-CG

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE MILLED PEANUT INSPECTION CERTIFICATE

G9603614

This certificate is issued in compliance with the regulations of the Secretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 et.seq.) and is admissible as prima facie evidence in all courts of the United States. WARNING: any person who knowingly shall falsely make, issue, after, forge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both.

Sampling Started: 07:04 AM 09/18/2003

Sample Analysis Completed: 09:29 AM 09/18/2003

Applicant:

UNIVERSAL BLANCHERS, LLC

Sampled at:

UNIVERSAL BLANCHERS, LLC

131

SYLVESTER, GA

SYLVESTER, GA

Analyzed at:

UNIVERSAL BLANCHERS, LLC SYLVESTER, GA

Receiver:

Not given

Shipper:

Same as Applicant

Applicant States: 39,414 Lbs. Blanched Runner Type Peanuts in 20 Nylon Tote Sacks

Lot tagged with Gray tags inscribed:

USDA - GEORGIA Federal-State Inspected

35 Tags Issued 20 Tags Used

House 96 Lot 16575

Crop 02

15 Tags Returned

Shelled Peanuts Universal Blanchers, LLC Sylvester, GA

Sample of Approximately 75,000 Grams Drawn, 1006.4 Grams Analyzed contained the following:

Grams Percent

0.00 Foreign Material Based on 2011.1 grams 0.0

4.80 Moisture

Grade: SEE REMARKS.

1-AB Sample PLI and Returned to Applicant. 09/18/2003

Remarks: Meets Requirements of 7CFR part 996 for Blanched Peanuts Appl. states above lot previously identified as

FSIS lot# 8378, House# 93 Federal and State of Ga. cert.# G9306315, dated 06/10/03 and reference#

CB537089 Pt.1

42.00 Shell Fees

.00 1-AB N/C

SIGNATURE OF INSPECTOR:

I, the above, a duly authorized inspector of the United States Department of Agriculture, do hereby certify that at the request of the applicant and on the date indicated, samples of the above described products were

42.00 Total

inspected and the quality and/or condition as shown by said samples were as herein stated. FV-184-9A-CG (10-99) (Previous editions may be used

2 of 6 originars

Exhibit XXVIII - Runner Type Peanuts. Meets 7CFR, Part 996 for Human Consumption.

FV-184-9A-CG

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE

G3109009

37 Tags Issued

22 Tags Used

15 Tags Returned

MILLED PEANUT INSPECTION CERTIFICATE This certificate is issued in compliance with the regulations of the Secretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 et.seq.) and is admissible as prima facie evidence in all courts of the United States. WARNING: any person who knowingly shall falsely make, issue, after, forge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both.

Sampling Started: 01:35 PM 11/18/2003

Sample Analysis Completed: 01:08 PM 11/19/2003

Applicant:

BIRDSONG PEANUTS

Sampled at: BIRDSONG PEANUTS

13001

BLAKELY, GA

13612

SYLVESTER, GA

Analyzed at:

BIRDSONG PEANUTS SYLVESTER, GA

Receiver:

NOT GIVEN

Shipper:

BIRDSONG PEANUTS

SYLVESTER, GA

Applicant States: 49,940 Lbs. Shelled Runner Type Peanuts in 22 Nylon Tote Sacks

Lot tagged with Yellow tags inscribed:

USDA - GEORGIA Federal-State Inspected

House 31 Lot 42181 Crop 03

Product of USA

Shelled Peanuts (Runner Type) Birdsong Peanuts Sylvester, GA

Sample of Approximately 75,000 Grams Drawn, 1000,1 Grams Analyzed contained the following:

S/W Kernels Passing 16/64 x 3/4 inch Slot 7.29%

Whole Kernels Riding 18/64 x 3/4 inch Slot 17.39%

S/W Kernels and/or Sound Split & Broken Kernels Passing 17/64 inch Round 0.21%

Count 70 Per Ounce

Grams Percent

0.00 Other Types of Kernels 0.0

59.2 5.92 Split or Broken Kernels

6.1 0.61 Damaged or Unshelled

Minor Defects 11.7 1.17

Foreign Material Based on 2000.5 grams 0.0 0.00

> 7.70 Moisture

Grade:

SEE REMARKS.

1-AB Sample PLI and Returned to Applicant's Agent. 11/19/2003

Remarks: Meets Requirements of 7CFR part 996 for Human Consumption

Charges

42.00 Shell Fees 17.20 Handling

10.00 1-AB

SIGNATURE OF INSPECTOR:

00മാദ

I, the above, a duly authorized inspector of the United States Department of Agriculture, do hereby certify that at the request of the applicant and on the date indicated, samples of the above described products were inspected and the quality and/or condition as shown by said samples were as herein stated.

69.20 Total

FV-184-9A-CG (10-99) (Previous editions may

2 of 11 originals

Exhibit XXIX – U.S. No. 1 Runner. Meets APSA "Medium Runner."

FV-184-9A-CG

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE MILLED PEANUT INSPECTION CERTIFICATE

G9307108

This certificate is issued in compliance with the regulations of the Secretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 et.seq.) and is admissible as prima facte evidence in all courts of the United States. WARNING: any person who knowingly shall falsely make, issue, after, forge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both.

Sampling Started: 07:49 PM 11/03/2003

Sample Analysis Completed: 08:35 AM 11/04/2003

Applicant:

MCCLESKEY PEANUTS L.P.

Sampled at:

MCCLESKEY PEANUTS, L.P.

13070

SMITHVILLE, GA

SMITHVILLE, GA

Analyzed at: MCCLESKEY PEANUTS, L.P. SMITHVILLE, GA

Receiver:

NOT GIVEN

Shipper:

MCCLESKEY PEANUTS, L.P.

SMITHVILLE, GA

Applicant States: 44,092 Lbs. Shelled Runner Type Peanuts in 400 Burlap Sacks

Tagged Lot:

Lot tagged with Orange tags inscribed:

USDA - GEORGIA Federal-State Inspected

415 Tags Issued 400 Tags Used

House 93 Lot 2006

Crop 03

15 Tags Returned

Product of USA

U.S. No. 1 "Medium Runner" McCleskey Peanuts, L.P. Smithville, GA

Sample of Approximately 75,000 Grams Drawn, 1004.9 Grams Analyzed contained the following:

1.08% S/W Kernels Passing 18/64 x 3/4 inch Slot

7.84% Whole Kernels Riding 21/64 x 3/4 inch Slot

0.02% S/W Kernels and/or Sound Split & Broken Kernels Passing 17/64 inch Round

Count 53 Per Ounce

Grams Percent

0.0 0.00 Other Types of Kernels

6.8 0.68 Split or Broken Kernels

2.9 0.29 Damaged or Unshelled

2.6 0.26 Minor Defects

0.0 0.00 Foreign Material Based on 2009.2 grams

Moisture 7.50

Grade:

U.S. NO. 1 RUNNER MEETS APSA "MEDIUM RUNNER",

1-AB Sample PLI and Returned to Applicant's Agent. 11/04/2003

Remarks: Meets Requirements of 7CFR part 996 for Human Consumption

Charges

42.00 Shell Fees

17.20 Handling

10.00 1-AB

SIGNATURE OF INSPECTOR:

I, the above, a duly authorized inspector of the United States Department of Agriculture, do hereby certify that at the request of the applicant and on the date indicated, samples of the above described products were inspected and the quality and/or condition as shown by said samples were as herein stated.

69.20 Total

FV-184-9A-CG (10-99) (Previous editions may be used)

2 of 7 originals

Exhibit XXX - Blanched U.S. Runner Splits. Meets APSA "Runner Splits."

FV-184-9A-CG

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE MILLED PEANUT INSPECTION CERTIFICATE

G9307520

This certificate is issued in compliance with the regulations of the Secretary of Agriculture governing the Inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 et.seq.) and is admissible as prima facle evidence in all courts of the United States, WARNING; any person who knowlnery shall falsely make, issue, after, forge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both.

Sampling Started: 07:18 AM 05/20/2004

Sample Analysis Completed: 11:17 AM 05/20/2004

Applicant:

UNIVERSAL BLANCHERS, LLC

Sampled at: UNIVERSAL BLANCHERS, LLC

131

SYLVESTER, GA

SYLVESTER, GA

Analyzed at: UNIVERSAL BLANCHERS, LLC SYLVESTER, GA

Receiver:

NOT GIVEN

Shipper:

Same as Applicant

Applicant States: 37,448 Lbs. Blanched Runner Type Peanuts in 19 Nylon Tote Sacks

Lot tagged with Gray tags inscribed:

USDA - GEORGIA Federal-State Inspected

40 Tags Issued 19 Tags Used 21 Tags Returned

House 96 Lot 16004 Crop 03

Shelled Peanuts Universal Blanchers, LLC., GA

Sample of Approximately 75,000 Grams Drawn, 1002.3 Grams Analyzed contained the following:

Sound Kernel Portions Passing 17/64 inch Round 1.53%

Grams Percent

0.00 Other Types of Kernels 0.0

Damaged or Unshelled 0.26 2.6

Minor Defects 1.5 0.15

29.9 2.98 Sound Whole Kernels

0.0 0.00 Foreign Material Based on 2002.3 grams

4.60 Moisture

Grade:

U.S. RUNNER SPLITS MEETS APSA "RUNNER SPLITS"

NO.1 Sample PLI and Returned to Applicant's Agent. 05/20/2004

Remarks: Meets Requirements of 7CFR part 996 for Human Consumption.

Charges

42.00 Shell Fees

Teresa L. Ward

10.00 No.1

SIGNATURE OF INSPECTOR:

I, the above, a duly authorized inspector of the United States Department of Agriculture, do hereby certify that at the request of the applicant and on the date indicated, samples of the above described products were inspected and the quality and/or condition as shown by said samples were as herein stated.

52.00 Total

FV-184-9A-CG (10-99) (Previous editions may be us

1 of 6 originals

Exhibit XXXI – FV-184-12-CG Transfer Clearance Certificate.

FV-184-12-CG

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE

TRANSFER CLEARANCE CERTIFICATE (PEANUTS)

G9300010

This certificate is issued in compliance with the regulations of the Secretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 et.seq.) and is admissible as prima facie evidence in all courts of the United States. WARNING: any person who knowingly shall falsely make, issue, after, forge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both.

Transfer Started: 11:00 AM 11/07/2003

Transfer Completed: 04:24 PM 11/10/2003

Applicant:

MCCLESKEY PEANUTS L.P.

Location:

MCCLESKEY PEANUTS, L.P.

13070

SMITHVILLE, GA

736

SMITHVILLE, GA

Receiver:

NOT GIVEN

Shipper:

MCCLESKEY PEANUTS, L.P.

SMITHVILLE, GA

Applicant States:

47,670 Lbs. Shelled Runner Type Peanuts in 22 Fiberboard Bins

Tagged Lot:

Lot tagged with Orange tags inscribed:

USDA - GEORGIA Federal-State Inspected

36 Tags Issued 22 Tags Used 14 Tags Returned

House 93 Lot 2158

Crop 03

Product of USA

U.S. No. 1 "Medium Runner" McCleskey Peanuts, L.P. Smithville, GA

Certificate: G9307127 11/05/2003 GA House: 93 Lot: B-248

47,670 Lbs. Equivalent Weight

1.57% S/W Kernels Passing 18/64 x 3/4 inch Slot

Whole Kernels Riding 21/64 x 3/4 inch Slot 11.25%

0.00% S/W Kernels and/or Sound Split & Broken Kernels Passing 17/64 Inch Round

0.00% Other Types of Kernels

0.54% Split or Broken Kernels 0.12% Damaged or Unshelled

0.16% Minor Defects

0.00% Foreign Material

7.80% Moisture

Count 51 Per Ounce

Grade:

U.S. NO. 1 RUNNER MEETS APSA "MEDIUM RUNNER".

Remarks: FSIS personnel maintained positive lot identification and observed the transfer process of the above lot from Bulk into 22 Fiberboard Bins now being lot number 2158, GA House 93, Crop Year 2003. Meets Requirements

of 7CFR part 996 for Human Consumption

Charges

16.00 TRANSFER LOT(S)

SIGNATURE OF INSPECTOR:

This is to certify that the peanuts covered by this Transfer Clearance Certificate are part of a lot bearing inspection certificate and that satisfactory proof has been offered to show that said peanuts have been

inspected and certified at the point of origin.

FV-184-12-CG (10-99) (Previous editions may be used)

Exhibit XXXII - FV-187-CG "Notice of Sampling. No. 2 Aflatoxin Sample.

FV-187-CG

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FRUIT AND VEGETABLE PROGRAMS NOTICE OF SAMPLING

G9301600

(FOR GRADE OR CHEMICAL ANALYSIS) THIS IS TO CERTIFY That, in compliance with the regulations of the Secretary of Agriculture governing the inspection of fruits, vegetables, and nuts pursuant to the Agricultural Marketing Act of 1946, as amended, (7 U.S.C. 1621 etseq.) I, the undersigned, a duly authorized inspector of the United States Department of Agriculture, do hereby certify that, on the date indicated, samples drawn believed by me to be representative of the lot were as described below:

Sampling Started: 05/20/2004

Sampling for: Chemical Analysis

Applicant:

UNIVERSAL BLANCHERS, LLC

131

SYLVESTER, GA

131

Sampled at: UNIVERSAL BLANCHERS, LLC

SYLVESTER, GA

Receiver:

NOT GIVEN

Shipper:

Same as Applicant

Applicant States: 37,448 Lbs. Blanched Runner Type Peanuts in 19 Nylon Tote Sacks

Tagged Lot: Lot tagged with Gray tags inscribed:

USDA - GEORGIA Federal-State Inspected

House 96 Lot 16004 Crop 03

Shelled Peanuts, Universal Blanchers, LLC., Sylvester, GA

Quality Designated by Shipper: HUMAN CONSUMPTION Certificate: G9307517 Meets Quality Designated

Highest Quality Determined: U.S. Splits Sample Designated as: NO.2 Sample

Results from Previous Samples:

12 ppb 1-AB

PLI and Returned to Applicant's Agent. 05/20/2004

Remarks:

Charges

Teresa L. Ward

Hourly Basis

Total

FV-187-CG (10-99) (Previous editions may be used)

SIGNATURE OF INSPECTOR:

resaxtian

Exhibit XXXIII – Meets 7CFR, Part 996 for Non-Edible Quality.

FV-184-9A-CG

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE MILLED PEANUT INSPECTION CERTIFICATE

G9307518

This certificate is issued in compliance with the regulations of the Secretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 et.seq.) and is admissible as prima face evidence in all courts of the United States. WARNING: any person who knowingly shall falsely make, issue, alter, forge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both.

Sampling Started: 07:47 AM 05/20/2004

Sample Analysis Completed: 09:52 AM 05/20/2004

Applicant:

UNIVERSAL BLANCHERS, LLC

Sampled at: UNIVERSAL BLANCHERS, LLC

131

SYLVESTER, GA

SYLVESTER, GA

Analyzed at: UNIVERSAL BLANCHERS, LLC SYLVESTER, GA

Receiver:

NOT GIVEN

Shipper:

Same as Applicant

Applicant States: 42,000 Lbs. Shelled Runner Type Peanuts in 21 Fiberboard Bins

Tagged Lot: Lot tagged with Red tags inscribed:

USDA - GEORGIA Federal-State Inspected

37 Tags Issued 21 Tags Used

House 96

Lot 102 Crop 03

16 Tags Returned

Oilstock Universal Blanchers, LLC., Sylvester, GA

Sample of Approximately 75,000 Grams Drawn, 1000.5 Grams Analyzed contained the following:

Grams Percent

0.7 0.07

Foreign Material Based on 1000.5 grams (See "Note" Below)

5.50 Moisture

Grade:

SEE REMARKS.

1-AB & Oil Samples PLI and Returned to Applicant's Agent. 05/20/2004

Remarks: Meets Requirements of 7CFR part 996 for Non-Edible Quality,

NOTE *LETTER ON FILE REQUESTING FOREIGN MATERIAL AND MOISTURE BE DETERMINED.

Charges

42.00 Shell Fees

Teresa L. Ward

10.00 1-AB

7.50 Oil Sample

SIGNATURE OF INSPECTOR:

I, the above, a duly authorized inspector of the United States Department of Agriculture, do hereby certify that at

the request of the applicant and on the date indicated, samples of the above described products were inspected and the quality and/or condition as shown by said samples were as herein stated.

59.50 Total

FV-184-9A-CG (10-99) (Previous editions may be used)

1 of 7 originals

Exhibit XXXIV - FV-184-12CG Transfer Clearance Certificate on a Non-Edible Quality Lot.

FV-184-12-CG

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FEDERAL-STATE INSPECTION SERVICE

G9600165

TRANSFER CLEARANCE CERTIFICATE (PEANUTS)

This certificate is issued in compilance with the regulations of the Secretary of Agriculture governing the inspection of various products pursuant to the Agricultural Marketing Act of 1946, as amended (7 U.S.C. 1621 et.seq.) and is admissible as prima facie evidence in all courts of the United States. WARNING: any person who knowingly shall falsely make, issue, alter, forge or counterfeit this certificate, or participate in any such actions, is subject to a fine of not more than \$1,000 or imprisonment for not more than one year, or both.

Transfer Started: 08:00 AM 11/14/2003

Transfer Completed: 09:39 AM 11/14/2003

Applicant:

UNIVERSAL BLANCHERS, LLC

Location:

UNIVERSAL BLANCHERS, LLC

131

SYLVESTER, GA

131

SYLVESTER, GA

Receiver:

Not given

Shipper:

Same as Applicant

Applicant States:

42,000 Lbs. Shelled Runner Type Peanuts in Trailer(s) identified as LE 61909 GA

House: 96 Crop Year: 2003 App Lot: 102

Certificate: G9603676 11/12/2003 GA House: 96 Lot: 102

42,000 Lbs. Equivalent Weight

0.07%

Foreign Material

5.50% Grade:

SEE REMARKS.

Moisture

Remarks: FSIS personnel maintained positive lot identification and observed the transfer process of the above lot from 21 Fiberboard Bins into Trailer(s) now being lot number 102, GA House 96, Crop Year 2003, and sealed with seal numbers FSIS J 174837 thru J174840. Meets Requirements of 7CFR part 996 for Non-Edible Quality

Charges

84.00 Hourly

16.00 Mileage

SIGNATURE OF INSPECTOR:

inspected and certified at the point of origin.

This is to certify that the peanuts covered by this Transfer Clearance Certificate are part of a lot bearing inspection certificate and that satisfactory proof has been offered to show that said peanuts have been

100.00 Total

PV-184-12-CG (10-99) (Previous editions may

2 of 3 originals

Part V Guidelines for Lots Processed by USDA-Approved Blanchers and Remillers

Overview

Under the following provisions, blanching, remilling, and roasting may only be performed by those firms who agree to procedures acceptable to USDA (or their agent) and who are approved by USDA to do such blanching or remilling.

- I. Peanuts Failing Human Consumption Requirements Account Quality, Size, and/or Aflatoxin. (To be blanched).
 - A. Sampling is at the same rate as other inspections for human consumption quality.
 - B. All grade factors must be determined after blanching with the following exceptions:

Size and/or damage and minor defects will not have to be determined after blanching if the lot met these requirements before blanching. If not, size, damage, and minor defects must be determined and meet these requirements after blanching.

When a lot meets these requirements before blanching, they are omitted on the certificate. However, if size, damage, or minor defects are requested to be shown on the certificate after blanching, a statement must be included in the "Remarks" section stating that they have been "determined and reported at applicant's request."

- C. PLI is required after blanching.
- D. All costs are for the account of the blancher.
- E. Residuals (excluding hearts and skins) must be placed in containers suitable to USDA Regulations and may be:
 - 1. PLI'd using red tags and returned to the handler for further disposition; or
 - 2. PLI'd and disposed of to handlers who are crushers or to USDA-approved crushers provided that they agree to comply will all requirements of the USDA Regulations.
- F. Show under "Remarks" on the certificate:

1.	Meets (or fails)	Requirements	of 7CFR,	Part 996	for blanched	peanuts.
----	---------	-----------	--------------	----------	----------	--------------	----------

2.	Applicant states p	revious Lot No	and Certificate No	
----	--------------------	----------------	--------------------	--

Π.		eanuts Failing Human Consumption Requirements Account Quality, Size, and/or flatoxin. (To be remilled).
	A.	Sampling is at the same rate as other inspections for human consumption quality.
	В.	Must meet all requirements of 7CFR, Part 996, para. 31(a) after remilling.
	C.	All costs are for the account of the remiller.
	D.	Residuals – Same options as on blanched lots.
	E.	Show under "Remarks" on the certificate:
		1. Compliance or non-compliance with 7CFR, Part 996 for Human Consumption.
		2. Applicant states previous Lot No and Certificate No
III		eanuts Meeting Quality and Size Requirements, but Failing on Aflatoxin, that are Roasted Immediately After Blanching.
	Α.	Lots must be certified as meeting all quality requirements of 7CFR, Part 996, para. 31(a) before blanching and are positive for aflatoxin.
	В.	PLI must be maintained by the Inspection Service throughout the blanching and roasting process.
	C.	All costs are for the account of the blancher/remiller.
	D.	Residuals – Same options as on blanched lots.
	E.	Grade and/or size determination must not be performed on roasted peanuts.
	F.	A transfer certificate must be issued to maintain PLI of the original red skin lot.
	G.	An aflatoxin-only sample (Samples 1, 2, and 3) must be drawn and sent to the lab with an accompanying 187, stating under "Remarks:" "Above lot blanched and roasted under 7CFR, Part 996.50, para. (e)"

Blanching Out-of-Grade Lots - Memorandum of Understanding

Memorandum of Understanding Between The Fruit and Vegetable Programs, Agricultural Marketing Service, United States Department of Agriculture and:

NAME OF PROJECT: Blancher Approval

OBJECTIVE: The purpose of this memorandum of understanding (Memorandum) is to authorize the United States Department of Agriculture (USDA) approved blanching facilities the opportunity to carry out blanching under the provisions of the Peanut Quality and Handling Standards.

LEGAL AUTHORITY: Section 1308 of the Farm Bill Security and Rural Investment Act of 2002 (Farm Bill) terminated the Peanut Administrative Committee (PAC), which locally administered the peanut marketing agreement and required the USDA to appoint a new Peanut Standards Board to consult with USDA on the development of peanut standards. Also, the Farm Bill required that all peanuts marketed in the United States must be officially inspected and graded by federal inspectors of federally licensed produced peanuts. The USDA has a Cooperative Agreement with Russ Tabb and Associates providing them the authority to serve as USDA Agents/Representatives with the ability to act on behalf of the USDA for purposes of peanut compliance. The terms of the program are specified in 7 CFR Part 996 Peanut Quality and Handling Standards for Domestic and Imported Peanuts Marketed in the United States (Standards), as published in the March 10, 2003, issue of the Federal Register.

REVISION:

July 19, 2004

EFFECTIVE DATE:

August 2, 2004

ORGANIZATION:

USDA/AMS/Fruit and Vegetable Programs/ Marketing Order

Administration Branch/DC Marketing Field Office

LOCATION:

Washington, DC / Riverdale, MD / Albany, GA

RESPONSIBILITIES:

A. Blanching Facility:

1. Blancher will, on an individual lot basis, custom blanch lots of shelled peanuts which fail to meet Section 996.31 (a) of the Standards for disposition to human consumption outlets.

For the purposes of this Memorandum, custom blanching means the process of removing the skins from peanut kernels and the subsequent removal of damaged kernels, kernels suspect of aflatoxin contamination, and foreign material.

- 2. Blancher agrees to blanch each lot of peanuts as a separate unit; or alternatively, lots of peanuts, owned by the same handler, may be combined with compatible lots of peanuts of similar type and grade category and similar aflatoxin content, in a composite blanching operation.
- 3. Blancher agrees to maintain complete records on each lot to be blanched, including the number of containers and weight of the lot, the positive lot identification, covering grade certificate, and any other information as required by the USDA Agent/Representative.
- 4. Blancher agrees to maintain complete records on the blanching process, whether each lot is blanched as a separate unit or is combined in composite with other lots. The records shall consist of the identification of all peanuts included in the blanching process and all blanching information including: the number of containers and weight of each blanched lot, the positive lot identification, covering grade and aflatoxin certificates, reject peanuts and other material, and any other information as required by the USDA Agent/Representative.
- 5. Blancher agrees that records applicable to the lot, before and after blanching, shall be retained by Blancher for at least two (2) years from the date of blanching of the lot and shall be available for examination by representatives of the USDA.
- 6. Blancher agrees that the blanched product shall be positive lot identified and placed in suitable containers acceptable to the USDA Agent/Representative and the handler who owns the peanuts.
- 7. Blancher agrees to cause each lot of blanched peanuts to be sampled by an in-line automatic sampler operating in a manner acceptable to the USDA Agent/Representative and an inspector of the Federal or Federal- State Inspection Service or, in the alternative, to cause samples to be drawn by the inspector. The sample shall be representative of the lot and the gross amount of the sample shall be large enough to provide for a grade analysis, for grading check-sample, and the prescribed samples for aflatoxin assay.
- 8. Blancher agrees that no lot of blanched peanuts shall be manufactured into finished product or shipped to a manufacturer, until the results of the grade and aflatoxin analysis on the blanched lot are known and the covering certificates have been received and examined. Furthermore, to be eligible for disposal into human consumption outlets, the peanuts after blanching, must be certified as meeting the requirements for disposition to human consumption outlets specified in the table in Section 996.31 (a) of the Standards and must be accompanied by an aflatoxin certificate determined, by USDA criteria, to be negative.

- 9. Blancher agrees that the residual peanuts, excluding skins and hearts, resulting from blanching under these provisions, shall be placed in suitable containers acceptable to the USDA Agent/Representative and red-tagged and disposition shall be that the peanuts are returned to the handler for further disposition; or in the alternative, the residuals shall be positive lot identified by a Federal or Federal-State Inspection Service, and shall be disposed of by Blancher to handlers who are crushers or to crushers who are not handlers under the Standards only on the condition that they agree to comply with the terms of paragraph (b) of Section 996.50 and all other applicable requirements of the Standards.
- 10. Blancher agrees to maintain compliance with the provisions of Section 996.74 of the Standards.
- 11. Except as provided herein, Blancher agrees not to blanch any lot of peanuts unless the peanuts meet the grade and size requirements for human consumption as defined in the Standards.
- 12. Nothing contained herein shall obligate either the USDA Agent/Representative or Blancher to any specific lot or any number of lots.
- 13. Blancher may terminate this Memorandum by written notice to the USDA Agent/Representative, but such termination shall not apply as to any peanuts to which the Memorandum was applicable prior to the effective time of termination, which shall be thirty (30) days after written notice.
- 14. USDA Agent/Representative may amend, suspend or terminate this Memorandum by written notice to Blancher and the effective time shall be as specified in the written notice, after the date of the written notice. Specifically, the USDA Agent/Representative may terminate, or suspend for a specified period of time, this Memorandum upon USDA's determination of Blancher's failure to comply with the provisions stated or referred to herein.

B. USDA

- 1. USDA Agent/Representative will supervise the blanching of the first five (5) lots under the applicable Standards.
- 2. USDA Agent/Representative will examine each lot and appropriate certificates and other documents and determine whether the lot has been satisfactorily handled and has been "Successfully Blanched".
- 3. USDA Agent/Representative will instruct the blanching facility management regarding the Standards as to blanching, record keeping, etc.
- 4. In carrying out its responsibilities, the USDA Agent/Representative reserves the right to take any corrective actions necessary to ensure that the blanching operations are properly administered in accordance with the Standards.

BASIS OF COOPERATION:

This Memorandum defines in general terms the basis on which the parties concerned will cooperate, and does not constitute a financial obligation to serve as a basis for expenditures. Each party will handle and expend its own funds. Any and all expenditures from Federal funds in the USDA made in conformity with the plans outlined in the Memorandum must be in accord with USDA rules and regulations and in each instance based upon appropriate finance papers. Expenditures made by any other cooperator will be in accord with its rules and regulations.

The responsibilities assumed by the cooperating parties under this Memorandum are contingent upon funds being available from which expenditures legally may be met.

DURATION:

This Memorandum shall be in force until terminated by either party upon thirty (30) days written notice or amended by mutual agreement of the undersigned.

We, the undersigned, agree to the terms of this agreement and understand the responsibilities outlined herein. It is further agreed that all parties can revise this agreement at any time upon mutual consent.

		Sworn and subscribed before me this
USDA Agent/Representative		the day of,
		(For the USDA Agent/Representative)
Title:	_	
Date:		
·		Sworn and subscribed before me this
Blancher		the,,
		(For the Blancher)
Title:	_	
Date:	-	

Example A – Blanched Lot, Out on Grade

C 28016	5		AGRICULTE FEDERAL-S	DEPARTMENT OF AGRICUMAL MARKETING SERVICE TATE INSPECTION SERVICE INSPECTION CE	E XE	C 28	30165	
This certificate is issued in Marketing Act of 1946, as	ompliance with the		-4			.L		
Marketing Act of 1946, as knowingly shall falsely ma imprisonment for not more	tka issua attar for		and is admissa feit this certific	y or Agriculture governing ble as prima facie evidenc ala, or participate in any	tine inspection of value in all courts of the such actions, is subj	rious products United States, ioct to a fine	pursuant to WARNING: / of not more	tho Agricultural Any porson who than \$1,000 or
SAMPLIN	NG BEGAN			NALYSIS FINISHED				
HOUR OA		HQU		DATE /	5	OF INSPEC	HON (Mark	One Only)
230 PM	4/30/03 E SAMPLE DRAWN	. 8	P15 AM	: 1/03</td <td></td> <td>SPECTED DADED Into</td> <td></td> <td></td>		SPECTED DADED Into		
I \		WIRE	RE SAMPLE ANA	NEYZED	1 —	CAR [TRAILER	
	CLEY, GA	, j	7CBINI	CA .		VEYANCE II		
APPLICANT CODE APPLIC	KICIA CINA SIMAN TINAS	RESS				MOER		ST
	eris Bian	KHEP'S	Door	er Ga		,	1	51
HELDEN HAME AND ADDRES	s,			SHIPPER NAME AND ADDR	ESS		l	
PRODUCT	GIVEN			SAM	ie as ap	DLICAN	<i>/T</i> ·	
							<u>.</u>	
CLEANED IN	THE SHELL		FIBERBOARI	DBINS	1			
r::fi	164	. 5	ZI RUDUAR	SACKS	WITH NO DISTIN	QUISHING I	MARKŜ	
SHELLED PEA	ANUTS	•		SAUKS [X]	TAGGED WITH	Moesi	, ,,,,,,	
GLAN	JCHED	11	BULK		INGOCO WITH	14027	COLUH	ED TAGS
TAG INSCRIPTION Shell	ed Avano	TS U	155 B1	maches, Do				
			13.1.(()	MARINKI P., DC	жке.А"- <i>Р</i> ч.	••••••••	TAG C	ONTROL
HOUSE LOT NUMBER	CROP YR	••••					350 320	ISSUED
91 10	02 us	DA	SECRE	51A	FEDERAL-STATE	NSPECTED	320	USED
APPLICANT STAYES			1			10 0010		RETURNED
40,000 18			BULK	,		_		
10,000	* KUN	NERTYPE	LOT NO.	OR COU	vтоғ3 <u>,</u>	2 <i>0</i>		CONTAINERS
SIZE								
* 1.36 % S/W Kernel % S/W Kernel * 3.32 % S/W Kernel	S PASSING 14/L	4 x 3/4	Inch S	Screen: 0.22 % W	h Kemels BIDING	itele	3/ii loch	C Serion
% S/W Kernel	s Passing		Inch	Screen; % W	h Kernels RIDING	-75-4 A	Inch.	Screen
				14 Inch R Scr	een			
					0011			
	Ih Undamaged S			InchS	creen			
COUNT AVERAGES	In Undamaged S		R OUNCE	Inch S	creen PER POUN	D		
COUNT AVERAGES QUALITY		☐ PE	R OUNCE	InchS	creen	D		
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA	ATELY 75	☐ PE		InchS	creen		NED THE FO	OLLOWING:
COUNT AVERAGES OUALITY SAMPLE OF APPROXIMA	ATELY	☐ PE	R OUNCE	InchS	Creen PER POUN GRAMS ANALYZ		NED THE FO	DLLOWING:
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO	ATELY 757 PEANUTS IN THE	☐ PE	R OUNCE		Creen PER POUN GRAMS ANALYZ	ED CONTAI	NED THE FO	DLLOWING:
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE	ATELY 757 PEANUTS IN THE	PE POO G SHELL	R OUNCE		Creen PER POUN GRAMS ANALYZ SHELLED DE FACTOR	ED CONTAI		
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS	ATELY 757 PEANUTS IN THE	PE POO G SHELL	R OUNCE	Inch S	Creen PER POUN GRAMS ANALYZ SHELLED DE FACTOR FLS	ED CONTAI	GRAMS	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS	ATELY 757 PEANUTS IN THE	PE POO G SHELL	R OUNCE	Inch S /N, /OCC GRA OTHER TYPES OF KERNE	GRAMS ANALYZ SHELLED DE FACTOR ELS	ED CONTAI	GRAMS XXX: 864.3	PERCENT XXX
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS	ATELY 75/ PEANUTS IN THE IR LLS	PE POO G SHELL	R OUNCE	Inch S IN. /OCO GTNA OTHER TYPES OF KERNE SPLIT OR BROKEN KERNE	GRAMS ANALYZ SHELLED DE FACTOR ELS	ED CONTAI	GRAMS XXX: 864.3 11.8	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIM/ GAADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL	ATELY 75/ PEANUTS IN THE IR LLS	PE POO G SHELL	R OUNCE	Inch S IN. /OCC GTA OTHER TYPES OF KERNI SPLIT OR BROKEN KERNI DAMAGED OR UNSHELLI	GRAMS ANALYZ SHELLED DE FACTOR PLS ELS ED	ED CONTAI	GRAMS XXX: 864.3	PERCENT XXX
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN	ATELY 75/PEANUTS IN THE	PE POO G SHELL	R OUNCE	Inch S IN, //O/C GRA OTHER TYPES OF KERNE SPLIT OR BROKEN KERNE DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS	GRAMS ANALYZ SHELLED DE FACTOR FLS EED SEED ON 1000	ED CONTAI	GRAMS XXX: 864.3 11.8 5.6	PERCENT XXX 86.43 1.18 0.56
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE (BY ELECTRIC ME	ATELY 75/PEANUTS IN THE	PE POO G SHELL	R OUNCE	INCH S IN. /OCC GRA OTHER TYPES OF KERNE SPLIT OR BROKEN KERNE DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL	GRAMS ANALYZ SHELLED DE FACTOR FLS EED SEED ON 1000	ED CONTAI PEANUTS	GRAMS XXX: 864.3 11.8 5.6 XXX	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE (BY ELECTRIC ME	ATELY 75/PEANUTS IN THE PART I	PE POO G SHELL	R OUNCE	Inch S IN, //O/C GRA OTHER TYPES OF KERNE SPLIT OR BROKEN KERNE DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS	GRAMS ANALYZ SHELLED DE FACTOR FLS EED SEED ON 1000	ED CONTAI PEANUTS	GRAMS XXX: 864.3 11.8 5.6 XXX	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE (BY ELECTRIC ME	ATELY 75/PEANUTS IN THE PART I	PE POO G SHELL	R OUNCE	Inch S IN, //O/C GRA OTHER TYPES OF KERNE SPLIT OR BROKEN KERNE DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS	GRAMS ANALYZ SHELLED DE FACTOR FLS EED SEED ON 1000	ED CONTAI PEANUTS	GRAMS XXX: 864.3 11.8 5.6 XXX	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURIE (BY ELECTRIC ME GRADE SEE REMARK	PEANUTS IN THE	PE POO G SHELL	R OUNCE	Inch S IN, COC GTAI OTHER TYPES OF KERNE SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC	GRAMS ANALYZ SHELLED DE FACTOR FLS EED SEED ON 1000	ED CONTAI PEANUTS	GRAMS XXX: 864.3 11.8 5.6 XXX	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE (BY ELECTRIC ME GRADE SAMPLES BILLED TO APPLE	ATELY 750 PEANUTS IN THE PEANUTS IN	PE PEC GRAMS	PERCENT	INCH S IN. GRAN GRAN OTHER TYPES OF KERNI SPLIT OR BROKEN KERN DAMAGED OR BROKEN KERN DAMAGED USHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOSTURE (BY ELECTRIC	GRAMS ANALYZ SHELLED DE FACTOR PLS ELS ED S SEED ON TOCOC (METER)	PEANUTS PEANUTS GRAMS)	GRAMS XXX: 864.3 11.8 5.6 XXX	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE (BY ELECTRIC ME GRADE SEE REIMARK	ATELY 750 PEANUTS IN THE IR LLS TOTAL GENNELS TER)	PE PEC GRAMS	R OUNCE	Inch S IN, COC GTAI OTHER TYPES OF KERNE SPLIT OR BROKEN KERN SPLIT OR BROKEN KERN MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BAS MOISTURE (BY ELECTRIC	GRAMS ANALYZ SHELLED DE FACTOR PLS ELS ED S SEED ON TOCOC (METER)	ED CONTAI PEANUTS	GRAMS XXX: 864.3 11.8 5.6 XXX	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE (BY ELECTRIC ME GRADE SAMPLES DILLED TO APPLICA 1-CD 1-A	ATELY 75/0 PEANUTS IN THE PEANUTS IN	PE P	PERCENT PERCENT AND SENT TO IS RESULTS TO	INCH S IN. GRAN GRAN OTHER TYPES OF KERNI SPLIT OR BRIOKEN KERN DAMAGED OR BRIOKEN KERN DAMAGED OR BRIOKEN KERN BOUND WHOLE KERNEL FOREIGN MATERIAL IBAS MOSTURE IBY ELECTRIC PHONED (Creen PER POUNT GRAMS ANALYZ SHELLED DE FACTOR PLS FELS ED S SED ON 1600 (METER)	PEANUTS PEANUTS GRAMS)	GRAMS XXX: \$64.3 II.8 XKX O.0	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE (BY ELECTRIC ME GRADE SAMPLES DILLED TO APPLICA 1-CD 1-A	ATELY 75/0 PEANUTS IN THE PEANUTS IN	PE P	PERCENT PERCENT AND SENT TO IS RESULTS TO	INCH S IN. GRAN GRAN OTHER TYPES OF KERNI SPLIT OR BRIOKEN KERN DAMAGED OR BRIOKEN KERN DAMAGED OR BRIOKEN KERN BOUND WHOLE KERNEL FOREIGN MATERIAL IBAS MOSTURE IBY ELECTRIC PHONED (Creen PER POUNT GRAMS ANALYZ SHELLED DE FACTOR PLS FELS ED S SED ON 1600 (METER)	ED CONTAIN PEANUTS GRAMS) BESSI R TY GA WIRED Collect	GRAMS XXX: \$64.3 11.8 XXX 0.0	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE IBY ELECTRIC ME GRADE SAMPLES DILLED TO APPLICATE I-CD REMARKS X MEETS	TOTAL GENNELS TOTAL GENNELS TOTAL GENNELS TER) ANT ABOVE AR APPE	PECO G SHELL GRAMS AL DRAWN ANALYS Authoring Age Ar (3) a v c	PERCENT TO IS RESULTS TO GRANDILL, hed I grandill, hed I grandill.	OTHER TYPES OF KERNIN SPLIT OR BRIOKEN KERNI SPLIT OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI BUNNOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL IBAS MOISTURE (BY ELECTRIC PLONED (FARLS to me	GRAMS ANALYZ SHELLED DE FACTOR PLS ELS ED S SED ON TOCO O METER) ADDRES ON PROPERTY ADDR	SPRAMS) SPRAMS) SPRAMS) SPRAMS) WIFED Collecting Ag	GRAMS XXX S64.3 11.8 S.6 XXX D.0	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE IBY ELECTRIC ME GRADE SAMPLES DILLED TO APPLICATE I-CD REMARKS X MEETS	TOTAL GENNELS TOTAL GENNELS TOTAL GENNELS TER) ANT ABOVE AR APPE	PECO G SHELL GRAMS AL DRAWN ANALYS Authoring Age Ar (3) a v c	PERCENT TO IS RESULTS TO GRANDILL, hed I grandill, hed I grandill.	OTHER TYPES OF KERNIN SPLIT OR BRIOKEN KERNI SPLIT OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI BUNNOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL IBAS MOISTURE (BY ELECTRIC PLONED (FARLS to me	GRAMS ANALYZ SHELLED DE FACTOR PLS ELS ED S SED ON TOCO O METER) ADDRES ON PROPERTY ADDR	SPRAMS) SPRAMS) SPRAMS) SPRAMS) WIFED Collecting Ag	GRAMS XXX S64.3 11.8 S.6 XXX D.0	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE IBY ELECTRIC ME GRADE SAMPLES DILLED TO APPLICATE I-CD REMARKS X MEETS	TOTAL GENNELS TOTAL GENNELS TOTAL GENNELS TER) ANT ABOVE AR APPE	PECO G SHELL GRAMS AL DRAWN ANALYS Authoring Age Ar (3) a v c	PERCENT TO IS RESULTS TO GRANDING TO IS A CONTROLLY TO GRANDING THE CONTROLLY THE CONT	OTHER TYPES OF KERNIN SPLIT OR BRIOKEN KERNI SPLIT OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI BUNNOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL IBAS MOISTURE (BY ELECTRIC PLONED (FARLS to me	GRAMS ANALYZ SHELLED DE FACTOR PLS ELS ED S SED ON TOCO O METER) ADDRES ON PROPERTY ADDR	SPRAMS) SPRAMS) SPRAMS) SPRAMS) WIFED Collecting Ag	GRAMS XXX S64.3 11.8 S.6 XXX D.0	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE (BY ELECTRIC ME GRADE SAMPLES DILLED TO APPLICAT APPLICANT SHA	PEANUTS IN THE PRAILS TOTAL GENNELS THER ANT ABOVE ARE PROPER HOUSE	AL DRAWN ANALYS AUTHORITY AND ANALYS AUTHORITY ANALYS AUTHORITY AND ANAL	PERCENT PERCENT AND SENT TO IS RESULTS TO SENTING IS ALL TO THE TOT	INCH S IN. 1000 GRAN OTHER TYPES OF KERNE SPLIT OR BROKEN KERNE DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL IBAS MOSTURE (BY ELECTRIC PLANS BE PHONED (FARLS TO ME Lic d an Gec Dayed 4/	GRAMS ANALYZ SHELLED DE FACTOR ELS EED S SED ON 1600 O METER) METER ME	ED CONTAIN PEANUTS PEANUTS PRAMS) PESSI 2 14 GA WHIED Collect Marketing Ag	GRAMS XXX: \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLONED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE (BY ELECTRIC ME GRADE SEE RE IMARIA I-CD I-A REMARKS X MEETS APPLICANT SHA CHARGES FEES 1	PEANUTS IN THE PRAILS TOTAL GENNELS THER ANT ABOVE ARE PROPER HOUSE	AL DRAWN ANALYS AUTHORITY AND ANALYS AUTHORITY ANALYS AUTHORITY AND ANAL	PERCENT PERCENT AND SENT TO IS RESULTS TO SENTING IS ALL TO THE TOT	OTHER TYPES OF KERNIN SPLIT OR BRIOKEN KERNI SPLIT OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI BUNNOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL IBAS MOISTURE (BY ELECTRIC PLONED (FARLS to me	GRAMS ANALYZ SHELLED DE FACTOR ELS EED S SED ON 1600 O METER) METER ME	ED CONTAIN PEANUTS PEANUTS PRAMS) PESSI 2 14 GA WHIED Collect Marketing Ag	GRAMS XXX: \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 11.8 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$64.3 \$	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE (BY ELECTRIC ME GRADE SAMPLES DILLED TO APPLICATION I-CD APPLICANT SHO CHARGES FEES 1 DRAWING 8	PEANUTS IN THE PRAILS TOTAL GERNELS THERE CAN ABOVE APPEAB REQUIREMENTS OF APPEAB REQUIREMENTS OF APPEAB HOUSE # SIZE Q	AL DRAWN ANALYS AUTHORITY AND ANALYS AUTHORITY AU	AND SENT TO IS RESULTS TO SERVICE TO THE CONTROL OF	INCH S IN. 1000 GRAN OTHER TYPES OF KERNE SPLIT OR BROKEN KERNE DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL IBAS MOISTURE (BY ELECTRIC PLANE) PRICHED (AS PRICHED (AS THE CONTROL THE CONTROL AS TH	GRAMS ANALYZ SHELLED DE FACTOR PLS EELS EEL SEED ON 1600 METER) PLOOF METER OF FS/S 28/03 SCHEL AT A PA	ED CONTAIN PEANUTS SPRANS) SPRANS) SPRANS) SPRANS) Contain Agent Contains Ag	GRAMS XXX: 864.3 11.8 5.6 XXX 0.0	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE BY ELECTRIC ME GRADE SAMPLES BILLED TO APPLICATION I-CD FEMARIKS X MEETS T-CC CHARGES FEES \$ DRAWBAG B AANDLING \$	PEANUTS IN THE PART OF THE PAR	AL DRAWN ANALYS	PERCENT TO IS RESULTS TO CONTINUE OF THE CONTI	INCH S IN. 1000 GTAN OTHER TYPES OF KERNIN SPLIT OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI BUMBO DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL BASS MOISTURE BY ELECTRIC AMS LA/3 BE PHONED (AS FARLS TO THE LICE OF GEO JULY CONTROL SKINNED ON THE POPER SKINNED ON THE POPER MITTER STANLES OF METERS STANLES OF METERS SKINNED ON THE POPER SKINNED ON	GRAMS ANALYZ SHELLED DE FACTOR BLS ELLS ED S SEED ON TOCC O METER) PARTY PART	SRAWS) SRAWS) SRAWS) SRAWS) Coat Collecting Ag Coat Coart	GRAMS XXX: 864.3 11.8 5.6 XXX 0.0 MARIE TOOMS TOO	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE BY ELECTRIC ME GRADE SAMPLES DILLED TO APPLICATION I-CD I-CD TARGES FEES 8 DRAWING 8 FAMPLING 8 AMPLING 8	PEANUTS IN THE RELIS TOTAL GERNELS TERN ANT ABOVE AR APPE Requirements of N R, Part 9864 HOUSE 1 HOUSE 1 L The undersigned and the right find Britany assed to	PE OCO G SHELL GRAMS AL DRAWN ANALYS Marketing Age For CU S S J And SPLAT Lighted samples Lighted samples	PERCENT TO IS RESULTS TO CONTINUE OF THE CONTI	INCH S IN. 1000 GRAN OTHER TYPES OF KERNE SPLIT OR BROKEN KERNE DAMAGED OR UNSHELLI MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL IBAS MOISTURE (BY ELECTRIC PLANE) PRICHED (AS PRICHED (AS THE CONTROL THE CONTROL AS TH	GRAMS ANALYZ SHELLED DE FACTOR BLS ELLS ED S SEED ON TOCC O METER) PARTY PART	SRAWS) SRAWS) SRAWS) SRAWS) SRAWS) Cart Cart	GRAMS XXX: 864.3 11.8 5.6 XXX 0.0 MARIE TOOMS TOO	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE BY ELECTRIC ME GRADE SAMPLES BILLED TO APPLICATION I-CD I-CD T-CF CHARGES FEES 8 DRAWING 8 MANDLING 8 AMPLING 8 AMPLING 8 AMPLING 8 AMPLING 8	PEANUTS IN THE PART OF THE PAR	PE OCO G SHELL GRAMS AL DRAWN ANALYS Marketing Age For CU S S J And SPLAT Lighted samples Lighted samples	PERCENT TO IS RESULTS TO CONTINUE OF THE CONTI	INCH S IN. 1000 GTAN OTHER TYPES OF KERNIN SPLIT OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI BUMBO DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL BASS MOISTURE BY ELECTRIC AMS LA/3 BE PHONED (AS FARLS TO THE LICE OF GEO JULY CONTROL SKINNED ON THE POPER SKINNED ON THE POPER MITTER STANLES OF METERS STANLES OF METERS SKINNED ON THE POPER SKINNED ON	GRAMS ANALYZ SHELLED DE FACTOR BLS ELLS ED S SEED ON TOCC O METER) PARTY PART	SRAWS) SRAWS) SRAWS) SRAWS) SRAWS) Cart Cart	GRAMS XXX: 864.3 11.8 5.6 XXX 0.0 MARIE TOOMS TOO	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE BY ELECTRIC ME GRADE SEE REMARKS SAMPLES BILLED TO APPLICATION I-CD I-CD I-CD T-CF CHARGES FEES 5 DRAWBAG 8 IANDLING 5 AMPLING 5 XYPENSES 1 TOTAL 5	PEANUTS IN THE RELIS TOTAL GERNELS TERN ANT ABOVE AR APPE Requirements of N R, Part 9864 HOUSE 1 HOUSE 1 L The undersigned and the right find Britany assed to	PE OCO G SHELL GRAMS AL DRAWN ANALYS Marketing Age For CU S S J And SPLAT Lighted samples Lighted samples	PERCENT TO IS RESULTS TO CONTINUE OF THE CONTI	INCH S IN. 1000 GTAN OTHER TYPES OF KERNIN SPLIT OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI BUMBO DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL BASS MOISTURE BY ELECTRIC AMS LA/3 BE PHONED (AS FARLS TO THE LICE OF GEO JULY CONTROL SKINNED ON THE POPER SKINNED ON THE POPER MITTER STANLES OF METERS STANLES OF METERS SKINNED ON THE POPER SKINNED ON	GRAMS ANALYZ SHELLED DE FACTOR BLS ELLS ED S SEED ON TOCC O METER) PARTY PART	SRAWS) SRAWS) SRAWS) SRAWS) SRAWS) Cart Cart	GRAMS XXX: 864.3 11.8 5.6 XXX 0.0 MARIE TOOMS TOO	PERCENT
COUNT AVERAGES QUALITY SAMPLE OF APPROXIMA GRADE FACTO CRACKED OR BROKEN SHE DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL PEANUTS WITH DAMAGED IN MOISTURE BY ELECTRIC ME GRADE SAMPLES BILLED TO APPLICATION I-CD I-CD TARRESS FEES 5 DRAWBAG 8 IANDLING 8 AMPLING 8 AMPLING 8 AMPLING 8 AMPLING 8	PEANUTS IN THE RELIS TOTAL GERNELS TERN ANT ABOVE ARE APPE Requirements of N R, Paret 9864 HOUSE L Me undersigned and the 1996 find Breauly assed when the find find Breauly assed with the property asset with the property as a property as a	PE OCO G SHELL GRAMS AL DRAWN ANALYS Marketing Age For CU S S J And SPLAT Lighted samples Lighted samples	PERCENT TO IS RESULTS TO CONTINUE OF THE CONTI	INCH S IN. 1000 GTAN OTHER TYPES OF KERNIN SPLIT OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI DAMAGED OR BRIOKEN KERNI BUMBO DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL BASS MOISTURE BY ELECTRIC AMS LA/3 BE PHONED (AS FARLS TO THE LICE OF GEO JULY CONTROL SKINNED ON THE POPER SKINNED ON THE POPER MITTER STANLES OF METERS STANLES OF METERS SKINNED ON THE POPER SKINNED ON	GRAMS ANALYZ SHELLED DE FACTOR BLS ELLS ED S SEED ON TOCC O METER) PARTY PART	SRAWS) SRAWS) SRAWS) SRAWS) SRAWS) Cart Cart	GRAMS XXX: \$64.3 11.8 \$.6 XXX 0.0 MALEI Company Frequest of the country sald said	PERCENT

Example B – Blanched Lot, Out on Grade and Size

		UNITED STATES DE	PARTMENT OF AGRICU	TURE	T	······································	
C 280165		AGRICULTUR FEDERAL-STA	AL MARKETING SERVICE TE INSPECTION SERVICE INSPECTION CEI	Ė	C 28	0165	. •
This certificate is issued in compliance with	the requisite	as of the Secretary	of Agriculture acuseming	the inspection of va	rious products	pursuant to the	- Agricultural
Marketing Act of 1946, as amended (7 U.S.C knowingly shall falsely make, issue, alter, t imprisonment for not more than one year, or	: 1621 et seq lorge or coun	- k and is admireabl	a se annos facio auvidanti	a un aut courts of the	LERMOU SIGNAP	MANAGEMENT (VI)	L TON TON MILES
SAMPLING BEGAN	T	SAMPLE AN	ALYSIS FINISHED	TYPE	OF INSPEC	rion (Mark C	ne Only)
HOUR DATE	н	OUR :	DATE / /		SPECTED		
230 PM 4/28/03		94511	4/29/03	roi h	DADED Into	J	
LOCATION CODE WHERE SAMPLE DRAWN	٧	VHERE SAMPLE AMAL	YZED		CAR L	TRAILER	OM.
ALBANI, APPLICANT CODE APPLICANT NAME AND AL		ALBANY	7 09		UMBER	ST	
Georgia Pea		Inc. De	xie, GA			1	
RECEIVER NAME AND ADDRESS NOT GIVEN	<u> </u>	me, <u>o</u>	SHPPER NAME AND ADDE	NE AS AF	PUCAN	7	
PRODUCT			CDy				
(FIBERBOARD	BINS F)			
CLEANED IN THE SHELL		[57]		WITH NO DISTI	NQUISHING I	MARKS	•
SHELLED PEANUTS	IN	BURLAP	SACKS	TAGGED WITH	IVURY	COLORE	D TAGS
M SHEET BLANCHED	Γ	BULK	1/2	, modes iiii			
TAG INSCRIPTION Shelled Peners	11/5 G	Parsie Pon	auts. Inc. 1	DIXIE, GA		TAG CO	ONTROL
Series Processing	W. J. F. J					<u>320</u>	
HOUSE LOT NUMBER CROP YR				FEDERAL-STATE	Neocetica	330	
71 24 02	USDA	<u> </u>	(a	FEDERAL-SIATE	PROFECTED		RETURNED
APPLICANT STATES B45ed	וכט				·~		
40,000 LBS RU	NNER 1	LAPE FOL NO	OR COL	INT OF	320		CONTAINERS
SIZE				a to ENDIA		Inch	Screen
% S/W Kernels PASSING _ % S/W Kernels PASSING		lnch	Screen; % V Screen; % V	vn kemels Ribit Vn Kemels Ribit	iG ———	Inch.	Screen
							
カリダ % S/W Kernels & Kernel Po	ortions PAS	SING 17/64	Inch R Se	creen			
% S/W Kernels & Kernel Po	ortions PAS ad Shells P	assing <u>17/64</u>		Screen		•	
% S/W Kernels & Kernel Po % Peanuts With Undamage COUNT AVERAGES	ortions PAS ad Shells P	ASSING 17/44 ASSING PER OUNCE			NO		
% Peanuts With Undamage COUNT AVERAGES QUALITY	ed Shells P	ASSING PER OUNCE	Inch	Screen PER POL		INED THE FO	OLLOWING:
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7.	ed Shells Pa	ASSING	Inch	Screen PER POU GRAMS ANAL			OLLOWING:
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS IN	ed Shells Pa	ASSING PER OUNCEGRAMS DRAW	inch	Screen PER POU GRAMS ANAL	YZED CONTA		DLLOWING:
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7.	ed Shells Parameter Social Shells Shell	ASSING PER OUNCEGRAMS DRAW	inch	GRAMS ANAL SHELL IADE FACTOR	YZED CONTA	GRAMS O.O.	PERCENT O.C.C
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR	ed Shells Parameter Social Shells Shell	ASSING PER OUNCEGRAMS DRAW	Inch Inch GR OTHER TYPES OF KER SPLIT OR BRIOKEN KER	GRAMS ANAL GRAMS ANAL SHELL IADE FACTOR NELS	YZED CONTA	GRAMS O.O.	PERCENT O.C.C X.XX
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS	ed Shells P. SOCO THE SHELL	ASSING PER OUNCEGRAMS DRAW	INCH GR OTHER TYPES OF KER SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL	GRAMS ANAL GRAMS ANAL SHELL IADE FACTOR NELS	YZED CONTA	GRAMS O.O. XXX 7.0	### PERCENT 0.00
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7 PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEPECTS FOREIGN MATERIAL	ed Shells P. SOCO THE SHELL	ASSING PER OUNCEGRAMS DRAW	Inch GR OTHER TYPES OF KER SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL MINOR DEFECTS	GRAMS ANAL GRAMS ANAL SHELL IADE FACTOR NELS RNELS LED	YZED CONTA	GRAMS 0.0 XXX 7.0 8.3	PERCENT
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7 PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEPECTS FOREIGN MATERIAL	ed Shells P. SOCO THE SHELL	ASSING PER OUNCEGRAMS DRAW	Inch IN. 1000 GR OTHER TYPES OF KER SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERN	GRAMS ANAL GRAMS ANAL SHELL LADE FACTOR NELS RNELS LED	YZED CONTA	GRAMS 0.0 XXX 7.0 8.3 15.3	### PERCENT 0.00
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7. PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS	ed Shells P. SOCO THE SHELL	ASSING PER OUNCEGRAMS DRAW	Inch GR OTHER TYPES OF KER SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL MINOR DEFECTS	GRAMS ANAL GRAMS ANAL SHELL ADE FACTOR NELS ANELS LED ELS ASED ON	YZED CONTA ED PEANUTS	GRAMS 0.0 XXX 7.0 8.3	PERCENT O.CC X.XX O.70 O.\$3 1.53
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7 PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEPECTS FOREIGN MATERIAL	ed Shells P. SOCO THE SHELL	ASSING PER OUNCEGRAMS DRAW	OTHER TYPES OF KER SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERN FOREIGN MATERIAL (8	GRAMS ANAL GRAMS ANAL SHELL ADE FACTOR NELS ANELS LED ELS ASED ON	YZED CONTA ED PEANUTS	GRAMS 0.0 XXX 7.0 8.3 15.3	PERCENT O.CC X.XX O.70 O.\$3 1.53 O.00
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE	ed Shells P. SOCO THE SHELL	ASSING PER OUNCEGRAMS DRAW	OTHER TYPES OF KER SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERN FOREIGN MATERIAL (8	GRAMS ANAL GRAMS ANAL SHELL ADE FACTOR NELS ANELS LED ELS ASED ON	YZED CONTA ED PEANUTS	GRAMS 0.0 XXX 7.0 8.3 15.3	PERCENT O.CC X.XX O.70 O.\$3 1.53 O.00
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY 7. PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEPECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER)	ed Shells P. SOCO THE SHELL	ASSING PER OUNCEGRAMS DRAW	OTHER TYPES OF KER SPLIT OR BROKEN KER DAMAGE OR UNSHEI MINOR DEFECTS SOUND WHOLE KERN FOREKSN MATERIAL (B MOISTURE (BY ELECTR	GRAMS ANAL SHELL JADE FACTOR NELS RIVELS LED ELS JASED ON 17000	YZED CONTA ED PEANUTS PEANUTS	GRAMS 0.0 XXX 7.0 8.3 15.3	PERCENT O.CC X.XX O.70 O.\$3 1.53 O.00 4.90
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEPECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE SAMPLES BILLED TO APPLICANT ABOVE SAMPLES BILLED TO APPLICANT ABOVE	SCCO THE SHELL GRAA	ASSING PER OUNCEGRAMS DRAW	OTHER TYPES OF KER OTHER TYPES OF KER SPLIT OR BRIOKEN KER SPLIT OR BRIOKEN KER MINOR DEFECTS SOUND WHOLE KERN FOREIGN MATERIAL (B MOISTURE (BY ELECTR	GRAMS ANAL SHELL JADE FACTOR NELS RIVELS LED ELS JASED ON 17000	CRAMS)	GRAMS 0.0 XXX 7.0 8.3 15.3 0.0	PERCENT O.CC X.XX O.70 O.\$3 1.53 O.00 4.90 4.90
% Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY PEANUTS IN GRADE FACTOR CRACKED OR BROKEN SHELLS DISCOLORED SHELLS OTHER SHELL DEPECTS FOREIGN MATERIAL TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE L.S. RUNNET SA SAMPLES BILLED TO APPLICANT ABOVE 1-CD 1-AB	SOCOO THE SHELL GRAA	ASSING PER OUNCE GRAMS DRAW MS PERCENT HAWN AND SENT TO HALLYSIS RESULTS TO	OTHER TYPES OF KER OTHER TYPES OF KER SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNI FOREIGN MATERIAL (B MOISTURE (BY ELECTR INVAME OF LAB) PL	GRAMS ANAL GRAMS ANAL SHELL IADE FACTOR NELS INELS LED ELS IASED ON	GRAMS)	GRAMS O.O. XXX 7.0 § 3 15.3 0.0	PERCENT O.CC X.XX O.70 O.\$3 1.53 O.00 4.90
Remarks **Rem	SCCO THE SHELL GRAA APPEAL DA AN S Of Machine 376 66 B	ASSING PER OUNCE GRAMS DRAW MS PERCENT HAVE AND SENT TO SAGCEMENT AND A PERCENT AND A PERCE	OTHER TYPES OF KER OTHER TYPES OF KER SPLIT OR BRIOKEN KER SPLIT OR BRIOKEN KER SPLIT OR BRIOKEN KER MINOR DEFECTS SOUND WHOLE KERNIN FOREIGN MATERIAL (B MOISTURE (BY ELECTR PLAN O BE PHONED (FARLS 10	GRAMS ANAL SHELL IADE FACTOR NELS THEE STREES LED ELS MASED ON	GRANS) GRANS) ORRESS GRAMS O. C X XX 7.0 8.3 /5.3 O. O can't bect MALE	PERCENT O.CC X XX C. 70 O. \$3 1. \$3 O. 00 4. \$0 4. \$0 Date: 4 24 03 D to Applicant	
Remarks **Rem	SCCO THE SHELL GRAA APPEAL DA AN S Of Machine 376 66 B	ASSING PER OUNCE GRAMS DRAW MS PERCENT HAVE AND SENT TO SAGCEMENT AND A PERCENT AND A PERCE	OTHER TYPES OF KER OTHER TYPES OF KER SPLIT OR BRIOKEN KER SPLIT OR BRIOKEN KER SPLIT OR BRIOKEN KER MINOR DEFECTS SOUND WHOLE KERNIN FOREIGN MATERIAL (B MOISTURE (BY ELECTR PLAN O BE PHONED (FARLS 10	GRAMS ANAL SHELL IADE FACTOR NELS THEE STREES LED ELS MASED ON	GRANS) GRANS) ORRESS GRAMS O. C X XX 7.0 8.3 /5.3 O. O can't bect MALE	PERCENT O.CC X XX C. 70 O. \$3 1. \$3 O. 00 4. \$0 4. \$0 Date: 4 24 03 D to Applicant	
Reanuts With Undamage COUNT AVERAGES **QUALITY SAMPLE OF APPROXIMATELY 7. **PEANUTS IN TOTAL PEANUTS SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL **TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE **TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE **TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE **TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE **TOTAL PEANUTS WITH DAMAGED KERNELS **TOTAL PEANUTS WITH DAMAGED KERN	SCCO THE SHELL GRAA APPEAL DR AN S Of Medicina AC & & B	ASSING PER OUNCE GRAMS DRAW MS PERCENT HAVE RESULTS TO SACCE AND ACCEPTAGE PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT	INCH OTHER TYPES OF KER OTHER TYPES OF KER SPLIT OR BROKEN KER EDAMAGED OR UNSHER MINOR DEFECTS SOUND WHOLE KERNIN FOREKIN MATERIAL (B MOISTURE (BY ELECTR INJURIE OF LAB) PLI AM O BE PHONED (INJURIE OF LAB) PLI AM O BE FARLS TO INJURIE OF LAB O BE TO PHONED (GRAMS ANAL SHELL JADE FACTOR NELS JASED ON 1000 C METER) A 1 C Park of Capark of Cap	GRANS) GRANS) ORRESS GRAMS O. C X XX 7.0 8.3 /5.3 O. O can't bect MALE	PERCENT O. C.C X XX C. 70 O. \$3 1. 53 O. 00 4. 90 4. 90 U. 90 To Applicant	
Reanuts With Undamage COUNT AVERAGES **QUALITY SAMPLE OF APPROXIMATELY 7. **PEANUTS IN TOTAL PEANUTS SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL **TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE **TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE **TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE **TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE **TOTAL PEANUTS WITH DAMAGED KERNELS **TOTAL PEANUTS WITH DAMAGED KERN	SCCO THE SHELL GRAA APPEAL DR AN S Of Medicina AC & & B	ASSING PER OUNCE GRAMS DRAW MS PERCENT HAVE RESULTS TO SACCE AND ACCEPTAGE PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT PERCENT	INCH OTHER TYPES OF KER OTHER TYPES OF KER SPLIT OR BROKEN KER EDAMAGED OR UNSHER MINOR DEFECTS SOUND WHOLE KERNIN FOREKIN MATERIAL (B MOISTURE (BY ELECTR INJURIE OF LAB) PLI AM O BE PHONED (INJURIE OF LAB) PLI AM O BE FARLS TO INJURIE OF LAB O BE TO PHONED (GRAMS ANAL SHELL JADE FACTOR NELS JASED ON 1000 C METER) A 1 C Park of Capark of Cap	GRANS) GRANS) ORRESS GRAMS O. C X XX 7.0 8.3 /5.3 O. O can't bect MALE	PERCENT O. C.C X XX C. 70 O. \$3 1. 53 O. 00 4. 90 4. 90 U. 90 To Applicant	
Reanuts With Undamage COUNT AVERAGES **QUALITY SAMPLE OF APPROXIMATELY 7. **PEANUTS IN TOTAL PEANUTS SHELLS OTHER SHELL DEFECTS FOREIGN MATERIAL **TOTAL PEANUTS WITH DAMAGED KERNELS MOISTURE (BY ELECTRIC METER) GRADE **L.S. RUNNET SAL SAMPLES BILLED TO APPLICANT ABOVE 1-CO 1-AB 1-AB 1-CO 1-AB 1-CO 1-AB 1-AB 1-C	APPEAL DAY S of Marketing APPEAL DAY S of Marketing APPEAL DAY S of Marketing APPEAL DAY	ASSING PER OUNCE GRAMS DRAW MS PERCENT HAVE RESULTS TO SACCEPT ACCEPT	INCH OTHER TYPES OF KER OTHER TYPES OF KER SPLIT OR BROKEN KER EDAMAGED OR UNSHER MINOR DEFECTS SOUND WHOLE KERNIN FOREKIN MATERIAL (B MOISTURE (BY ELECTR PLI AN OBE PHONED (JELE AN JELE A	GRAMS ANAL SHELL JADE FACTOR NELS JAMES JA	GRANS) GRANS) GRANS) OPPERSON OF MARKSTON OF MARKSTON SEC. HER	GRAMS 0.0 XXX 7.0 8.3 15.3 0.0 Cant MALE	PERCENT
Reanuts With Undamage COUNT AVERAGES **QUALITY SAMPLE OF APPROXIMATELY	SOCOOTHE SHELL GRAA APPEAL DA AN S Of Montonia AC FC B	ASSING PER OUNCE GRAMS DRAW AS PERCENT HAWN AND SENT TO HALYSIS RESULTS TO SAGREMENT ANCHE & Pair ATT HE C. 3991, CA	INCH INCH OTHER TYPES OF KER SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNI FOREIGN MATERIAL (B MOISTURE (BY ELECTR PLIAN DE PHONED (PHONED () CLASS () CL	GRAMS ANAL GRAMS ANAL SHELL IADE FACTOR NELS INCLS LED ELS IASED ON	GRAMS) ODDRESS) WHED Cult Of Marketing 38 C. Hor	GRAMS O.O. XXX 7.0 8.3 15.3 O.O. Canther Malle	PERCENT O.CC X XX C.70 O.\$3 I.53 C.00 4.50 4.50 The applicant
** Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY	APPEAL DAY SO Members of Members of Members of Members of Members of Art So	ASSING PER OUNCE GRAMS DRAW AS PERCENT BAWN AND SENT TO BALYSIS RESULTS TO GRAMS DRAW AND SENT TO BALYSIS RESULTS TO GRAMS DRAW AND SENT TO GRAMS	INCH OTHER TYPES OF KER OTHER TYPES OF KER SPLIT OR BROKEN KER EDAMAGED OR UNSHER MINOR DEFECTS SOUND WHOLE KERNIN FOREKIN MATERIAL (B MOISTURE (BY ELECTR PLI AN OBE PHONED (JELE AN JELE A	GRAMS ANAL GRAMS ANAL SHELL IADE FACTOR NELS INCLS LED ELS IASED ON	GRAMS) ODDRESS) WHED Cult Of Marketing 38 C. Hor	GRAMS O.O. XXX 7.0 8.3 15.3 O.O. Canther Malle	PERCENT O.CC X XX C.70 O.\$3 I.53 C.00 4.50 4.50 The applicant
** Peanuts With Undamage COUNT AVERAGES QUALITY SAMPLE OF APPROXIMATELY	SOCOO THE SHELL GRAA APPEAL DR AN S Of Medicalia AR F C 9 9	ASSING PER OUNCE GRAMS DRAW AS PERCENT BAWN AND SENT TO BALYSIS RESULTS TO GRAMS DRAW AND SENT TO BALYSIS RESULTS TO GRAMS DRAW AND SENT TO GRAMS	INCH INCH OTHER TYPES OF KER SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNI FOREIGN MATERIAL (B MOISTURE (BY ELECTR PLIAN DE PHONED (PHONED () CLASS () CL	GRAMS ANAL GRAMS ANAL SHELL IADE FACTOR NELS INCLS LED ELS IASED ON	GRAMS) ODDRESS) WHED Cult Of Marketing 38 C. Hor	GRAMS O.O. XXX 7.0 8.3 15.3 O.O. Canther Malle	PERCENT O.CC X XX O.70 O.\$3 I.53 O.00 4.50 4.50 The applicant
** Peanuts With Undamage COUNT AVERAGES **OUALITY** SAMPLE OF APPROXIMATELY 7. **PEANUTS IN TOTAL PEANUTS WITH DAMAGED KERNELS **OTHER SHELL DEFECTS FOREIGN MATERIAL **TOTAL PEANUTS WITH DAMAGED KERNELS **MOISTURE (BY ELECTRIC METER) **GRADE** **TOTAL PEANUTS WITH DAMAGED KERNELS **MOISTURE (BY ELECTRIC METER) **GRADE** **TOTAL PEANUTS WITH DAMAGED KERNELS **MOISTURE (BY ELECTRIC METER) **GRADE** **TOTAL PEANUTS WITH DAMAGED KERNELS **MOISTURE (BY ELECTRIC METER) **GRADE** **TOTAL PEANUTS WITH DAMAGED KERNELS **MOISTURE (BY ELECTRIC METER) **TOTAL PEANUTS WITH DAMAGED KERNELS APPEAL DAY SO Members of Members of Members of Members of Members of Art So	ASSING PER OUNCE GRAMS DRAW AS PERCENT BAWN AND SENT TO BALYSIS RESULTS TO GRAMS DRAW AND SENT TO BALYSIS RESULTS TO GRAMS DRAW AND SENT TO GRAMS	INCH INCH OTHER TYPES OF KER SPLIT OR BRIOKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNI FOREIGN MATERIAL (B MOISTURE (BY ELECTR PLIAN DE PHONED (PHONED () CLASS () CL	GRAMS ANAL GRAMS ANAL SHELL IADE FACTOR NELS INCLS LED ELS IASED ON	GRAMS) ODDRESS) WHED Cult Of Marketing 38 C. Hor	GRAMS O.C. XXX 7.0 8.3 15.3 O.C. White in the content of th	PERCENT O.CC X XX O.70 O.\$3 I.53 O.00 4.50 4.50 The applicant	

Example C – Blanched Lot, Out on Aflatoxin Only

			I M WITTON ATTACK	CENTRAL CONTROL OF THE PERSON				
			AGRICULTU	DEPARTMENT OF AGRICU IRVL MARKETING SERVICE	F	_		
C 280	165			TATE INSPECTION SERVIC		C 28	0165	i
·		MIL	LED PEANUT	INSPECTION CE	RTIFICATE			
Marketing Act of 19	SUOD IN COMPTIANCE W	ith the regulation	ons of the Secretar	y of Agriculture governing	the inspection of van	ous products i	pursiumt to t	the Agricultural
knowingly shall fals	sólv mako issum allo	t large or con	ru) and is admissa nledeit this cartific	y or Agriculture governing ble as prima facie evidenc ate, or participate in any	e in all courts of the U such actions is subje	vited States. Act to a line o	WARNING: A	my person who
imprisonment for no	of more than one year	or both					, 1871 17831 0 7	111111 \$1,000 17
SA	MPLING BEGAN		SAMPLE A	NALYSIS FINISHED	TYPE	OF INSPECT	ION (Mark	One Only)
230 PM	DATE		HOUR	: DATE		PECTED		
	4/28/0	23	1000 AM	4/29/03		ADED Into		
LOCATION CODE	WHERE SAMPLE DRAW	M.	WHERE SAMPLE ANA		· ·	CAR	TRAILER	*
	Dauson	61	Alban	4 BA		EYANCE ID		
APPLICANT CODE	APPLICANT NAME AND	ADDRESS		<u> </u>		ABER		it .
	Georgia H	Bout	/	wson 6A			.	•
RECEIVER NAME AND		· METER / /	11C. 6566	SIRPPER NAME AND ADDR	ree			
	NOT &	SIVEN		Sam	E AS AA	RICAN	7	
PRODUCT				04,	- 7,- 7,7.			
								
		L	FIBERBOARI	D BINS	1			
L CLEAN	ED IN THE SHELL	•	571	لــا	WITH NO DISTIN	DUISHING M	ARKS	
X) shells	ED PEANUTS	IN	DURLAR	SACKS	1			
	BLANCHED	ſ	BULK	X .	TAGGED WITH	EVORY	COLOR	ED TAGS
		L						
TAG INSCRIPTION S	shelled to	zenuds,	Beossia 1	Reput Inc.	Dauson G	4	TAG C	ONTROL
HOUSE LETT NU		,					330	ISSUED
2 3	3.67						320	
62 3	5/ 02	USDA			_ FEDERAL-STATE IN	SPECTED	17.	RETURNED
APPLICANT STATES								TIETVIRALD
<i>;</i>			BULK			_		
<u>40,000</u>	, LBS TY	WNEZ 1	LOT NO.	OR COU	NT OF	<u> 20 </u>		CONTAINERS
SIZE								
% S/W I	Kernels PASSING		Inch	Screen; % W	h Kemels RIDING		Inch	Screen
	Kernels PASSING		Inch	Warning and the same of the sa	h Kernels RIDING		inch	Screen
% SMI	Kernels & Kernel I	Portions PAS	SING		reen			50.6611
70 (3) 11 1								
% Pean	uts With Undamag	od Shells P	ASSING					
COUNT AVERAG	uts With Undamaç	od Shells P	ASSING		creen)		
% Pean	uts With Undamaç	od Shells P	ASSING)		
COUNT AVERAG	uts With Undamaç ES	god Shells Pa	ASSING PER OUNCE	Inch S	Creen PER POUNE		EO THE E	DEL CIWING
COUNT AVERAGE	uts With Undamaç ES ROXIMATELY	god Shells P	ASSING	Inch S	Creen PER POUNE GRAMS ANALYZ	ED CONTAIN	ED THE FO	DLLOWING:
COUNT AVERAGE OUALITY SAMPLE OF APPR	uts With Undamaç ES	god Shells Pa 25 000 I THE SHELL	ASSING PER OUNCE GRAMS DRAV	Inch S	GRAMS ANALYZ SHELLED			
% Peans COUNT AVERAGE OUALITY SAMPLE OF APPR GRADE	UIS With Undamages BOXIMATELY PEANUTS IN	god Shells P	ASSING PER OUNCE GRAMS DRAY	Inch S	GRAMS ANALYZ SHELLED DE FACTOR	ED CONTAIN	GRAMS	DLLOWING: PERCENT
% Peani COUNT AVERAGE CUALITY SAMPLE OF APPR GRADE CRACKED ON BROKE	UIS With Undamages BOXIMATELY PEANUTS IN FACTOR EN SHELLS	god Shells Pa 25 000 I THE SHELL	ASSING PER OUNCE GRAMS DRAV	VN, / O O O GRAN	Creen PER POUNE GRAMS ANALYZ SHELLED IDE FACTOR	ED CONTAIN		
% Peani COUNT AVERAGE QUALITY SAMPLE OF APPR GRADE CRACKED OH BRICKI DISCOLORED SHELL	UIS With Undamages BOXIMATELY PEANUTS IN FACTOR EN SHELLS S	god Shells Pa 25 000 I THE SHELL	ASSING PER OUNCE GRAMS DRAV	Inch S VN, / C C C GRA OTHER TYPES OF KERIN SPUT OR BROKEN KERI	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS	ED CONTAIN		
% Peanic COUNT AVERAGE OUALITY SAMPLE OF APPR GRADE CRACKED ON BRICKI DISCOLORED SHELL OTHER SHELL DEFE	UIS With Undamages BOXIMATELY PEANUTS IN FACTOR EN SHELLS S	god Shells Pa 25 OCO THE SHELL	ASSING PER OUNCE GRAMS DRAV	Inch S YN, / C C C GRA OTHER TYPES OF KERIN SPUT OR BROKEN KERI DAMAGEO OR UNSHELL	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS	ED CONTAIN		
% Peani COUNT AVERAGE QUALITY SAMPLE OF APPR GRADE CRACKED OH BRICKI DISCOLORED SHELL	UIS With Undamages BOXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS	god Shells Pa 25 OCO THE SHELL	ASSING PER OUNCE GRAMS DRAV	Inch S YN, / O CTO GRA OTHER TYPES OF KERN SPUT OR BROKEN KERN DAMAGEO OR UNSHELL MINOR DEFECTS	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED	ED CONTAIN		
% Peani COUNT AVERAGE OUALITY SAMPLE OF APPE GRADE CRACKED ON BRICK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL	UIS With Undamages ROXIMATELY PEANUTS IN FACTOR EN STELLS S CIS TOTAL	god Shells Pa 25 OCO THE SHELL	ASSING PER OUNCE GRAMS DRAV	Inch S YN,	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED	ED CONTAIN PEANUTS		PERCENT
% Peani COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED ON BRICK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATICALAL PEANUTS WITH DAM	UIS WITH UNDAMAGES ROXIMATELY PEANUTS IN FACTOR EN SHELLS S CITS TOTAL UAGED KERNELS	god Shells Pa 25 OCO THE SHELL	ASSING PER OUNCE GRAMS DRAV	OTHER TYPES OF KERN SPLIT OR BROKEN KERI DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON / PCCC (ED CONTAIN PEANUTS		
% Peani COUNT AVERAGE OUALITY SAMPLE OF APPE GRADE CRACKED ON BRICK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTLINE (BY ELECT	UIS WITH UNDAMAGES ROXIMATELY PEANUTS IN FACTOR EN SHELLS S CITS TOTAL UAGED KERNELS	god Shells Pa 25 OCO THE SHELL	ASSING PER OUNCE GRAMS DRAV	Inch S YN, / O CT GRA OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON / PCCC (ED CONTAIN PEANUTS	GRAMS	PERCENT
% Peani COUNT AVERAGE QUALITY SAMPLE OF APPE GRADE CRACKED ON BRICK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATICALAL PEANUTS WITH DAM	UIS WITH UNDAMAGES ROXIMATELY PEANUTS IN FACTOR EN SHELLS S CITS TOTAL UAGED KERNELS	god Shells Pa 25 OCO THE SHELL	ASSING PER OUNCE GRAMS DRAV	OTHER TYPES OF KERN SPLIT OR BROKEN KERI DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON / PCCC (ED CONTAIN PEANUTS	GRAMS	PERCENT
% Peani COUNT AVERAGE OUALITY SAMPLE OF APPE GRADE CRACKED ON BRICK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTLINE (BY ELECT	UIS WITH UNDAMAGES ROXIMATELY PEANUTS IN FACTOR EN SHELLS S CITS TOTAL UAGED KERNELS	god Shells Pa 25 OCO THE SHELL	ASSING PER OUNCE GRAMS DRAV	OTHER TYPES OF KERN SPLIT OR BROKEN KERI DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON / PCCC (ED CONTAIN PEANUTS	GRAMS	PERCENT
% Peanic Count average Cuality Sample of Appe Grade Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanuts with Dam Moistarie (By Elect Grade	UIS With Undamages ROXIMATELY PEANUTS IN FACTOR EN SHELLS S CIS TOTAL HAGED KERNELS	god Shells Pa 25 OCO THE SHELL	ASSING PER OUNCE GRAMS DRAV	OTHER TYPES OF KERN SPLIT OR BROKEN KERI DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON / PCCC (ED CONTAIN PEANUTS	GRAMS	PERCENT
% Peanic Count average Cuality Sample of Appe Grade Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanuts with Dam Moisturie (By Elect Grade	UIS With Undamages ROXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS TOTAL IAGED KERNELS THIC METER)	god Shells Pa 25 OCO THE SHELL	ASSING PER OUNCE GRAMS DRAV	Inch S VN. / C C C GRAT OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREISN MATERIAL (BA MOISTURE (BY ELECTRIC	GRAMS ANALYZ SHELLED IDE FACTOR FLS WELS ED SED ON / QCC (METER)	ED CONTAIN PEANUTS RAMS)	GRAMS	PERCENT
% Peanic Count average Cuality Sample of Appe Grade Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanuts with Dam Moisturie (By Elect Grade	UIS With Undamages ROXIMATELY PEANUTS IN FACTOR EN SHELLS S CIS TOTAL HAGED KERNELS	OOD Shells PA	ASSING PER OUNCE GRAMS DRAV	Inch S VN. / C C C GRAT OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREISN MATERIAL (BA MOISTURE (BY ELECTRIC	GRAMS ANALYZ SHELLED IDE FACTOR ELS FED SSED ON / QC/Q (AMETER)	PEANUTS PRAMS)	GRAMS O- O	0,00 4,70
% Peanic Count average Cuality Sample of Appe Grade Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanuts with Dam Moisturie (By Elect Grade	UIS With Undamages AOXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS TOTAL HAGED KERNELS TINC METER)	APPEAL DRA	ASSING PER OUNCE GRAMS DRAW AS PERCENT ANNU AND SENT TO	Inch S VN. 1000 GRAN OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOSTURE (BY ELECTRIC	GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED SED ON / DOO O METER) ADDOR	PEANUTS PRAMS) PRAMS)	GRAMS O.O	0,00 4,70
% Peanic Count average Cuality Sample of Appe Grade Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanuts with Dam Moisturie (By Elect Grade Samples Briled to Early 1-Co	UIS With Undamages AOXIMATELY PEANUTS IN FACTOR EN SHELLS S CITS TOTAL IAGED KERNELS ITHIC METER) APPLICANT ABOVE 1-AB	APPEAL DRY	ASSING PER QUINCE GRAMS DRAW AS PERCENT AWAN AND SENT TO ALYSIS RESULTS TO	Inch S VN. / C C C GRAT OTHER TYPES OF KERIN SPLIT OR BROKEN KERI DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERINEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC PLAME OF UB) PL Ad D HE PHONED (GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED S SED ON / PCO O METERY ADDRA TELLOUTE A (ADDRA TELLOUTE	PEANUTS PRAMS) PRAMS) PRAMS) PRAMS) PRAMS PRAMS	C.O	0,00 4,70
% Peanic Count average Cuality Sample of Appe Grade Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanuts with Dam Moisturie (By Elect Grade Samples Briled to Early 1-Co	UIS With Undamages AOXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS TOTAL HAGED KERNELS TINC METER)	APPEAL DRY	ASSING PER QUINCE GRAMS DRAW AS PERCENT AWAN AND SENT TO ALYSIS RESULTS TO	Inch S VN. / C C C GRAT OTHER TYPES OF KERIN SPLIT OR BROKEN KERI DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERINEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC PLAME OF UB) PL Ad D HE PHONED (GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED SED ON / DOO O METER) ADDOR	PEANUTS PRAMS) PRAMS) PRAMS) PRAMS) PRAMS PRAMS	C.O	0,00 4,70
% Peanic Count average Cuality Sample of Appe Grade Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanuts with Dam Moisturie (By Elect Grade Samples Briled to Early 1-Co	UIS With Undamages ADXIMATELY PEANUTS IN FACTOR EN SHELLS S CIS TOTAL LAGED KERNELS TRIC METER) APPLICANT ABOVE 1-AB MEETS REquiremen 7 C.F.R. P. F. F.	APPEAL DRIVANUS OF MARKET SIGNATURE	ASSING PER QUINCE GRAMS DRAW AND SENT TO ALYSIS RESULTS TO ALYSIS RESULTS TO ALYSIS RESULTS TO	Inch S VN. / C CTC GRAN OTHER TYPES OF KERIN SPLIT OR BROKEN KERIN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC PLANE OF UB) PL I and DHE PHONED (PAILS IO IN	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON / POCO (METER) ADDR TEHOTYLE d COOR REQUIREMENTS of the	ED CONTAIN PEANUTS FRAMS) ESSI Appli WHED Collect Rarkoling Agr	GRAMS O. O MARE	0.00 4,70
% Peanic Count average Cuality Sample of Appe Grade Cracked on Broke Discolored Shell other Shell defe Foreign Material Peanuts with Dam Moisturie (By Elect Grade Samples Briled to Early 1-Co	UIS With Undamages ADXIMATELY PEANUTS IN FACTOR EN SHELLS S CIS TOTAL LAGED KERNELS TRIC METER) APPLICANT ABOVE 1-AB MEETS REquiremen 7 C.F.R. P. F. F.	APPEAL DRIVANUS OF MARKET SIGNATURE	ASSING PER QUINCE GRAMS DRAW AND SENT TO ALYSIS RESULTS TO ALYSIS RESULTS TO ALYSIS RESULTS TO	Inch S VN. / C CTC GRAN OTHER TYPES OF KERIN SPLIT OR BROKEN KERIN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC PLANE OF UB) PL I and DHE PHONED (PAILS IO IN	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON / POCO (METER) ADDR TEHOTYLE d COOR REQUIREMENTS of the	ED CONTAIN PEANUTS FRAMS) ESSI Appli WHED Collect Rarkoling Agr	GRAMS O. O MARE	0.00 4,70
% Peanic COUNT AVERAGE OUALITY SAMPLE OF APPE GRADE CRACKED ON BRICK DISCOLORED SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE SAMPLES BILLED TO BE SAMPLE	UIS With Undamages ADXIMATELY PEANUTS IN FACTOR EN SHELLS S CIS TOTAL LAGED KERNELS TRIC METER) APPLICANT ABOVE 1-AB MEETS REquiremen 7 C.F.R. P. F. F.	APPEAL DRIVANUS OF MARKET SIGNATURE	ASSING PER QUINCE GRAMS DRAW AND SENT TO ALYSIS RESULTS TO ALYSIS RESULTS TO ALYSIS RESULTS TO	Inch S VN. / C CTC GRAN OTHER TYPES OF KERIN SPLIT OR BROKEN KERIN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC PLANE OF UB) PL I and DHE PHONED (PAILS IO IN	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON / POCO (METER) ADDR TEHOTYLE d COOR REQUIREMENTS of the	ED CONTAIN PEANUTS FRAMS) ESSI Appli WHED Collect Rarkoling Agr	GRAMS O. O MARE	0.00 4,70
% Peanic COUNT AVERAGE OUALITY SAMPLE OF APPER GRADE CRACKED ON BRICKED OTHER SHELL DEFE FOREIGN MATCHAL PEANUTS WITH DAM MOISTURIE (BY ELECTION INC.) SAMPLES BILLED TO TO TO THE COUNTY OF THE COUN	UIS With Undamages ADXIMATELY PEANUTS IN FACTOR EN SHELLS S CIS TOTAL LAGED KERNELS TRIC METER) APPLICANT ABOVE 1-AB MEETS REquiremen 7 C.F.R. P. F. F.	APPEAL DRIVANUS OF MARKET SIGNATURE	ASSING PER QUINCE GRAMS DRAW AND SENT TO ALYSIS RESULTS TO ALYSIS RESULTS TO ALYSIS RESULTS TO	Inch S VN. / C CTC GRAN OTHER TYPES OF KERIN SPLIT OR BROKEN KERIN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC PLANE OF UB) PL I and DHE PHONED (PAILS IO IN	GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON / POCO (METER) ADDR TEHOTYLE d COOR REQUIREMENTS of the	ED CONTAIN PEANUTS FRAMS) ESSI Appli WHED Collect Rarkoling Agr	GRAMS O. O MARE	0.00 4,70
% Peanic COUNT AVERAGE OUALITY SAMPLE OF APPE GRADE CRACKED ON BRICK DISCOLORED SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE I-CO FEED AND FEED TO FEED AND F	UIS With Undamages ADXIMATELY PEANUTS IN FACTOR EN SHELLS S CIS TOTAL LAGED KERNELS TRIC METER) APPLICANT ABOVE 1-AB MEETS REquiremen 7 C.F.R. P. F. F.	APPEAL DRIVANUS OF MARKET SIGNATURE	ASSING PER QUINCE GRAMS DRAW AND SENT TO ALYSIS RESULTS TO ALYSIS RESULTS TO ALYSIS RESULTS TO	Inch S VN. / C C C GRAT OTHER TYPES OF KERIN SPLIT OR BROKEN KERI DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERINEL FOREIGN MATERIAL (BA MOISTURE (BY ELECTRIC PLAME OF UB) PL Ad D HE PHONED (GRAMS ANALYZ GRAMS ANALYZ SHELLED DE FACTOR ELS VELS ED SED ON / POCO (METER) ADDR TEHOTYLE d COOR REQUIREMENTS of the	ED CONTAIN PEANUTS FRAMS) ESSI Appli WHED Collect Rarkoling Agr	GRAMS O. O MARE	0.00 4,70
% Peanic COUNT AVERAGE OUALITY SAMPLE OF APPE GRADE CRACKED ON BRICK DISCOLORED SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE I-CO EMPLES BILLED TO EMPL	UIS With Undamages ADXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS TOTAL LAGED KERNELS TRIC METER) MEETS REQUIREMENT 7 CFC PERTS	APPEAL DRIVERS OF MARKETS OF MARK	ASSING PER OUNCE GRAMS DRAW AS PERCENT ANN AND SENT TO THE SENT	INCH S WN	GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED SED ON / BOO O METER) ADDR CHUYLA d oct AMERICAN CONTROL OF MARKET ADDR CONTROL OF MARKET	ESSI WHATO CONTAIN PEANUTS PRAMSI PR	GRAMS O.O MAREI MAREI 1/2 /S	0.00 9.70 9.70 9.70 9.70 9.70
% Peanic COUNT AVERAGE OUALITY SAMPLE OF APPER GRADE CRACKED ON BROOK DISCOLORED SHELL OTHER SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTURE (BY FLECT GRADE I-CO EMPLIES BY LECT GRADE I-C EMPLIE	UIS With Undamages ADXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS TOTAL HAGED KERNELS THIC METER) APPLICANT ABOVE 1-AB MEETS REquiremen 7 CFR Parts Litha undami	APPEAL DRAMASS OF THE SHELL GRAM APPEAL DRAMASS OF THE SHELL GRAM AND STORMS OF THE SHELL GRAM AND STORMS OF THE SHELL CHARLES OF THE SHELL CHARLE	ASSING PER OUNCE GRAMS DRAW AS PERCENT AWN AND SENT TO ALYSIS RESULTS TO FAGRENMENT STATE CLASSING AND SENT TO ALYSIS RESULTS TO FAGRENMENT STATE AND SENT TO ALYSIS RESULTS TO ALYSIS RESU	OTHER TYPES OF KERN OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOSTURE (BY ELECTRIC DEFENDED) PLI and DEFENDED(THE PHONED) FAILS IO IN OTHER OF LICKS BY CO.	GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED SED ON / DOO O METER) ADDR COT Requirements of the cot of	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS) PRAMS PR	GRAMS O.O MARLE MARLE 14 /S	PERCENT O, OC 4, 70 PATE 4/29/03 D to Applicant
% Peanic COUNT AVERAGE OUALITY SAMPLE OF APPER GRADE CRACKED ON BROWL DISCOLORED SHELL DEFE FOREIGN MATERIAL PEANUTS WITH DAM MOISTURE (BY ELECT GRADE I CO TO THE STREET OF THE SAMPLES BY LECT GRADE I CO TO THE STREET OF THE SAMPLES BY LECT GRADE I CO TARGES FEES \$ DRAWING \$ LANDLING \$	UIS With Undamages AOXIMATELY PEANUTS IN FACTOR EN SHELLS SCTS TOTAL HAGED KERNELS THIC METER) APPLICANT ABOVE 1-AB Lina wind on the gard of the gard party in the gar	APPEAL DRA ANY SOLL STATE SHELL GRAM APPEAL DRA ANY SOLL STATE ST	ASSING PER OUNCE GRAMS DRAW AS PERCENT AWN AND SENT TO ALYSIS RESULTS TO ALYSIS OF THE ALYSIS TO ALYSIS OF THE ALYSIS TO ALYSIS TO	INCH S WN	GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED SED ON / DOO O METER) ADDR COT Requirements of the cot of	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS) PRAMS PR	GRAMS O.O MARLE MARLE 14 /S	PERCENT O. O.C 4,70 PATE 4/29/03 D to Applicant
% Peanic Count average OUALITY SAMPLE OF APPE GRADE CRACKED ON BROKE DISCOLORED SHELL DEFE FOREIGN MATERIAL MOISTURE (BY ELECT GRADE I-CO EREMARKS XIII CHARGES FEES & DRAWING & LANDLING \$ 1.00 CHARGES FEES & LANDLING \$ 1.00 CHARGES \$ 1.00 CHA	UIS With Undamages AOXIMATELY PEANUTS IN FACTOR EN SHELLS SCTS TOTAL HAGED KERNELS THIC METER) APPLICANT ABOVE 1-AB Lina wind on the gard of the gard party in the gar	APPEAL DRAW IS OIL Makesting R C 26 C	ASSING PER OUNCE GRAMS DRAW AS PERCENT AWN AND SENT TO ALYSIS RESULTS TO ALYSIS OF THE ALYSIS TO ALYSIS OF THE ALYSIS TO ALYSIS TO	OTHER TYPES OF KERN OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOSTURE (BY ELECTRIC DEFENDED) PLI and DEFENDED(THE PHONED) FAILS IO IN OTHER OF LICKS BY CO.	GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED SED ON / DOO O METER) ADDR COT Requirements of the cot of	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS) PRAMS PR	GRAMS O.O MARLE MARLE 14 /S	PERCENT O. O.C 4,70 PATE 4/29/03 D to Applicant
% Peanic Count average OUALITY SAMPLE OF APPE GRADE CRACKED ON BROKE DISCOLORED SHELL DEFE FOREIGN MATERIAL MOISTURE (BY ELECT GRADE I-CO E E E E E E E E E E E E E E E E E E E	UIS With Undamages ES AOXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS TOTAL HAGED KERNELS THIC METER) APPLICANT ABOVE 1-AB Line wind on the gard on the gar	APPEAL DRA ANY SOLL STATE SHELL GRAM APPEAL DRA ANY SOLL STATE ST	ASSING PER OUNCE GRAMS DRAW AS PERCENT AWN AND SENT TO ALYSIS RESULTS TO ALYSIS OF THE ALYSIS RESULTS TO ALYSIS OF THE ALYSIS RESULTS TO ALYSIS OF THE ALYSIS TO THE ALY	OTHER TYPES OF KERN OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOSTURE (BY ELECTRIC DEFENDED) PLI and DEFENDED(THE PHONED) FAILS IO IN OTHER OF LICKS BY CO.	GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED SED ON / DOO O METER) ADDR COT Requirements of the cot of	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS) PRAMS PR	GRAMS O.O MARLE MARLE 14 /S	PERCENT O, OC 4, 70 PATE 4/29/03 D to Applicant
% Peanic Count average OUALITY SAMPLE OF APPE GRADE CRACKED ON BROKE DISCOLORED SHELL DEFE FOREIGN MATERIAL MOISTURE (BY ELECT GRADE I-CO EREMARKS XIII CHARGES FEES & DRAWING & LANDLING \$ 1.00 CHARGES FEES & LANDLING \$ 1.00 CHARGES \$ 1.00 CHA	UIS With Undamages ES AOXIMATELY PEANUTS IN FACTOR EN SHELLS S CTS TOTAL HAGED KERNELS THIC METER) APPLICANT ABOVE 1-AB Line wind on the gard on the gar	APPEAL DRA ANY SOLL STATE SHELL GRAM APPEAL DRA ANY SOLL STATE ST	ASSING PER OUNCE GRAMS DRAW AS PERCENT AWN AND SENT TO ALYSIS RESULTS TO ALYSIS OF THE ALYSIS RESULTS TO ALYSIS OF THE ALYSIS RESULTS TO ALYSIS OF THE ALYSIS TO THE ALY	OTHER TYPES OF KERN OTHER TYPES OF KERN SPLIT OR BROKEN KERN DAMAGEO OR UNSHELL MINOR DEFECTS SOUND WHOLE KERNEL FOREIGN MATERIAL (BA MOSTURE (BY ELECTRIC DEFENDED) PLI and DEFENDED(THE PHONED) FAILS IO IN OTHER OF LICKS BY CO.	GRAMS ANALYZ SHELLED DE FACTOR ELS WELS ED SED ON / DOO O METER) ADDR COT Requirements of the cot of	PEANUTS PEANUTS PRAMS) PRAMS) PRAMS) PRAMS PR	GRAMS O. O Cant MARE MARE A CS / ZC / A request of the	PERCENT O, OC 4, 70 PATE 4/29/03 D to Applicant

Custom Remilling – Memorandum of Understanding

Memorandum of Understanding Between The Fruit and Vegetable Programs, Agricultural Marketing Service, United States Department of Agriculture and:

(Remiller)

NAME OF PROJECT: Remiller Approval

OBJECTIVE: The purpose of this memorandum of understanding (Memorandum) is to authorize United States Department of Agriculture (USDA) approved remilling facilities the opportunity to carry out remilling under the provisions of the Peanut Quality and Handling Standards.

LEGAL AUTHORITY: Section 1308 of the Farm Bill Security and Rural Investment Act of 2002 (Farm Bill) terminated the Peanut Administrative Committee (PAC), which locally administered the peanut marketing agreement and required the USDA to appoint a new Peanut Standards Board to consult with USDA on the development of peanut standards. Also, the Farm Bill required that all peanuts marketed in the United States must be officially inspected and graded by federal inspectors of federally licensed produced peanuts. The USDA has a Cooperative Agreement with Russ Tabb and Associates providing them the authority to serve as USDA Agents/Representatives with the ability to act on behalf of the USDA for purposes of peanut compliance. The terms of the program are specified in 7 CFR Part 996 Peanut Quality and Handling Standards for Domestic and Imported Peanuts Marketed in the United States, as published in the March 10, 2003, issue of the Federal Register.

REVISION:

July 19, 2004

EFFECTIVE DATE:

August 2, 2004

ORGANIZATION:

USDA/AMS/Fruit and Vegetable Programs/ Marketing Order

Administration Branch/DC Marketing Field Office

LOCATION:

Washington, DC / Riverdale, MD / Albany, GA

RESPONSIBILITIES:

A. Remilling Facility:

1. Remiller will, on an individual lot basis, custom remill lots of shelled peanuts which fail to meet Section 996.31 (a) of the Standards for disposition to human consumption outlets. For the purposes of this Memorandum, custom remilling means a mechanical process

whereby lots of shelled raw peanuts are sized, sorted and otherwise processed for removal of undersize or broken or damaged kernels, kernels suspect of aflatoxin contamination and foreign material.

- 2. Remiller agrees to hold and remill peanuts owned by one handler separate and apart from all other peanuts. However, a single remilling operation may include a composite of more than one lot of peanuts owned by the same handler, provided that the integrity of the peanuts involved in the composite remilling is maintained throughout the remilling process.
- 3. Remiller agrees to maintain complete records on each lot to be remilled, including the number of containers and weight of the lot, the positive lot identification, covering grade certificate, and any other information as required by the USDA Agent/Representative.
- 4. Remiller agrees to maintain complete records on the remilling process, and the new lot (or lots) resulting from the remilling and peanuts removed in the remilling process, including: the number of containers and weights on each resulting lot, covering grade and aflatoxin certificates and any other information as required by the USDA Agent/Representative.
- 5. Remiller agrees that records applicable to the lot, before and after remilling, shall be retained by Remiller for at least two (2) years from the date of remilling of the lot and shall be available for examination by representatives of the USDA.
- 6. Remiller agrees that after remilling, each new lot of peanuts shall be positive lot identified and placed in commercial peanut burlap bags, or in other suitable containers acceptable to the USDA Agent/Representative and the handler who owns the peanuts.
- 7. Remiller agrees to cause each remilled lot of peanuts to be sampled by an in-line automatic sampler operating in a manner acceptable to the USDA Agent/Representative and an inspector of the Federal or Federal-State Inspection Service or, in the alternative, to cause samples to be drawn by the inspector. The sample shall be representative of the lot and the gross amount of the sample shall be large enough to provide for a grade analysis, for grading check-sample, and the prescribed samples for aflatoxin assay.
- 8. Remiller agrees that no lot of peanuts remilled under these provisions shall be blanched or roasted or further processed, or manufactured into finished product or shipped to a manufacturer, until the results of the grade analysis and all aflatoxin certificates on the remilled lot are known and the covering certificates have been received and examined. Furthermore, to be eligible for disposal into human consumption outlets, the peanuts after remilling, must be certified as meeting the requirements for disposition to human consumption outlets specified in the table in Section 996.31 (a) of the Standards and must be accompanied by an aflatoxin certificate determined, by USDA criteria, to be negative. Remiller further agrees that any lot not eligible for disposal to human consumption outlets after remilling, shall be returned to the handler; or in the alternative, the lot shall be held by remiller until further disposition, as requested by the handler, and is directed by the USDA

Agent/Representative. Any further disposition shall also be reported to the USDA Agent/Representative as specified.

- 9. Remiller agrees that the residual peanuts removed in remilling under these provisions, shall be bagged and red-tagged and disposition shall be that the peanuts are returned to the handler for further disposition; Or, in the alternative, the residuals shall be positive lot identified by a Federal or Federal-State Inspection Service, and shall be disposed of by the remiller to handlers who are crushers or to crushers who are not handlers under the Standards only on the condition that they agree to comply with the terms of paragraph (b) of Section 996.50 and all other applicable requirements of the Standards.
- 10. Except as provided herein, Remiller agrees not to remill any lot of peanuts unless the peanuts meet the grade and size requirements for human consumption as defined in the Standards.
- 11. Nothing contained herein shall obligate either USDA Agent/Representative or Remiller to any specific lot or any number of lots.
- 12. Remiller may terminate this Memorandum by written notice to the USDA Agent/Representative, but such termination shall not apply as to any peanuts to which the Memorandum was applicable prior to the effective time of termination, which shall be thirty (30) days after written notice.
- 13. USDA Agent/Representative may amend, suspend or terminate this Memorandum by written notice to Remiller and the effective time shall be as specified in the written notice, after the date of the written notice. Specifically, the USDA Agent/Representative may terminate, or suspend for a specified period of time, this Memorandum upon USDA's determination of Remiller's failure to comply with the provisions stated or referred to herein.

B. USDA

- 1. USDA Agent/Representative will supervise the remilling of the first five (5) lots under the applicable Standards.
- 2. USDA Agent/Representative will examine each lot and appropriate certificates and other documents and determine whether the lot has been satisfactorily handled and has been "Successfully Remilled".
- 3. USDA Agent/Representative will instruct the remilling facility management regarding the Standards as to remilling, record keeping, etc.
- 4. In carrying out its responsibilities, the USDA Agent/Representative reserves the right to take any corrective actions necessary to ensure that the remilling operations are properly administered in accordance with the Standards.

BASIS OF COOPERATION:

This Memorandum defines in general terms the basis on which the parties concerned will cooperate, and does not constitute a financial obligation to serve as a basis for expenditures. Each party will handle and expend its own funds. Any and all expenditures from Federal funds in the USDA made in conformity with the plans outlined in the Memorandum must be in accord with USDA rules and regulations and in each instance based upon appropriate finance papers. Expenditures made by any other cooperator will be in accord with its rules and regulations.

The responsibilities assumed by the cooperating parties under this Memorandum are contingent upon funds being available from which expenditures legally may be met.

DURATION:

This Memorandum shall be in force until terminated by either party upon thirty (30) days written notice or amended by mutual agreement of the undersigned.

We, the undersigned, agree to the terms of this agreement and understand the responsibilities outlined herein. It is further agreed that all parties can revise this agreement at any time upon mutual consent.

	Sworn and subscribed before me this
USDA Agent/Representative	the day of,,
Title:	(For the USDA Agent/Representative)
Date:	
Remiller	Sworn and subscribed before me this
Kemmer	the day of,
Title:	_ (For the Remiller)
Date:	

Example - Custom Remilled Lot

0 000				AGRICULTUF	EPARTMENT OF AGRICU TAL MARKETING SERVIC	Ė	200	0405	
C 280	1165	М		* * * * * * * * * * * * * * * * * * * *	ATE INSPECTION SERVICE INSPECTION CE	٠.	C 28	0165	•
This certificate is i	ssued in compliance w	ith the regula	tions of t	the Socretary	of Agriculture governing	the inspection of var	ous products	pursuant to th	o Agricultural
knowingly shall fal	lsoly mako, issue, alte	i, forge or co			le as prima lacio evidono ite, or participate in any				
	ot more than one year	or both.				·			
HOUR .	AMPLING BEGAN		HOUR	SAMPLE AP	NALYSIS FINISHED	 		TION (Mark (One Only)
100 PM	1 12/3//	02	3	n Pm	12/31/02		SPECTED ADED Into		
LOCATION CODE	WHERE SAMPLE DRAN		WHERE	SAMPLE ANAL	LYZED	1 -	CAR	TRAILER	
	GRIFFIN (51		4413An	ry, 64			ENTIFICATI	
APPLICANT CODE	APPLICANT NAME AND	-		r /	1	PREFIX NU	MBER	ទា	ř
RECEIVER NAME AND		313LAL	xiler	3, /AC,	SHIPPER NAME AND ADDI)			
	NOT GI	VEN				AS APPLI	CANT		
PRODUCT		Z.,		· · · · · · · · · · · · · · · · · · ·					
		Ţ	FII	BERBOARD	BINS -				
CLEAN	NED IN THE SHELL	, •			· L	WITH NO DISTIN	QUISHING A	MARKS	
SHELL	ED PEANUTS	IN		BURLAP	SACKS	TAGGED WITH	TUDRY	COLORE	D TAGS
L <u>A</u>)			BL	ULK	L	1 10000 11111			
TAG INSCRIPTION	Shelled Pean	ds Dix	ie lan	d Blam	chers, Inc., Gr	EGn. 69		TAG C	ONTROL
		· · · · · · · · · · · · · · · · · · ·						<u>350</u>	
	O OZ	USDA		BEOR	Z + 71	FEDERAL-STATE	MODERTED	34/	
APPLICANT STATES	- 102	1 030%	一	برري ي ري	,0.7-	TEDES VIE GIARTE	13 20/05	L / -	RETURNED
	Based	e'n		BULK		7,	41		
37,79	2 IBS RUA	INER	TYPE	LOT NO.	OR COL	INT OF3	<u> </u>		CONTAINERS
SIZE	W				2	a to a promi)	Coman
	Kernels PASSING Kernels PASSING				·	Vh Kernels RIDIN(Vh Kernels RIDIN(inch _ Inch :	Screen Screen
	Kernels & Kernel		ASSING						
9/. Doo	nuts With Undama	ged Shells	PASSIN	NG.	Inch :	Screen			
		904 00.0							
COUNT AVERA				OUNCE		PER POUN	D		
COUNT AVERAGE	GES		PER	OUNCE				NED THE FO	DLLOWING:
COUNT AVERAGE	GES PROXIMATELY		PER GR			GRAMS ANALY		NED THE FO	DLLOWING:
COUNT AVERAGE OUALITY SAMPLE OF APP	GES PROXIMATELY	 	PER GR	OUNCE	IN, <u>/Ö<i>OD</i></u>	GRAMS ANALYZ SHELLEI ADE FACTOR	ZED CONTA	GRAMS	PERCENT
COUNT AVERAGE OUALITY SAMPLE OF APP GRAD CRACKED OR BRO	GES PROXIMATELY PEANUTS I FACTOR KEN SHELLS	 	PER GRA	OUNCE AMS DRAW	IN, <u>/ÖOO</u> GR GR OTHER TYPES OF KERI	GRAMS ANALYZ SHELLEI ADE FACTOR	ZED CONTA	GRAMS O-0	PERCENT
COUNT AVERAI QUALITY SAMPLE OF APP GRAD CRACKED OR BHO DISCOLORED SHEE	GES PROXIMATELY PEANUTS I FEACTOR WEN SHELLS LLS	 	PER GRA	OUNCE AMS DRAW	OTHER TYPES OF KER	GRAMS ANALY SHELLER ADE FACTOR NELS	ZED CONTA	GRAMS O-0 X×	PERCENT Ø-00 XX
COUNT AVERAGE OUALITY SAMPLE OF APP GRAD CRACKED OR BRO	PROXIMATELY PEANUTS IN FACTOR WEN SHELLS LLS FECTS	 	PER GRA	OUNCE AMS DRAW	IN, <u>/ÖOO</u> GR GR OTHER TYPES OF KERI	GRAMS ANALY SHELLER ADE FACTOR NELS	ZED CONTA	GRAMS O-0	PERCENT
COUNT AVERAL QUALITY SAMPLE OF APP GRAD CRACKED ON BHO DISCOLORED SHELL OTHER SHELL DEF	PROXIMATELY PEANUTS IN FACTOR WEN SHELLS LLS FECTS	 	PER GRA	OUNCE AMS DRAW	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL	GRAMS ANALY SHELLEI ADE FACTOR NELS INELS	ZED CONTA	GRAMS O.O. XX /3, S	### PERCENT ### ### ### ### ### #### #### ########
COUNT AVERAL OUALITY SAMPLE OF APP GRAD CRACKED ON BHO DISCOLORED SHELL DEF FOREIGN MATERIA PEANUTS WITH DA	PROXIMATELY PEANUTS I FEACTOR WEN SHELLS LLS FECTS L TOTAL MAGGED KERNELS	 	PER GRA	OUNCE AMS DRAW	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B.	GRAMS ANALY: SHELLE! ADE FACTOR NELS INELS LED LS ASED ON BOOC	ZED CONTA	GRAMS 0.0 X × /3.5 5.0	PERCENT 0-00 XX 1.35 0.50 0.37 0.00
COUNT AVERAL OUALITY SAMPLE OF APP GRAD CRACKED ON BHO DISCOLORED SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOISTURE (BY BLE	PROXIMATELY PEANUTS I FEACTOR WEN SHELLS LLS FECTS L TOTAL MAGGED KERNELS	 	PER GRA	OUNCE AMS DRAW	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE	GRAMS ANALY: SHELLE! ADE FACTOR NELS INELS LED LS ASED ON BOOC	ZED CONTAI	GRAMS 0.0 X × /3, 5 5.0 3, 7	PERCENT 0-00 XX 1.35 0.50 0.37
COUNT AVERAL OUALITY SAMPLE OF APP GRAD CRACKED ON BHO DISCOLORED SHELL DEF FOREIGN MATERIA PEANUTS WITH DA	PROXIMATELY PEANUTS I FEACTOR WEN SHELLS LLS FECTS L TOTAL MAGGED KERNELS	 	PER GRA	OUNCE AMS DRAW	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B.	GRAMS ANALY: SHELLE! ADE FACTOR NELS INELS LED LS ASED ON BOOC	ZED CONTAI	GRAMS 0.0 X × /3, 5 5.0 3, 7	PERCENT 0-00 XX 1.35 0.50 0.37 0.00
COUNT AVERAL OUALITY SAMPLE OF APP GRAD CRACKED ON BHO DISCOLORED SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOISTURE (BY BLE	PROXIMATELY PEANUTS I FFACTOR KIEN SHELLS LLS FECTS L TOTAL MAGGED KERNELS CTRIC METER)	SOUD N THE SHEL GRA	PER GRA	OUNCE AMS DRAW	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B.	GRAMS ANALY: SHELLE! ADE FACTOR NELS INELS LED LS ASED ON BOOC	ZED CONTAI	GRAMS 0.0 X × /3, 5 5.0 3, 7	PERCENT 0-00 XX 1.35 0.50 0.37 0.00
COUNT AVERAL OUALITY SAMPLE OF APP GRADE CRACKED ON BHO DISCOLORED SHEL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOISTURE (BY BLE GRADE SAMPLES BILLED OF	PROXIMATELY PEANUTS I FRACTOR WEN SHELLS LLS FECTS L TOTAL MAGED KERNELS CTRIC METER) PAPPLICANT ABOVE	SOOO N THE SHEL GRU PLITS	PER GRA	OUNCE AMS DRAW	OTHER TYPES OF KERI SPLIT OR BROKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B) MOISTURE (BY ELECTRA	PER POUN GRAMS ANALY: SHELLE! ADE FACTOR NELS INCLS LED LS ASED ON ZOOC C METER!)	PED CONTAI D PEANUTS GRAMS)	GRAMS 0.0 X × /3, 5 5.0 3, 7	PERCENT 0-00 XX 1.35 0.50 0.37 0.00
COUNT AVERAL OUALITY SAMPLE OF APP GRAD CRACKED ON BHO DISCOLORED SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOISTURE (BY BLE	PROXIMATELY PEANUTS I FFACTOR KIEN SHELLS LLS FECTS L TOTAL MAGGED KERNELS CTRIC METER)	SOOO SAPPEAL C	GRAWN A	OUNCE AMS DRAW PERCENT	GR. OTHER TYPES OF KERIC SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (B. MOISTURE (BY ELECTRA AIM S	GRAIMS ANALY: SHELLE! ADE FACTOR NELS INFLS LED LS ASED ON BOOC C METER)	GRAMS)	GRAMS 0.0 X × /3.5 5:0 3.7 0.0	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15
COUNT AVERAL QUALITY SAMPLE OF APP GRAD CRACKED OR BRO DISCOLORED SHEL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOISTURE (BY BE GRADE SAMPLES BILLED TO	PROXIMATELY PEANUTS I FEACTOR KEN SHELLS LIS FECTS L TOTAL MAGGED KERNELS CITIC METER) D APPLICANT ABOVE	SOOO N THE SHELL GRAND G	GRAWN A	OUNCE AMS DRAW PERCENT AND SENT TO SERESULTS TO	OTHER TYPES OF KERIC SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MOKSTURE (BY ELECTRA (NAME OF LAB) AFIN S D BE PHONED (PER POUN GRAMS ANALY: SHELLE! ADE FACTOR NELS LED LED LS ASED ON ACOC C METER)	GRAMS) RESSI WARED COILO	GRAMS 0.0 X × /3.5 5:0 3.7 0.0 A /A /A /A /A /A /A /A /A /A	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15
COUNT AVERAL OUALITY SAMPLE OF APP GRADE CRACKED ON BHO DISCOLORED SHEL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOISTURE (BY BLE GRADE SAMPLES BILLED OF	PROXIMATELY PEANUTS I FEACTOR WEN SHELLS LLS FECTS L TOTAL MAGED KERNELS CITIC METER) O APPLICANT ABOVE 1-AB MEETS Requireme 7 CFR Par	SOOO STATE SHELL GRANTS OF MARKET F 996 F	PER GRAMS DRAWN A WALYSIS IIING Approx	OUNCE AMS DRAW PERCENT ANO SENT TO S RESULTS TO SEMENI	OTHER TYPES OF KERIC SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MOKSTURE (BY ELECTRA (NAME OF LAB) AFIN S D BE PHONED (PER POUN GRAMS ANALY: SHELLE! ADE FACTOR NELS INCLS LED LS ASED ON ZOOC C METER!)	GRAMS) RESSI WARED COILO	GRAMS 0.0 X × /3.5 5:0 3.7 0.0 A /A /A /A /A /A /A /A /A /A	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15
COUNT AVERAL QUALITY SAMPLE OF APP GRAD CRACKED OR BRO DISCOLORED SHEL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOISTURE (BY BE GRADE SAMPLES BILLED TO	PROXIMATELY PEANUTS I FFACTOR KIEN SHELLS LLS FECTS L TOTAL MAGED KERNELS CITIC METER) D APPLICANT ABOVE 1-AB MEETS Requirement T C R Requirement T C R Requirement	SOUD SHELL OF APPEAL OF AP	PER GRA L AMS DRAWN A WALYSIS ing Agree 2 Hur	PERCENT WID SENT TO S RESULTS TO THE PERCENT TO SENT TO SENT TO S RESULTS TO THE PERCENT TO THE	OTHER TYPES OF KERIC SPLIT OR BRICKEN KER DAMAGED OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MONSTURE (BY ELECTRA (NAME OF LAB) AFIN S D BE PHONED (GRAMS ANALY: SHELLE! ADE FACTOR NELS LED SLS ASED ON ACOC C METER) ADD ADD ADD ADD ADD ADD ADD ADD ADD A	GRAMS) GRAMS) GRAMS) WHED Collo	GRAMS O-0 XX /3, S S-0 3, 7 O-0 A /A /A CI MAILE greenment	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15 PORTED 2/3//02- D to Applicant
COUNT AVERAL QUALITY SAMPLE OF APP GRAD CRACKED OR BHO DISCOLORED SHELL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOSTURE (BY BLE GRADE 1-CD REMARKS	PROXIMATELY PEANUTS I FFACTOR KIEN SHELLS LLS FECTS L TOTAL MAGED KERNELS CITIC METER) D APPLICANT ABOVE 1-AB MEETS Requirement T C R Requirement T C R Requirement	SOUD SHELL OF APPEAL OF AP	PER GRA L AMS DRAWN A WALYSIS ing Agree 2 Hur	PERCENT WID SENT TO S RESULTS TO THE PERCENT TO SENT TO SENT TO S RESULTS TO THE PERCENT TO SENT TO S	OTHER TYPES OF KERIC SPLIT OR BRICKEN KER DAMAGED OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MONSTURE (BY ELECTRA (NAME OF LAB) AFIN S D BE PHONED (GRAMS ANALY: SHELLE! ADE FACTOR NELS LED SLS ASED ON ACOC C METER) ADD ADD ADD ADD ADD ADD ADD ADD ADD A	GRAMS) GRAMS) GRAMS) WHED Collo	GRAMS O-0 XX /3, S S-0 3, 7 O-0 A /A /A CI MAILE greenment	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15 PORTED 2/3//02- D to Applicant
COUNT AVERAL QUALITY SAMPLE OF APP GRAD CRACKED OR BHO DISCOLORED SHEL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOSTURE (BY BLE GRADE SAMPLES BILLED TO 1-CD REMARKS	PROXIMATELY PEANUTS I FFACTOR KIEN SHELLS LLS FECTS L TOTAL MAGED KERNELS CITIC METER) D APPLICANT ABOVE 1-AB MEETS Requirement T C R Requirement T C R Requirement	SOUD SHELL OF APPEAL OF AP	PER GRA L AMS DRAWN A WALYSIS ing Agree 2 Hur	PERCENT WID SENT TO S RESULTS TO THE PERCENT TO SENT TO SENT TO S RESULTS TO THE PERCENT TO SENT TO S	OTHER TYPES OF KERIC SPLIT OR BRICKEN KER DAMAGED OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MONSTURE (BY ELECTRA (NAME OF LAB) AFIN S D BE PHONED (GRAMS ANALY: SHELLE! ADE FACTOR NELS LED SLS ASED ON ACOC C METER) ADD ADD ADD ADD ADD ADD ADD ADD ADD A	GRAMS) GRAMS) GRAMS) WHED Collo	GRAMS O-0 XX /3, S S-0 3, 7 O-0 A /A /A CI MAILE greenment	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15 PORTED 2/3//02- D to Applicant
COUNT AVERAL QUALITY SAMPLE OF APP GRAD CRACKED OR BHO DISCOLORED SHEL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOSTURE (BY BLE GRADE SAMPLES BILLED TO 1-CD REMARKS CHARGES FEES \$	PROXIMATELY PEANUTS I FFACTOR KIEN SHELLS LLS FECTS L TOTAL MAGED KERNELS CITIC METER) D APPLICANT ABOVE 1-AB MEETS Requirement T C R Requirement T C R Requirement	SOUD SHELL OF APPEAL OF AP	PER GRA L AMS DRAWN A WALYSIS ing Agree 2 Hur	PERCENT WID SENT TO S RESULTS TO THE PERCENT TO SENT TO SENT TO S RESULTS TO THE PERCENT TO SENT TO S	OTHER TYPES OF KERIC SPLIT OR BRICKEN KER DAMAGED OR UNISHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MONSTURE (BY ELECTRA (NAME OF LAB) AFIN S D BE PHONED (GRAMS ANALY: SHELLE! ADE FACTOR NELS LED SLS ASED ON ACOC C METER) ADD ADD ADD ADD ADD ADD ADD ADD ADD A	GRAMS) GRAMS) GRAMS) WHED Collo	GRAMS O-0 XX /3, S S-0 3, 7 O-0 A /A /A CI MAILE greenment	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15 PORTED 2/3//02- D to Applicant
COUNT AVERAL QUALITY SAMPLE OF APP GRAD CRACKED OR BHO DISCOLORED SHEL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOSTURE (BY BLE GRADE SAMPLES BILLED TO 1-CD REMARKS	PROXIMATELY PEANUTS I PEANUTS I FFACTOR WEN SHELLS LES FECTS L TOTAL MAGED KERNELS CITAC METERS 1-AB MEETS Requireme 7 CER, Right CUNSUM INDEX HOUSE LINE MORE HOUSE HOUSE LINE MORE HOUSE HOUS	APPEAL CONTROLL FOR CONTROLL FO	GRAWN A NALYSIS Agree & Auto Gacris (Ort.)	PERCENT TO RESULTS TO COMMENT TO SENT TO COMMENT TO SENT TO COMMENT TO SENT TO	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MONSTURE (BY ELECTRA PAIN S D BE PHONED (FAILS to 1 FAILS to 1 A PROVINCIAL ** C. AM - 15 10 The United States Decisioner	GRAMS ANALY SHELLEI ADE FACTOR NELS INFELS LED ASED ON BOOK C METER) ADD ADD ADD ADD ADD ADD ADD A	GRAMS) GRAMS O-0 X × /3, 5 5: 0 3: 7 O: 0 A /A /A /A /A /A /A /A /A /A	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15 OATE 2/3:/02- D to Applicant 4 826, Orl L	
COUNT AVERAL QUALITY SAMPLE OF APP GRAD CRACKED OR BHO DISCOLORED SHEL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOSTURE (BY BLE GRADE 1-CD REMARKS CHARGES FEES \$ DRAWING &	PROXIMATELY TO PEANUTS I PEANUTS I PEACTOR WEN SHELLS LES ECTS L TOTAL MAGED KERNELS CTRIC METER) MEETS Requireme TOTAL MEETS Requireme TOTAL I the wish passing of the peace of the p	Appeal of Market for 1996 for	PER GRAMS L AMS PRAWN AS PERCENT TO RESULTS TO COMMENT TO SENT TO COMMENT TO SENT TO COMMENT TO SENT TO	OTHER TYPES OF KERI SPLIT OR BRICKEN KEF DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KEFINE FOREIGN MATERIAL (B MOISTURE (BY ELECTRI FAILS TO FAILS TO THE CONTROL OF THE CONTROL THE C	GRAMS ANALY SHELLEI ADE FACTOR NELS INFELS LED ASED ON BOOK C METER) ADD ADD ADD ADD ADD ADD ADD A	GRAMS) GRAMS O-0 X × /3, 5 5: 0 3: 7 O: 0 A /A /A /A /A /A /A /A /A /A	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15 OATE 2/3:/02- D to Applicant 4 826, Orl L		
COUNT AVERAL QUALITY SAMPLE OF APP GRAD CRACKED OR BHO DISCOLORED SHELL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOSTURE (BY BE GRADE I-CD REMARKS CHARGES FEES \$ DRAWING \$ HANDLING \$	PROXIMATELY TO PEANUTS I PEANUTS I PEACTOR WEN SHELLS LES ECTS L TOTAL MAGED KERNELS CTRIC METER) MEETS Requireme TOTAL MEETS Requireme TOTAL I the wish passing of the peace of the p	APPEAL CONTROL OF THE SHELL TO A APPEAL CONTROL OF THE SHELL TO A APPEAL CONTROL OF THE SHELL THE SHELL THE SHELL AS A SH	PER GRAMS L AMS PRAWN AS PERCENT TO RESULTS TO COMMENT TO SENT TO COMMENT TO SENT TO COMMENT TO SENT TO	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MONSTURE (BY ELECTRA PAIN S D BE PHONED (FAILS to 1 FAILS to 1 A PROVINCIAL ** C. AM - 15 10 The United States Decisioner	GRAMS ANALY SHELLEI ADE FACTOR NELS INFELS LED ASED ON BOOK C METER) ADD ADD ADD ADD ADD ADD ADD A	GRAMS) GRAMS O-0 X × /3, 5 5: 0 3: 7 O: 0 A /A /A /A /A /A /A /A /A /A	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15 OATE 2/3:/02- D to Applicant 4 826, Orl L		
COUNT AVERAL QUALITY SAMPLE OF APP GRAD CRACKED OR BHO DISCOLORED SHELL OTHER SHELL DEF FOREIGN MATERIA PEANUTS WITH DA MOSTURE (BY BLE GRADE 1-CD REMARKS FEES \$ DRAWING \$ HANDLING \$ SAMPLING \$	PROXIMATELY PEANUTS I PEANUTS I FACTOR WEN SHELLS LLS FECTS L TOTAL MAGED KERNELS CITIC METER; MEETS Requireme T CR Recovering L Maged Representation of the winds SIGNATURE SI	Appeal of Market for 1996 for	PER GRAMS L AMS PRAWN AS PERCENT TO RESULTS TO COMMENT TO SENT TO COMMENT TO SENT TO COMMENT TO SENT TO	OTHER TYPES OF KERI SPLIT OR BRICKEN KER DAMAGED OR UNSHEL MINOR DEFECTS SOUND WHOLE KERNE FOREIGN MATERIAL (BL MONSTURE (BY ELECTRA PAIN S D BE PHONED (FAILS to 1 FAILS to 1 A PROVINCIAL ** C. AM - 15 10 The United States Decisioner	GRAMS ANALY SHELLEI ADE FACTOR NELS INFELS LED ASED ON BOOK C METER) ADD ADD ADD ADD ADD ADD ADD A	GRAMS) GRAMS O-0 X × /3, 5 5: 0 3: 7 O: 0 A /A /A /A /A /A /A /A /A /A	PERCENT 0-00 XX 1.35 0.50 0.37 0.00 6.15 0.015 0.015 0.015 0.014 0.014 0.014 0.014 0.014		

Revised, April 2008, HU-153-6(c) Page 151, Milled Peanuts (Shelled Stock and Cleaned Virginia Type in the Shell) Inspection Instructions, August 2004

Further Processing of Lots Previously Certified as Meeting Human Consumption Requirements

Lots Previously Certified as Meeting 7 CFR, Part 996 Human Consumption Requirements and Processed at the Handler's Own Processing Facility

Usually, these lots are being further processed for the account of an end-user (manufacturer) to meet their unique specifications. Because these lots are being commingled and/or reconstituted at the receiver's request, inspection and PLI are not required by the Regulations. The applicant may, however, request the Inspection Service to inspect and certify these lots and/or draw aflatoxin samples. Certification of such lots differs from lots that are required to be certified as meeting 7 CFR, Part 996 regulations and must be certified under the following guidelines:

Lots may be certified as to compliance or non-compliance of any U.S. grade or APSA grade. Lots may also be certified as to compliance or non-compliance with 7 CFR, Part 996 with the certification statement immediately followed by "....and reported at applicant's request." This "applicant's request" statement need not be shown on certificates for lots that fail to meet 7 CFR, Part 996 human consumption requirements.

If an applicant requests an appeal for aflatoxin, samples for these lots are to be designated "Appeal Sample 1-6." If an applicant is not requesting an appeal, however, is requesting an official quality control sample, those samples are to be designated "8" (unground) or "8C" (ground) or "8-CD" (ground). Only aflatoxin samples for lots handled under USDA Regulation 7 CFR, Part 996 can be designated as "Sample 1" or "1-AB."

If the residue from these in-grade lots is commingled into a new lot and retained in the name of the Handler instead of being shipped with the good lot back to the receiver, then these new commingled lots <u>MUST BE</u> inspected and certified for compliance or non-compliance with USDA Regulations for either human consumption or non-edible quality.

<u>Lots Previously Certified as Meeting 7 CFR, Part 996 Human Consumption Requirements and Further Processed at a Custom Blancher/Remiller</u>

Usually, these lots are further processed to meet a customer's unique specifications. Since the "USDA Memorandum of Understanding" with a Custom Blancher/Remiller only covers lots that fail to meet MOAB outgoing quality and aflatoxin requirements, these lots are not covered under USDA Regulations and must be certified as follows:

Lots may be certified as to compliance or non-compliance of any U.S. grade or APSA grade. These lots may also be certified as to compliance or non-compliance with edible quality and size requirements of the USDA Regulations with the certification statement immediately followed by ".....and reported at applicant's request" in the 'Remarks' section of the certificate. If a blancher requests an inspection to determine quality factors, except size and/or damage and minor defects, on a lot that previously met the requirements of the USDA

^^^

Regulations, then the certification statement must be followed by "...for blanching, and reported at applicant's request."

The residue from these lots is usually retained by the blancher and commingled into new lots. These commingled lots are not covered by the USDA Memorandum of Understanding and inspection is not required. However, the blancher may request a grade and aflatoxin certification on these lots. Such lots of commingled residue culled from in-grade lots may be certified as outlined above or may be certified to non-edible quality for the USDA Regulations with the certification statement showing that it is being reported at applicant's request.

NOTE: In the above situation, always cross out the "Meets Requirements of ..." and "Fail Requirements of ..." on the 184-9A. This will help to prevent someone from interpreting the certificate as being a certification required under the USDA Regulations.

If an applicant requests an aflatoxin sample on any of these lots, the sample will be designated as follows:

If the lot is being certified for compliance or non-compliance with the USDA Regulations, then the aflatoxin sample may be designated as "Appeal 1-6" or an officially drawn "8" or "8-CD" sample. The designations "Sample No. 1" or "1-AB," etc., cannot be used for these lots.

APPENDIX I

U.S. GRADE STANDARDS







United States Department of Agriculture

Agricultural Marketing Service

Fruit and Vegetable Division

Fresh Products Branch

United States Standards for Grades of Shelled Runner Type Peanuts

Effective July 31, 1956 (Reprinted - January 1997)

United States Standards for Grades of Shelled Runner Type Peanuts 1

Grades

51.2710 U.S. No. 1 Runner.

51.2711 U.S. Runner Splits.

51.2712 U.S. No. 2 Runner.

Application of Tolerances

51.2713 Application of tolerances.

Definitions

51.2714 Similar varietal characteristics.

51.2715 Whole.

51.2716 Split.

51.2717 Broken.

51.2718 Foreign material.

51.2719 Unshelled.

51.2720 Minor defects.

51.2721 Damage.

Grades

§51.2710 U.S. No. 1 Runner.

"U.S. No. 1 Runner" consists of shelled Runner type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage and minor defects, and which will not pass through a screen having 16/64 X 3/4 inch openings.

(a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

(1) I percent for other varieties of peanuts;

(2) 3 percent for sound peanuts which are split or broken;

(3) 1.5 percent for damaged or unshelled peanuts;

(4) 0.5 percent for minor defects: Provided, That in addition, any unused part of the tolerance for damaged or unshelled peanuts shall be allowed for minor defects;

(5) 0.1 percent for foreign material; and,

(6) 3 percent for sound whole peanuts which will pass through the prescribed screen.

§51.2711 U.S. Runner Splits.

"U.S. Runner Splits" consists of shelled Runner type peanut kernels of similar varietal characteristics which are split or broken, but which are free from foreign material, damage and minor defects, and which will not pass through a screen having 17/64 inch round openings.

(a) In order to allow for variations incident to proper grading and handling, the following tolerance, by weight shell be permitted:

tolerances, by weight, shall be permitted:

¹Compliance with the provisions of these standards shall not excuse failure to comply with the provisions of the Federal Food, Drug, and Cosmetic Act, or with applicable State laws and regulations.

- (1) 2 percent for other varieties of peanuts;
- (2) 2 percent for damaged or unshelled peanuts and minor defects;
- (3) 0.2 percent for foreign material;
- (4) 2 percent for sound portions of peanuts which will pass through the prescribed screen; and,
- (5) 4 percent for sound whole peanuts.

§51.2712 U.S. No. 2 Runner.

- "U.S. No. 2 Runner" consists of shelled Runner type peanut kernels of similar varietal characteristics which may be split or broken, but which are free from foreign material, damage and minor defects, and which will not pass through a screen having 17/64 inch round openings.
- (a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:
 - (1) 2 percent for other varieties of peanuts;
 - (2) 2.5 percent for damaged or unshelled peanuts and minor defects;
- (3) 0.2 percent for foreign material; and,
- (4) 6 percent for sound peanuts and portions of peanuts which will pass through the prescribed screen.

Application of Tolerances

§51.2713 Application of tolerances.

The tolerances provided in these standards are on a lot basis and shall be applied to a composite sample representative of the lot. However, any container or group of containers in which the peanuts are obviously of a quality materially different from that in the majority of containers shall be considered a separate lot, and shall be sampled separately.

Definitions

§51.2714 Similar varietal characteristics.

"Similar varietal characteristics" means that the peanut kernels in the lot are not of distinctly different varieties. For example, Spanish type shall not be mixed with Runners.

§51.2715 Whole.

"Whole" means that the peanut kernel is not split or broken.

§51.2716 Split.

"Split" means the separated half of a peanut kernel.

§51.2717 Broken.

"Broken" means that more than one-fourth of the peanut kernel is broken off.

§51.2718 Foreign material.

"Foreign material" means pieces or loose particles of any substance other than peanut kernels or skins.

§51.2719 Unshelled.

"Unshelled" means a peanut kernel with part or all of the hull (shell) attached.

§51.2720 Minor defects.

- "Minor defects" means that the peanut kernel is not damaged but is affected by one or more of the following:
- (a) Skin discoloration which is dark brown, dark gray, dark blue or black and covers more than one-fourth of the surface;
- (b) Flesh discoloration which is darker than a light yellow color or consists of more than a slight

yellow pitting of the flesh;

- (c) Sprout extending more than one-eighth of an inch from the tip of the kernel; and,
- (d) Dirt when the surface of the kernel is distinctly dirty, and its appearance is materially affected. §51.2721 Damage.
- "Damage" means that the peanut kernel is affected by one or more of the following:
- (a) Rancidity or decay;
- (b) Mold;
- (c) Insects, worm cuts, web or frass;
- (d) Freezing injury causing hard, translucent or discolored flesh; and
- (e) Dirt when the surface of the kernel is heavily smeared, thickly flecked or coated with dirt, seriously affecting its appearance.

Shelled Spanish Type



United States Department of Agriculture

Agricultural Marketing Service

Fruit and Vegetable Division

Fresh Products Branch

United States Standards for Grades of Shelled Spanish Type Peanuts

Effective July 15, 1965 (Reprinted - January 1997)

Grades

51.2730 U.S. No. 1 Spanish.

51.2731 U.S. Spanish Splits.

51.2732 U.S. No. 2 Spanish.

Application of Tolerances

51.2733 Application of tolerances.

Definitions

51.2734 Spanish type.

51.2735 Whole.

51.2736 Split.

51.2737 Broken.

51.2738 Foreign material.

51.2739 Damage.

51.2740 Minor defects.

51.2741 Unshelled.

Grades

§51.2730 U.S. No. 1 Spanish.

"U.S. No. 1 Spanish" consists of shelled Spanish type peanut kernels which are whole and free from foreign material, damage and minor defects, and which will not pass through a screen having 15/64 x 3/4 inch openings.

(a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

(1) 1 percent for other types of peanuts;

(2) 3 percent for sound peanuts which are split or broken;

(3) 1.5 percent for damaged or unshelled peanuts;

(4) 0.5 percent for minor defects: Provided, That in addition, any unused part of the tolerance for damaged or unshelled peanuts shall be allowed for minor defects;

(5) 0.1 percent for foreign material; and,

(6) 2 percent for sound whole peanuts which will pass through the prescribed screen.

§51.2731 U.S. Spanish Splits.

"U.S. Spanish Splits" consists of shelled Spanish type peanut kernels which are split or broken, but which are free from foreign material, damage and minor defects, and which will not pass through a screen having 16/64 inch round openings.

(a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

Packing of the product in conformity with the requirements of these standards shall not excuse failure to comply with the provisions of the Federal Food, Drug, and Cosmetic Act, or with applicable State laws and regulations.

- (1) 2 percent for other types of peanuts;
- (2) 2 percent for damaged or unshelled peanuts and minor defects;
- (3) 0.2 percent for foreign material;
- (4) 2 percent for sound portions of peanuts which will pass through the prescribed screen; and,
- (5) 4 percent for sound whole kernels.

§51.2732 U.S. No. 2 Spanish.

- "U.S. No. 2 Spanish" consists of shelled Spanish type peanut kernels which may be split or broken, but which are free from foreign material, damage, and minor defects, and which will not pass through a screen having 16/64 inch round openings.
- (a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:
- (1) 2 percent for other types of peanuts;
- (2) 2.5 percent for damaged or unshelled peanuts and minor defects;
- (3) 0.2 percent for foreign material; and,
- (4) 6 percent for sound peanuts and portions of peanuts which will pass through the prescribed screen.

Application of Tolerances

§51.2733 Application of tolerances.

The tolerances provided in these standards are on a lot basis and shall be applied to a composite sample representative of the lot. However, any container or group of containers in which the peanuts are obviously of a quality materially different from that in the majority of containers shall be considered a separate lot, and shall be sampled and graded separately.

Definitions

§51.2734 Spanish type.

"Spanish type" means peanuts of varieties which belong to the Spanish classification group and which are free from kernels of Runner, Virginia, or other types.

§51.2735 Whole.

"Whole means" that the peanut kernel is not split or broken.

§51.2736 Split.

"Split" means the separated half of a peanut kernel.

§51.2737 Broken.

"Broken" means that more than one-fourth of the peanut kernel is broken off.

§51.2738 Foreign material.

"Foreign material" means pieces or loose particles of any substance other than peanut kernels or skins.

§51.2739 Damage.

"Damage" means any specific defect described in this section; or any other defect, or any combination of defects which materially detracts from the edible quality of the peanut. The following specific defects shall be considered as damage:

- (a) Rancidity or decay:
- (b) Mold;
- (c) Insects, worm cuts, web or frass;
- (d) Freezing injury causing hard, translucent, or discolored flesh; and,

(e) Dirt when the surface of the kernel is heavily smeared, thickly flecked or coated with dirt, seriously affecting its appearance.

§51.2740 Minor defects.

- "Minor defects" means that the peanut kernel is not damaged but is affected by one or more of the following:
- (a) Skin discoloration which is dark brown, dark gray, dark blue or black and covers more than one-fourth of the surface;
- (b) Flesh discoloration which is darker than a light yellow color or consists of more than a slight yellow pitting of the flesh;
- (c) Sprout extending more than one-eighth of an inch from the tip of the kernel; and,
- (d) Dirt when the surface of the kernel is distinctly dirty, and its appearance is materially affected. §51.2741 Unshelled.
- "Unshelled" means a peanut kernel with part or all of the hull (shell) attached.

Shelled Virginia Type



United States
Department of
Agriculture

Agricultural Marketing Service

Fruit and Vegetable Division

Fresh Products Branch

United States Standards for Grades of Shelled Virginia Type Peanuts

Effective August 31, 1959 (Reprinted - January 1997)

Grades

- 51.2750 U.S. Extra Large Virginia.
- 51.2751 U.S. Medium Virginia.
- 51.2752 U.S. No. 1 Virginia.
- 51.2753 U.S. Virginia Splits.
- 51.2754 U.S. No. 2 Virginia.

Application of Tolerances

51.2755 Application of tolerances.

Definitions

- 51.2756 Similar varietal characteristics.
- 51.2757 Whole.
- 51.2758 Split.
- 51.2759 Broken.
- 51.2760 Foreign material.
- 51.2761 Unshelled.
- 51.2762 Minor defects.
- 51.2763 Damage.

Grades

§51.2750 U.S. Extra Large Virginia.

- "U.S. Extra Large Virginia" consists of shelled Virginia type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage and minor defects, and which will not pass through a screen having 20/64 x 1 inch openings. Unless otherwise specified, the peanuts in any lot shall average not more than 512 per pound.
- (a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:
- (1) 0.75 percent for other varieties of peanuts;
- (2) 3 percent for sound peanuts which are split or broken;
- (3) I percent for damaged or unshelled peanuts;
- (4) 0.75 percent for minor defects: Provided, That in addition, any unused part of the tolerance for damaged or unshelled peanuts shall be allowed for minor defects;
- (5) 0.1 percent for foreign material; and,
- (6) 3 percent for sound, whole peanuts which will pass through the prescribed screen.

§51.2751 U.S. Medium Virginia.

"U.S. Medium Virginia" consists of shelled Virginia type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage and minor defects, and

¹Compliance with the provisions of these standards shall not excuse failure to comply with the provisions of the Federal Food, Drug and Cosmetic Act, or with applicable State laws and regualtions.

which will not pass through a screen having 18/64 x 1 inch openings. Unless otherwise specified, the peanuts in any lot shall average not more than 640 per pound.

- (a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:
- (1) I percent for other varieties of peanuts;
- (2) 3 percent for sound peanuts which are split or broken;
- (3) 1.25 percent for damaged or unshelled peanuts;
- (4) 0.75 percent for minor defects: Provided, That in addition, any unused part of the tolerance for damaged or unshelled peanuts shall be allowed for minor defects;
- (5) 0.1 percent for foreign material; and,
- (6) 3 percent for sound, whole peanuts which will pass through the prescribed screen. §51.2752 U.S. No. 1 Virginia.
- "U.S. No. 1 Virginia" consists of shelled Virginia type peanut kernels of similar varietal characteristics which are whole and free from foreign material, damage and minor defects, and which will not pass through a screen having 15/64 x 1 inch openings. Unless otherwise specified, the peanuts in any lot shall average not more than 864 per pound.
- (a) In order to allow for variations incident to proper grading and handling, the following tolerances by weight, shall be permitted:
- (1) I percent for other varieties of peanuts;
- (2) 3 percent for sound peanuts which are split or broken;
- (3) 1.25 percent for damaged or unshelled peanuts;
- (4) 0.75 percent for minor defects: Provided, That in addition, any unused part of the tolerance for damaged or unshelled peanuts shall be allowed for minor defects;
- (5) 0.1 percent for foreign material; and,
- (6) 3 percent for sound, whole peanuts which will pass through the prescribed screen. §51.2753 U.S. Virginia Splits.
- "U.S. Virginia Splits" consists of shelled Virginia type peanut kernels of similar varietal characteristics which are free from foreign material, damage and minor defects, and which will not pass through a screen having 20/64 inch round openings. Not less than 90 percent, by weight, shall be splits.
- (a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:
- (1) 2 percent for other varieties of peanuts;
- (2) 2 percent for damaged or unshelled peanuts and minor defects;
- (3) 0.2 percent for foreign materials; and,
- (4) 3 percent for sound peanuts and portions of peanuts which will pass through the prescribed screen.

§51.2754 U.S. No. 2 Virginia.

"U.S. No. 2 Virginia" consists of shelled Virginia type peanut kernels of similar varietal characteristics which may be split or broken, but which are free from foreign material, damage and minor defects, and which will not pass through a screen having 17/64 inch round openings.

(a) In order to allow for variations incident to proper grading and handling, the following

(a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

- (1) 2 percent for other varieties of peanuts;
- (2) 2.5 percent for damaged or unshelled peanuts and minor defects;
- (3) 0.2 percent for foreign material; and,
- (4) 6 percent for sound peanuts and portions of peanuts which will pass through the prescribed screen.

Application of Tolerances

§51.2755 Application of tolerances.

The tolerances provided in these standards are on a lot basis and shall be applied to a composite sample representative of the lot. However, any container or group of containers in which the peanuts are obviously of a quality materially different from that in the majority of containers shall be considered a separate lot, and shall be sampled separately.

Definitions

§51.2756 Similar varietal characteristics.

"Similar varietal characteristics" means that the peanut kernels in the lot are not of distinctly different varieties. For example, Spanish type shall not be mixed with Virginia type.

§51.2757 Whole.

"Whole" means that the peanut kernel is not split or broken.

§51.2758 Split.

"Split" means the separated half of a peanut kernel.

§51.2759 Broken.

"Broken" means that more than one-fourth of the peanut kernel is broken off.

§51.2760 Foreign material.

"Foreign material" means pieces or loose particles of any substance other than peanut kernels or skins.

§51.2761 Unshelled.

"Unshelled" means a peanut kernel with part or all of the hull (shell) attached.

§51.2762 Minor defects.

- "Minor defects" means that the peanut kernel is not damaged but is affected by one or more of the following:
- (a) Skin discoloration which is dark brown, dark gray, dark blue or black and covers more than one-fourth of the surface;
- (b) Flesh discoloration which is darker than a light yellow color or consists of more than a slight yellow pitting of the flesh;
- (c) Sprout extending more than one-eighth of an inch from the tip of the kernel; and,
- (d) Dirt when the surface of the kernel is distinctly dirty, and its appearance is materially affected. \$51.2763 Damage.

"Damage" means that the peanut kernel is affected by one or more of the following:

- (a) Rancidity or decay;
- (b) Mold;
- (c) Insects, worm cuts, web or frass;
- (d) Freezing injury causing hard, translucent or discolored flesh; and,
- (e) Dirt when the surface of the kernel is heavily smeared, thickly flecked or coated with dirt, seriously affecting its appearance.

Cleaned Virginia Type in the Shell



United States Department of Agriculture

Agricultural Marketing Service

Fruit and Vegetable Division

Fresh Products Branch

United States Standards for Grades of Cleaned Virginia Type in the Shell Peanuts

Effective September 18, 1948 (Reprinted - January 1997)

United States Standards for Grades of Cleaned Virginia Type Peanuts in the Shell¹

Grades

51.1235 U.S. Jumbo Hand Picked.

51.1236 U.S. Fancy Hand Picked.

Unclassified

51.1237 Unclassified.

Definitions

51.1238 Mature.

51.1239 Pops.

51.1240 Paper ends.

51.1241 Damage.

51.1242 Count per pound.

Grades

§51.1235 U.S. Jumbo Hand Picked.

U.S. Jumbo Hand Picked shall consist of cleaned Virginia type peanuts in the shell which are mature, dry, and free from loose peanut kernels, dirt or other foreign material, pops, paper ends, and from damage caused by cracked or broken shells, discoloration or other means. The kernels shall be free from damage from any cause. In addition, the peanuts shall not pass through a screen having 37/64 x 3 inch perforations. Unless otherwise specified, the unshelled peanuts in any lot shall not average more than 176 count per pound.

(a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:

(1) 10.0 percent total for pops, peanuts having paper ends or damaged shells, loose undamaged peanut kernels, and dirt or other foreign material, but not more than one-twentieth of this amount, or 0.5 percent, shall be allowed for dirt or other foreign material.

(2) 5.0 percent for peanuts which will pass through the prescribed screen, but which are free from pops and from peanuts having paper ends or damaged shells.

(3) 3.5 percent for peanuts with damaged kernels, and damaged loose kernels.

§51.1236 U.S. Fancy Hand Picked.

U.S. Fancy Hand Picked shall consist of cleaned Virginia type peanuts in the shell which are mature, dry, and free from loose peanut kernels, dirt or other foreign material, pops, paper ends, and from damage caused by cracked or broken shells, discoloration or other means. The kernels shall be free from damage from any cause. In addition, the peanuts shall not pass through a screen having 32/64 x 3 inch perforations. Unless otherwise specified, the unshelled peanuts in any lot

¹Packing of the product in conformity with the requirements of these standards shall not excuse failure to comply with the provisions of the Federal Food, Drug, and Cosmetic Act.

shall not average more than 225 count per pound.

- (a) In order to allow for variations incident to proper grading and handling, the following tolerances, by weight, shall be permitted:
- (1) 11.0 percent total for pops, peanuts having paper ends or damaged shells, loose undamaged peanut kernels, and dirt or other foreign material, but not more than one twenty-second of this amount, or 0.5 percent, shall be allowed for dirt or other foreign material.
- (2) 5.0 percent for peanuts which will pass through the prescribed screen, but which are free from pops and from peanuts having paper ends or damaged shells.
- (3) 4.5 percent for peanuts with damaged kernels, and damaged loose kernels.

Unclassified

§51.1237 Unclassified.

Unclassified shall consist of cleaned Virginia type peanuts in the shell which fail to meet the requirements of either of the foregoing grades. The term "unclassified" is not a grade within the meaning of these standards but is provided as a designation to show that no definite grade has been applied to the lot.

Definitions

§51.1238 Mature.

"Mature" means that the shells are firm and well developed.

§51.1239 Pops.

"Pops" means fully developed shells which contain practically no kernels.

§51.1240 Paper ends.

"Paper ends" means peanuts which have very soft and/or very thin ends.

§51.1241 Damage.

"Damage" means any injury or defect which materially affects the appearance edible or shipping quality of the individual peanut or the lot as a whole. The following shall be considered as damage:

- (a) Cracked or broken shells which have been broken to the extent that the kernel within is plainly visible without minute examination and with no application of pressure, or the appearance of the individual peanut is materially affected.
- (b) Discolored shells which have dark discoloration caused by mildew, staining or other means affecting one-half or more of the shell surface. Talc powder or other similar material which may have been applied to the shells during the cleaning process shall not be removed to determine the amount of discoloration beneath, but the peanut shall be judged as it appears with the talc.
- (c) Kernels which are rancid or decayed.
- (d) Moldy kernels.
- (e) Kernels showing sprouts extending more than one-eighth inch from the end of the kernel.
- (f) Distinctly dirty kernels.
- (g) Kernels which are wormy, or have worm frass adhering, or have worm cuts which are more than superficial.
- (h) Kernels which have dark yellow color penetrating the flesh, or yellow pitting extending deep into the kernel.

§51.1242 Count per pound.

"Count per pound" means the number of peanuts in a pound. When determining the count per pound, one single kernel peanut shall be counted as one-half peanut.

(This Page Blank)

APPENDIX II

7 CFR, PART 996

Affective January 13, 2003

(This Page Blank)

7 CFR

Agriculture

CHAPTER IX

AGRICULTURAL MARKETING SERVICE (Marketing Agreements and Orders; Fruits, Vegetables, Nuts), DEPARTMENT OF AGRICULTURE

PART 996 - MINIMUM QUALITY AND HANDLING STANDARDS FOR DOMESTIC AND IMPORTED PEANUTS MARKETED IN THE UNITED STATES

DEFINITIONS

	DEIMITIONS
Sec.	
<u>996.1</u>	Act and scope
<u>996.2</u>	Conditionally released
<u>996.3</u>	Crop year
<u>996.4</u>	Handle
996.5	Handler
<u>996.6</u>	Importation
996.7	Importer
<u>996.8</u>	Incoming inspection
<u>996.9</u>	Inshell peanuts
996.10	Inspection Service
<u>996.11</u>	Negative aflatoxin content
<u>996.12</u>	Outgoing inspection
<u>996.13</u>	Peanuts
<u>996.14</u>	Person
<u>996.15</u>	Positive lot identification
<u>996.16</u>	Producer
<u>996.17</u>	Quota year
<u>996.18</u>	Secretary
<u>996.19</u>	Shelled peanuts
<u>996.20</u>	USDA
<u>996.21</u>	USDA laboratory
<u>996.22</u>	USDA-approved laboratory
	OTIAT TTV AND TRANDITING

QUALITY AND HANDLING STANDARDS

990.30	incoming quality standards
<u>996.31</u>	Outgoing quality standards
<u>996.40</u>	Handling standards
<u>996.50</u>	Reconditioning failing quality peanuts
<u>996.60</u>	Safeguard procedures for imported peanuts

REPORTS AND RECORDS

996.71 Reports and recordkeeping
996.72 Confidential information
996.73 Verification of reports
996.74 Compliance
996.75 Effective time

Authority: Sec. 1308, Pub.L. 107-171, 116 Stat. 178 (7 U.S.C. 7958).

Source: <u>67 FR 57140</u>, Sept. 9, 2002, and, <u>68 FR 1145</u>, January 9, 2003, unless otherwise noted.

DEFINITIONS

- § 996.1 Act and scope. Act means Public Law 107-171, or the Farm Security and Rural Investment Act of 2002, enacted May 13, 2002. None of the definitions or provisions of this part shall apply to any other part or program (including, but not limited to, any program providing for payments or loans to peanut producers or other persons interested in peanuts or peanut quotas) unless explicitly adopted in such other part or program.
- § 996.2 Conditional release. Conditional release means release from U.S. Customs Service custody to the importer for purposes of handling and USDA required sampling, inspection and chemical analysis. [68 FR 1157, Jan. 9, 2003]
- § 996.3 Crop year. Crop year means the 12 month period beginning with July 1 of any year and ending with June 30 of the following year, or other period established by USDA.
- § 996.4 Handle. Handle means to engage in the receiving or acquiring, cleaning and shelling, cleaning in-shell, or crushing of domestic or imported peanuts and in the shipment (except as a common or contract carrier of peanuts owned by another) or sale of cleaned in-shell or shelled peanuts or other activity causing peanuts to enter into human consumption channels of commerce: Provided, That this term does not include sales or deliveries of peanuts by a producer to a handler or to an intermediary person engaged in delivering peanuts to handler(s): And provided further, That this term does not include sales or deliveries of peanuts by such intermediary person(s) to a handler.
- § 996.5 Handler. Handler means any person who handles peanuts, in a capacity other than that of a custom cleaner or dryer, an assembler, a warehouseman or other intermediary between the producer and the person handling peanuts.
- § 996.6 Importation. Importation means the arrival of foreign produced peanuts at a port-ofentry with the intent to enter the peanuts into channels of commerce of the United States.

- § 996.7 Importer. Importer means a person who engages in the importation of foreign produced peanuts into the United States. [68 FR 1157, Jan. 9, 2003]
- § 996.8 Incoming inspection. *Incoming inspection* means the sampling, inspection, and certification of farmers' stock peanuts to determine segregation and grade quality.

١

- § 996.9 Inshell peanuts. Inshell peanuts means peanuts, the kernels or edible portions of which are contained in the shell.
- § 996.10 Inspection Service. Inspection Service means the Federal Inspection Service, Fruit and Vegetable Programs, Agricultural Marketing Service, USDA or the Federal-State Inspection Service.
- § 996.11 Negative aflatoxin content. Negative aflatoxin content means 15 parts per billion (ppb) or less for peanuts that have been certified as meeting edible quality grade standards.
- § 996.12 Outgoing inspection. Outgoing inspection means the sampling, inspection, and certification of either: shelled peanuts which have been cleaned, sorted, sized and otherwise prepared for human consumption markets; or in-shell peanuts which have been cleaned, sorted, and otherwise prepared for in-shell human consumption markets.
- § 996.13 Peanuts. Peanuts means the seeds of the legume Arachis hypogaea and includes both in-shell and shelled peanuts produced in the United States or imported from foreign countries, other than those in green form for consumption as boiled peanuts.
- (a) Farmers Stock. "Farmers stock peanuts" means picked and threshed peanuts which have not been shelled, crushed, cleaned or otherwise changed (except for removal of foreign material, loose shelled kernels, and excess moisture) from the form in which customarily marketed by producers.
- (b) Segregation 1. "Segregation I peanuts" means farmers' stock peanuts with not more than 2.49 percent damaged kernels nor more than 1.00 percent concealed damage caused by rancidity, mold, or decay and which are free from visible Aspergillus flavus.
- (c) Segregation 2. "Segregation 2 peanuts" means farmers' stock peanuts with more than 2.49 percent damaged kernels or more than 1.00 percent concealed damage caused by rancidity, mold, or decay and which are free from visible Aspergillus flavus.
- (d) Segregation 3. "Segregation 3 peanuts" means farmers' stock peanuts with visible Aspergillus flavus.
- § 996.14 Person. Person means an individual, partnership, corporation, association, any other business unit or legal entity.

- § 996.15 Positive lot identification. Positive lot identification is a means, approved by the Inspection Service, of relating the inspection certificate to the lot covered so that there is no doubt that the peanuts in the lot are the same peanuts described on the inspection certificate.
- § 996.16 Producer. Producer means any person in the United States engaged in a proprietary capacity in the production of peanuts for market.
- § 996.17 Quota year. Quota year means the 12 month period beginning January 1 and ending December 31 of the same year for peanuts produced in Mexico and the 12 month period beginning April 1 and ending March 31 of the following year for Argentina and other countries, or other such periods as may be prescribed by the U.S. Customs Service.
- § 996.18 Secretary. Secretary means the Secretary of Agriculture of the United States or any officer, employee, or agent of the United States Department of Agriculture who is, or who may hereafter be authorized to act in the Secretary's stead.
- § 996.19 Shelled peanuts. Shelled peanuts means the kernels or portions of kernels of peanuts after the shells are removed.
- § 996.20 USDA. USDA means the United States Department of Agriculture, including any officer, employee, service, program, or branch of the Department of Agriculture, or any other person acting as the Secretary's agent or representative in connection with any provisions of this part.
- § 996.21 USDA laboratory. *USDA laboratory* means laboratories of the Science and Technology Programs, Agricultural Marketing Service, USDA, which chemically analyze peanuts for aflatoxin content.
- § 996.22 USDA-approved laboratory. *USDA-approved laboratory* means laboratories approved by the Science and Technology Programs, Agricultural Marketing Service, USDA that chemically analyze peanuts for aflatoxin content.

OUALITY AND HANDLING STANDARDS

§ 996.30 Incoming quality standards.

- (a) All farmers' stock peanuts received or acquired by a handler shall be officially inspected by the Inspection Service, and certified as to segregation, moisture content, and foreign material.
- (b) Moisture. No handler or importer shall receive or acquire farmers' stock peanuts for subsequent disposition to human consumption outlets containing more than 10.49 percent moisture: Provided, That peanuts of a higher moisture content may be received and dried to not more than 10.49 percent moisture prior to storing or milling; and Provided further, That Virginia-type peanuts used for seed may be received or acquired containing up to 11.49 percent moisture.

- (c) Foreign material. No handler or importer shall receive or acquire farmers stock peanuts for subsequent disposition to human consumption outlets containing more than 10.49 percent foreign material, except that peanuts having a higher foreign material content may be received or acquired if they are held separately until milled, or moved over a sand screen before storage, or shipped directly to a plant for prompt shelling. The term sand screen means any type of farmers stock cleaner which removes sand and dirt.
- (d) A handler may receive or acquire any peanuts from other persons for edible and non-edible use: *Provided*, That such peanuts intended for human consumption are inspected and certified pursuant to §996.31 prior to such disposition. Non-edible uses may include, but are not limited to, seed, oil stock, animal feed, bird seed, or for export. [67 FR 57140, Sept. 9, 2002, as amended at 68 FR 1157, Jan. 9, 2003]

§ 996.31 Outgoing quality standards.

(a) Shelled peanuts: No handler or importer shall ship or otherwise dispose of shelled peanuts for human consumption unless such peanuts are positive lot identified, chemically analyzed by a USDA laboratory or USDA-approved laboratory and certified "negative" as to aflatoxin, and certified by the Inspection Service as meeting the following quality standards:

Minimum Quality Standards: Peanuts for Human Consumption
Whole Kernels or Whole Kernels with Splits – Maximum Limitations

Type and Grade Category	Unshelled peanuts & damaged kernels	Unshelled peanuts, damaged kernels, & minor defects	Total Fall Through Sound Whole Kernels and/or Sound Split & Broken Kernels	Foreign Material	Moisture
Runner	1.500/		6.00%; 17/64 inch round		
- ,	1.50%	2.50%	screen	0.20%	9.00%
Virginia (Except No. 2)	1.50%	2.50%	6.00%; 17/64 inch round screen	0.20%	9.00%
Spanish & Valencia	1.50%	2.50%	6.00%; 16/64 inch round screen	0.20%	9.00%
No. 2 Virginia	1.50%	3.00%	6.00%; 17/64 inch round screen	0.20%	9.00%
Runner with Splits (Not more than 15% sound splits)	1.50%	2.50%	6.00%; 17/64 inch round screen	0.20%	9.00%
Virginia with Splits (Not more than 15% sound splits)	1.50%	2.50%	6.00%; 17/64 inch round screen	0.20%	9.00%
Spanish & Valencia with Splits (Not more than 15% sound splits)	1.50%	2.50%	6.00%; 16/64 inch round screen	0.20%	9.00%

Lots of "Splits" - Maximum Limitations

Type and Grade Category	Unshelled peanuts & damaged kernels	Unshelled peanuts, damaged kernels, & minor defects	Total Fall Through Sound Whole Kernels and/or Sound Split & Broken Kernels	Foreign Material	Moisture
Runner (Not more than 90% splits)	2.00%	2.50%	6.00%; 17/64 inch round screen	0.20%	9.00%
Virginia (Not more than 90% splits)	2.00%	2.50%	6.00%; 17/64 inch round screen	0.20%	9.00%
Spanish & Valencia (Not more than 90% splits)	2.00%	2.50%	6.00%; 16/64 inch round screen	0.20%	9.00%

- (b) Cleaned in-shell peanuts: No handler or importer shall ship or otherwise dispose of cleaned in-shell peanuts for human consumption unless such peanuts are Positive Lot Identified and are determined by the Inspection Service to contain:
 - (1) Not more than 1.00 percent kernels with mold unless a sample of such peanuts, drawn by an inspector of the Inspection Service, is analyzed chemically by a USDA laboratory or a USDA-approved laboratory and certified "negative" as to aflatoxin;
 - (2) Not more than 2.00 percent peanuts with damaged kernels;
 - (3) Not more than 10.00 percent moisture; or
 - (4) Not more than 0.50 percent foreign material. [67 FR 57140, Sept. 9, 2002; 67 FR 63503, Oct. 11, 2002]

§ 996.40 Handling standards.

(a) Identification: Each lot of shelled or cleaned in-shell peanuts intended for human consumption shall be identified by positive lot identification prior to being shipped or otherwise disposed of. Positive Lot Identification (PLI) methods are tailored to the size and containerization of the lot, by warehouse storage or space requirements, or by necessary further movement of the lot prior to certification. Positive Lot Identification is established by the Inspection Service and includes the following methods of identification. For domestic lots and repackaged import lots, PLI includes PLI stickers, tags or seals applied to each individual package or container in such a manner that is acceptable to the Inspection Service and maintains the identity of the lot. For imported lots, PLI tape may be used to wrap bags or boxes on pallets, PLI stickers may be used to cover the shrink-wrap overlap, doors may be sealed to isolate the lot, bags or boxes may be stenciled with a lot number, or any other means that is acceptable to the Inspection Service. The crop year or quota year shown on the positive lot identification tags shall be the year in which the peanuts in the lot were produced domestically or imported into the U.S., as appropriate. All lots of shelled and cleaned in-shell peanuts shall be handled, stored, and shipped under positive lot identification procedures, except those lots which are reconstituted

and/or commingled at the request of the buyer: *Provided*, That the reconstituted or commingled lots were previously positive lot identified and certified as meeting the outgoing standards of §996.31.

- (b) Sampling and testing shelled peanuts for outgoing Inspection: Prior to shipment, the following sampling and inspection procedures shall be conducted on each lot of shelled peanuts intended for human consumption. The lot size of shelled or cleaned in-shell peanuts presented for outgoing inspection in bags or bulk shall not exceed 200,000 pounds.
 - (1) Each handler or importer shall cause appropriate samples, based on a sampling plan approved by the Inspection Service, of each lot of shelled peanuts intended for human consumption to be drawn by the Inspection Service. The gross amount of peanuts drawn shall be large enough to provide for a grade analysis, for a grading check sample, and for three 48-pound samples for aflatoxin chemical analysis. The three 48-pound samples shall be designated by the Inspection Service as "Sample 1," "Sample 2," and "Sample" and each sample shall be placed in a suitable container and positive lot identified by means acceptable to the Inspection Service. Sample 1 may be prepared for immediate testing or Sample 1, Sample 2, and Sample 3 may be returned to the handler or importer for testing at a later date. Imported peanuts shall be labeled "Sample 1IMP," "Sample 2IMP," and "Sample 3IMP" and handled accordingly.
 - (2) Before shipment of a lot of shelled peanuts to a buyer, the handler or importer shall cause Sample 1 to be ground by the Inspection Service, a USDA laboratory or a USDA-approved laboratory, in a "subsampling mill." The resultant ground subsample from Sample 1 shall be of a size specified by the Inspection Service and shall be designated as "Subsample 1-AB" and at the handler's, importer's or buyer's option, a second subsample may also be extracted from Sample 1. It shall be designated as "Subsample 1-CD." Subsample 1-CD may be sent as requested by the handler or buyer, for aflatoxin assay, to a USDA laboratory or USDA-approved laboratory that can provide analyses results on such samples in 36 hours. The cost of sampling and testing Subsample 1-CD shall be for the account of the applicant. Subsample 1-AB shall be analyzed only in a USDA laboratory or USDA-approved laboratory. Both Subsamples 1-AB and 1-CD shall be accompanied by a notice of sampling or grade certificate, signed by the inspector, containing, at least, identifying information as to the handler or importer, the buyer, if known, and the positive lot identification of the shelled peanuts.
 - (3) The samples designated as Sample 2 and Sample 3 shall be held as aflatoxin check samples by the Inspection Service or the handler or importer and shall not be included in the shipment to the buyer until the analyses results from Sample 1 are known.
 - (4) Upon call from the laboratory, the handler or importer shall cause Sample 2 to be ground by the Inspection Service, USDA or USDA-approved laboratory in a "subsampling mill." The resultant ground subsample from Sample 2 shall be of a size specified by the Inspection Service and it shall be designated as "Subsample 2-AB." Upon call from the laboratory, the handler shall cause Sample 3 to be ground by the Inspection Service, USDA or USDA-approved laboratory in a "subsampling mill." The resultant ground subsample from Sample 3 shall be of a size specified by Inspection Service and shall be

designated as "Subsample 3-AB." "Subsamples 2-AB and 3-AB" shall be analyzed only in a USDA laboratory or a USDA-approved laboratory and each shall be accompanied by a notice of sampling. The results of each assay shall be reported by the laboratory to the handler and to USDA.

- (5) Handlers and importers may make arrangements for required inspection and certification by contacting the Inspection Service office closest to where the peanuts will be made available for sampling. For questions regarding inspection services, a list of Federal or Federal-State Inspection Service offices, or for further assistance, handlers and importers may contact: Fresh Products Branch, Fruit and Vegetable Programs, AMS, USDA, 1400 Independence Avenue SW., Room 2049-S, (STOP 0240), Washington, DC, 20250-0240; Telephone: (202) 720-5870; Fax: (202) 720-0393.
- (6) Handlers and importers may make arrangements for required chemical analysis for aflatoxin content at the nearest USDA or USDA-approved laboratory. For further information concerning chemical analysis and a list of laboratories authorized to conduct such analysis contact: Deputy Administrator, Science and Technology Programs, AMS, USDA, 1400 Independence Avenue, SW. STOP 0270, Washington, DC 20250-0270; Telephone (202) 720-5231; Fax (202) 720-6496. [67 FR 57140, Sept. 9, 2002, as amended at 68 FR 1157, Jan. 9, 2003]

§ 996.50 Reconditioning failing quality peanuts.

- (a) Lots of peanuts which have not been certified as meeting the requirements for disposition to human consumption outlets may be disposed for non-human consumption uses: *Provided*, That each such lots are positive lot identified using red tags, or other methods acceptable to the Inspection Service, and certified as to aflatoxin content (actual numerical count). However, on the shipping papers covering the disposition of each such lot, the handler or importer shall cause the following statement to be shown: "The peanuts covered by this bill of lading (or invoice, etc.) are not to be used for human consumption."
- (b) Sheller oil stock residuals shall be positive lot identified using red tags, or other methods acceptable to the Inspection Service, and may be disposed of domestically or to the export market in bulk or bags or other suitable containers. Disposition to crushing may be to approved crushers.
 - (1) If such peanuts are not tested and certified as to aflatoxin content, pursuant to paragraph (a) of this section, the handler or importer shall cause the following statement to be shown on the shipping papers: "The peanuts covered by this bill of lading (or invoice, etc.) are limited to crushing only and may contain aflatoxin."
 - (2) If the peanuts are certified as 301 ppb or more aflatoxin content, disposition shall be limited to crushing or export.

- (c) Remilling. Handlers and importers may remill, or cause to have remilled, lots of shelled or cleaned-inshell peanuts failing to meet the applicable outgoing quality standards in the table in §996.31(a). If, after remilling, such peanut lot meets the applicable quality standards in §996.31, the lot may be moved for human consumption under positive lot identification procedures and accompanied by applicable grade and aflatoxin certificates.
- (d) Blanching. Handlers and importers may blanch, or cause to have blanched, shelled peanuts failing to meet the outgoing quality standards specified in the table in §996.31(a). If, after blanching, such peanut lot meets the quality standards in §996.31(a), except fall through standards as specified below, the lot may be moved for human consumption under positive lot identification procedures and accompanied by applicable grade and aflatoxin certificates. Peanut lots certified as meeting fall through standards as specified in §996.31(a) prior to blanching shall be exempt from fall through standards after blanching.
- (e) Roasting. Handlers or importers may roast or cause to be roasted shelled peanuts which meet the grade standards the table in §996.31(a), but are positive to aflatoxin. Lots of peanuts moved under this provision must be accompanied by a valid grade certificate showing that the lot met grade requirements of §996.31(a) prior to roasting and a valid aflatoxin certificate. If, after roasting, such peanut lot is certified negative as to aflatoxin and the positive lot identity has been maintained during the roasting process, the lot may be moved for human consumption.
- (f) Lots of shelled peanuts moved for remilling, blanching or roasting shall be positive lot identified and accompanied by valid grade inspection certificate, *Except* That, a handler's shelled peanuts may be moved without PLI and grade inspection to the handler's blanching facility that blanches only the handler's peanuts. The title of such peanuts shall be retained by the handler or importer until the peanuts have been certified by the Inspection Service as meeting the outgoing quality standards specified in the table in §996.31(a). Remilling, blanching, and roasting under the provisions of this paragraph shall be performed only by those remillers and blanchers approved by USDA. Such approved entities must agree to comply with the handling standards in this part and to report dispositions of all failing peanuts and residual peanuts to USDA.
- (g) Residual peanuts resulting from remilling, blanching, or roasting of peanuts shall be red tagged, or identified by other means acceptable to the Inspection Service, and returned directly to the handler for further disposition or, in the alternative, such residual peanuts shall be positive lot identified by the Inspection Service and shall be disposed of to handlers who are crushers, or to approved crushers. Handlers who are crushers and crushers approved by USDA must agree to comply with the terms and conditions of this part.
- (h) Re-inspection. Whenever USDA has reason to believe that domestic or imported peanuts may have been damaged or deteriorated while in storage, USDA may reject the then effective inspection certificate and may require the owner of the peanuts to have a re-inspection to establish whether or not such peanuts may be disposed of for human consumption.

(i) The cost of transportation, sampling, inspection, certification, chemical analysis, and identification, as well as remilling and blanching, and further inspection of remilled and blanched lots, and disposition of failing peanuts, shall be borne by the applicant. Whenever peanuts are presented for inspection, the handler or importer shall furnish any labor and pay any costs incurred in moving, opening containers, and shipping samples as may be necessary for proper sampling and inspection. The Inspection Service shall bill the applicant or other responsible entity separately for applicable fees covering sampling and inspection, delivering aflatoxin samples to laboratories, positive lot identification measures, and other certifications as may be necessary to certify edible quality or non-edible disposition. The USDA and USDA-approved laboratories shall bill the applicant or other responsible entity separately for applicable fees for aflatoxin assays.

§ 996.60 Safeguard procedures for imported peanuts.

- (a) Prior to, or upon, arrival of a foreign-produced peanut lot at a port-of-entry, the importer, or customs broker acting on behalf of the importer, shall mail or send by facsimile transmission (fax) a copy of the Customs Service entry documentation for the peanut lot or lots to the Inspection Service office that will perform sampling of the peanut shipment. More than one lot may be entered on one entry document. The documentation shall include: the Customs Service entry number; the container number(s) or other identification of the lot(s); the volume of the peanuts in each lot being entered, the inland shipment destination where the lot will be made available for inspection; and a contact name or telephone number at the destination. The inspection office shall sign, stamp, and return the entry document to the importer. The importer shall cause a copy of the relevant entry documentation to accompany each peanut lot and be presented to the Inspection Service at the time of inspection.
- (b) Importers shall report to AMS the entry number, container number, and inspection certificate of those peanuts which are sampled and inspected but which are subsequently exported as excess of the peanut import quota. Peanuts for which an import application is filed with the Customs Service, and which are not sampled and inspected, but which are subsequently exported as excess of quota, shall not be reported to USDA.
- (c) Early arrival and storage. Peanut lots sampled and inspected upon arrival in the United States, but placed in storage for more than one month prior to beginning of the quota year for which the peanuts will be entered, must be reported to USDA at the time of inspection. The importer shall file copies of the Customs Service documentation showing the volume of peanuts placed in storage and location, including any identifying number of the storage warehouse. Such peanuts should be stored in clean, dry warehouses and under cold storage conditions consistent with industry standards. USDA may require re-inspection of the lot at the time the lot is declared for entry with the Customs Service.

(d) Additional standards.

- (1) Nothing contained in this section shall preclude any importer from milling or reconditioning, prior to importation, any shipment of peanuts for the purpose of making such lot eligible for importation into the United States. However, all peanuts entered for human consumption use must be certified as meeting the quality standards specified in §996.31(a) prior to such disposition. Failure to fully comply with quality and handling standards as required under this section, will result enforcement action by USDA.
- (2) Imported peanut lots sampled and inspected at the port-of-entry, or at other locations, shall meet the quality standards of this part in effect on the date of inspection.
- (3) A foreign-produced peanut lot entered for consumption or for warehouse may be transferred or sold to another person: *Provided*, That the original importer shall be the importer of record unless the new owner applies for bond and files Customs Service documents pursuant to 19 CFR 141.113 and 141.20: *And provided further*, That such peanuts must be certified and reported to USDA pursuant to §996.71 of this part.
- (4) The provisions of this section do not supersede any restrictions or prohibitions on peanuts under the Federal Plant Quarantine Act of 1912, the Federal Food, Drug and Cosmetic Act, any other applicable laws, or regulations of other Federal agencies, including import regulations and procedures of the Customs Service. [67 FR 57140, Sept. 9, 2002, as amended at 68 FR 1158, Jan. 9, 2003]

REPORTS AND RECORDS

§ 996.71 Reports and recordkeeping.

- (a) Each handler and importer shall report acquisitions of all farmers' stock peanuts, by Segregation, on a form "Monthly Report of Acquisitions" and such other reports or information as may be necessary to enable USDA to carry out the provisions of this part.
- (b) Each handler and importer shall maintain records of all receipts and acquisitions of farmers' stock peanuts, and all grade and aflatoxin certificates showing the results of milling, remilling, blanching and roasting of peanuts for human consumption and the records of the disposition of peanuts not certified as meeting Outgoing quality standards, specified in §996.31(a) of this part. Such records shall be maintained for at least 2 years after the crop year of their applicability. Such recordkeeping shall be sufficient to document and substantiate the handler or importer's compliance with this part.
- (c) USDA shall maintain copies of grade and aflatoxin certificates on all peanut lots inspected and chemically tested. USDA and USDA-approved laboratories shall file copies of all aflatoxin certificates completed by such laboratories with the DC Marketing Field Office, Marketing Order Administration Branch, Fruit and Vegetable Programs, AMS, USDA, 4700 River Road, Suite 2A04, Unit 155, Riverdale, Maryland 20737; Telephone (301) 734-5243, Fax: (301) 734-5275, or other address as determined by USDA.

§ 996.72 Confidential information. All reports and records furnished or submitted by handlers and importers to USDA which include data or information constituting a trade secret or disclosing a trade position, financial condition, or business operations of the particular handlers or their customers shall be received by, and at all times kept in the custody and control of one or more employees of USDA, and, except as provided in §996.74 or otherwise provided by law, such information shall not be disclosed to any person outside USDA.

§ 996.73 Verification of reports. For the purpose of checking and verifying reports filed by handlers and importers and the operation of handlers and importers under the provisions of this Part, the officers, employees or duly authorized agents of USDA shall have access to any premises where peanuts may be held and at any time during reasonable business hours and shall be permitted to inspect any peanuts so held by such handler or importer and any and all records of such handler with respect to the acquisition, holding, or disposition of all peanuts which may be held or which may have been disposed by the handler.

§ 996.74 Compliance.

- (a) A handler or importer shall be subject to withdrawal of inspection services, for a period of time to be determined by USDA, if the handler or importer:
 - (1) Acquires farmers' stock peanuts without official incoming inspection, pursuant to §996.30;
 - (2) Fails to obtain outgoing inspection on shelled or cleaned in-shell peanuts, pursuant to §996.31, and ships such peanuts for human consumption use;
 - (3) Ships failing quality peanuts, pursuant to §996.31, for human consumption use;
 - (4) Commingles failing quality peanuts with certified edible quality peanuts and ships the commingled lot for human consumption use;
 - (5) Fails to maintain positive lot identification, pursuant to §996.40(a), on peanut lots certified for human consumption use;
 - (6) Fails to maintain and provide access to records, pursuant to §996.71, on the reconditioning or disposition of peanuts acquired by such handler or importer; or
 - (7) Otherwise violates any provision of section 1308 of the Act or any provision of this part.
- (b) Any peanut lot which fails to meet the Outgoing quality standards specified in §996.31, and is not reconditioned to meet such standards, or is not disposed to non-human consumption outlets as specified in §996.50, shall be reported by USDA to the Food and Drug Administration and listed on an Agricultural Marketing Service Web site.
- § 996.75 Effective time. The provisions of this part, as well as any amendments, shall apply to the remainder of the 2002 crop year peanuts and subsequent crop year peanuts, to 2001 crop year peanuts not yet inspected, and to 2001 crop year failing peanuts that have not met disposition standards, and shall continue in force and effect until modified, suspended, or terminated. Indemnification payments for the 2001 crop peanuts will continue through December 31, 2002, under the terms and conditions of 7 CFR, Part 998.