## Microbiological Safety of Leafy Green Vegetables: A Bibliography

## Complied by:

Robert L. Buchanan, Ph.D.
Center for Food Safety and Security Systems
College of Agriculture and Natural Resources
University of Maryland
0119 Symons Hall
College Park, Maryland, USA

September, 2009

Harber, A.H. and Luippold, H.J. Dormancy from gamma-irradiation of lettuce seeds. International Journal of Radiation Biology 1:317-327. 1959.

Shapiro, J.E. and Holder, I.A. Effect of antibiotic and chemical dips on the microflora of packaged salad mix. Applied Microbiology 8:341-345. 1960.

Lynt, R.K.Jr. Survival and recovery of enterovirus from foods. Applied Microbiology 14:218-222. 1966.

Kominos, S.D. et al. Introduction of *Pseudomonas aeruginosa* into a hospital via vegetables. Applied Microbiology 24:567-570. 1972.

Crisan, E.V. Effects of aflatoxin on germination and growth of lettuce. Applied Microbiology 25:342-345. 1973.

Konowalchu, J. et al. Concentration of enteric viruses from water with lettuce extract. Applied Microbiology 28:717-719. 1974.

Knowalchuk, J.K. and Speirs, J.I. Survival of enteric viruses on fresh vegetables. Journal of Milk and Food Technology 38:469-472. 1975.

Ercolani GL (1976). Bacteriological quality assessment of fresh marketed lettuce and fennel. Applied and Environmental Microbiology 31:847-852. 1976.

Wright, C. et al. Enterobacteriaceae and *Pseudomonas aerugi*nosa recovered from vegetable salads. Applied and Environmental Microbiology 31:453-454. 1976.

Priepke, P.E. et al. Refrigerated storage of prepackaged salad vegetables. Journal of Food Science 41:379-385. 1976.

Bolin, H.R. et al. Factors affecting the storage stability of shredded lettuce. Journal of Food Science 42:1319-1331. 1977.

Ward, B.K. et al. Recovery of viruses from vegetable surfaces. Applied and Environmental Microbiology 44:1389-1394. 1982.

Rude, R.A. et al. Survey of fresh vegetables for nematodes, amoebae, and *Salmonella*. Journal of the Association of Official Analytical Chemists 67:(3) 613-615. 1984.

Brocklehurst, T.F. et al. A note on the microbiology of retail packs of prepared salad vegetables. Journal of Applied Bacteriology 63:409-415. 1987.

Callister, S.M. and Agger, W.A. Enumeration and characterization of *Aeromonas hydrophila* and *Aeromonas caviae* isolated from grocery store produce. Applied and Environmental Microbiology 53:249-253. 1987.

Ruiz, B.G.-V. et al. Contamination of fresh vegetables during cultivation and marketing. International Journal of Food Microbiology 4:285-291.

Steinbruegge, E.G. et al. Fate of *Listeria monocytogenes* on ready to serve lettuce. Journal of Food Protection 51:596-599. 1988.

Berrang, M.E. et al. Growth of *Listeria monocytogenes* on fresh vegetables stored under controlled atmosphere. Journal of Food Protection 52:702-705. 1989.

Heisick, J.E. et al. *Listeria* spp. found on fresh market produce. Applied and Environmental Microbiology 55:1925-1927. 1989.

Beuchat, L.R. and Brackett, R.E. Survival and growth of *Listeria monocytogenes* on lettuce as influenced by shredding, chlorine treatment, modified atmosphere packaging and temperature. Journal of Food Science 55:755-870. 1990.

Garg, N. et al. Effect of processing conditions on the microflora of fresh-cut vegetables. Journal of Food Protection 53:701-703. 1990.

Magnuson, J.A. et al. Microflora of partially processed lettuce. Applied and Environmental Microbiology 56:3851-3854. 1990.

Satchell F.B. et al. The survival of *Shigella sonnei* in shredded cabbage. Journal of Food Protection 53:558-562, 624. 1990.

Solomon, H.M. et al. 1990. Outgrowth of *Clostridium botulinum* in shredded cabbage at room temperature under modified atmosphere. Journal of Food Protection 53:831-833. 1990.

Beuchat, L.R. Surface disinfection of raw produce. Dairy, Food and Environmental Sanitation 12:6-9. 1990.

Rosenblum, L.S. et al. A multifocal outbreak of hepatitis A traced to commercially distributed lettuce. American Journal of Public Health 80:1075-1079. 1990.

Breer, C. and Baumgartner, A. (1992). Occurrence and behavior of *Listeria monocytogenes* in salads, vegetables and fresh vegetable juices. Archiv fur Lebensmittelhygiene, 43:108-110. 1992.

Park, C.E. and Sanders, G.W. Occurrence of thermotolerant campylobacters in fresh vegetables sold at farmers' outdoor markets and supermarkets. Canadian Journal of Microbiology 38:313-316. 1992.

Abdul-Raouf, U.M. et al. Survival and growth of *Escherichia coli* O157:H7 on salad vegetables. Applied and Environmental Microbiology 59:1999-2006. 1993.

Carlin, F. and Nguyen-The, C. Fate of *Listeria monocytogenes* on four types of minimally processed green salads. Letters in Applied Microbiology 18:222-226. 1994.

Albrecht, J.A. et al. Microbial evaluation of vegetable ingredients in salad bars. Journal of Food Protection 58:683-685. 1995.

Bastos, R.K.X. and Mara, D.D. The bacterial quality of salad crops drip and furrow irrigated with waste stabilization pond effluent: An evaluation of the WHO guidelines. Water Science and Technology 31:425-430. 1995.

Carlin, F. et al. Factors affecting the growth of *Listeria monocytogenes* on minimally processed fresh endive. Journal of Applied Bacteriology 78:636-646. 1995.

Monge, R. and Chinchilla, M. Presence of *Cryptosporidium* oocyts in fresh vegetables. Journal of Food Protection 59:202-203. 1995.

Ng, D.L.K and Seah, H.L. Isolation and identification of *Listeria monocytogenes* from a range of foods in Singapore. Food Control 6:171-173. 1995.

Petran, R.L. et al. *Clostridium botulinum* toxin formation in romaine lettuce and shredded cabbage: Effect of storage and packaging conditions. Journal of Food Protection 58:624-627. 1995.

Beuchat, L.R. Pathogenic microorganisms associated with fresh produce. Journal of Food Protection 59:204-216. 1996.

Beuchat, L.R. *Listeria monocytogenes*: Incidence on vegetables. Food Control 7:223-228. 1996.

Carlin, F. et al. Influence of background microflora on *Listeria monocytogenes* on minimally processed fresh broad-leaved endive (*Cichorium endivia* var. *latifolia*). Journal of Food Protection 59:698-703. 1996.

Fain, A.R. A review of the microbiological safety of fresh salads. Dairy, Food, and Environmental Sanitation 16:146-149. 1996.

Garcia-Gimeno, R.M. et al. *Aeromonas hydrophila* in vegetable salads stored under modified atmosphere at 4 and 15°C. Food Microbiology 13:369-374. 1996.

Garcia-Gimeno, R.M. et al. Incidence, survival and growth of *Listeria monocytogenes* in ready-to-use mixed vegetables salads in Spain. Journal of Food Safety 16:75-86. 1996.

Lee, C.-M. et al. Occurrence of *Listeria monocytogenes*, *Salmonella* spp., *Escherichia coli*, and *E. coli* O157:H7 in vegetable salads. Food Control 7:135-140. 1996.

Mpuchane, S. and Gashe, B.A. Prevalence of coliforms in traditionally dried leafy vegetables sold in open markets and food stores in Gaborone, Botswana. Journal of Food Protection 59:28-30. 1996.

Vankerschaver, K. et al. The influence of temperature and gas mixtures on the growth of the intrinsic micro-organisms on cut endive: Predictive versus actual growth. Food Microbiology 13:427-440. 1996.

Wang, G. et al. Fate of enterohemorrhagic *Escherichia coli* O157:H7 in bovine feces. Applied and Environmental Microbiology 62:2567-2570. 1996.

Zhang, S. and Farber, J.M. The effects of various disinfectants against *Listeria monocytogenes* on fresh-cut vegetables. Food Microbiology 13:311-321. 1996.

Arroyo, G. et al. Effect of high pressure on the reduction of microbial populations in vegetables. Journal of Applied Microbiology 82:735-742. 1997.

Babic, I. et al. Growth of *Listeria monocytogenes* restricted by native microorganisms and other properties of fresh-cut spinach. Journal of Food Protection 60:912-917. 1997.

Bolin, H.R. et al. Factors affecting the storage stability of shredded lettuce. Journal of Food Science 42:1319-1331. 1997.

Finn, M.J. and Upton, M.E.. Survival of pathogens on modified-atmosphere-packaged shredded carrot and cabbage. Journal of Food Protection 60:1347-1350. 1997.

Francis, G.A. and O'Beirne, D. Effects of gas atmosphere, antimicrobial dip and temperature on the fate of *Listeria innocua* and *Listeria monocytogenes* on minimally processed lettuce. International Journal of Food Science and Technology 32:141-151. 1997.

Garcia-Gimeno, R.M. and Zurera-Cosano, G. Determination of ready-to-eat vegetable salad shelf-life. International Journal of Food Microbiology 36:31-38. 1997.

Hagenmaier, R.D. and Baker, R.A. Low-dose irradiation of cut iceberg lettuce in modified atmosphere packaging. Journal of Agricultural and Food Chemistry 45:2864-2868. 1997.

Hernandez, F. et al. Rotavirus and hepatitis A virus in market lettuce (*Latuca sativa*) in Costa Rica. International Journal of Food Microbiology 37:221-223. 1997.

Kyung, K.H. and Fleming, H.P. Antimicrobial activity of sulfur compounds derived from cabbage. Journal of Food Protection 60:67-71. 1997.

Larson, A.E. et al. Evaluation of the botulism hazard from vegetables in modified atmosphere packaging. Journal of Food Protection 60:1208-1214. 1997.

Loessner, M.J. et al. Evaluation of luciferase reporter bacteriophage A511::luxAB for detection of *Listeria monocyotogenes* in contaminated foods. Applied and Environmental Microbiology 63:2961-2965. 1997.

Manderfeld, M.M. et al. Isolation and identification of antimicrobial furocoumarins from parsley. Journal of Food Protection 60:72-77. 1997.

Odumeru, J.A. et al. Assessment of the microbiological quality of ready-to-use vegetables for health-care food services. Journal of Food Protection 60:954-960. 1997.

Piagentini, A.M. et al. Survival and growth of *Salmonella* Hadar on minimally processed cabbage as influenced by storage abuse conditions. Journal of Food Science 62: 616-631. 1997.

Wallace, J.S. et al. Isolation of vero cytotoxin-producing *Escherichia coli* O157 from wild birds. Journal of Applied Microbiology 82:399-404. 1997.

Ackers, M.-L. et al. An outbreak of *Escherichia coli* O157:H7 infections associated with leaf lettuce consumption. Journal of Infectious Diseases 177: 1588-1593. 1998.

Austin, J.W. et al. Growth and toxin production by *Clostridium botulinum* on inoculated fresh-cut packaged vegetables. Journal of Food Protection 61:324-328. 1998.

Farber, J.M. et al. Changes in populations of *Listeria monocytogenes* inoculated on packaged fresh-cut vegetables. Journal of Food Protection 61:192-195. 1998.

Francis, G.A. and O'Beirne, D. Effects of storage atmosphere on *Listeria monocytogenes* and competing microflora using a surface model system. International Journal of Food Science and Technology 33:465-476. 1998.

Francis, G.A. and O'Beirne, D. Effects of the indigenous microflora of minimally processed lettuce on the survival and growth of *Listeria innocua*. International Journal of Food Science and Technology 33:477-488. 1998.

Hagenmaier, R.D. and Baker, R.A. A survey of the microbial population and ethanol content of bagged salad. Journal of Food Protection 61:357-359. 1998.

Hao, Y.-Y. et al. Microbiological quality and the inability of proteolytic *Clostridium botulinum* to produce toxin in film-packaged fresh-cut cabbage and lettuce. Journal of Food Protection 61:1148-1153. 1998.

Kakiomenou, K. et al. Survival of *Salmonella* Enteritidis and *Listeria monocytogenes* on salad vegetables. World Journal of Microbiology and Biotechnology 14:383-387. 1998.

Pirovani, M.E. et al. Quality of minimally processed lettuce as influenced by packaging and chemical treatment. Journal of Food Quality 22:475-484. 1998.

Shere, J.A. et al. Longitudinal study of *Escherichia coli* O157:H7 dissemination on four dairy farms in Wisconsin. Applied and Environmental Microbiology 64:1390-1399. 1998.

Amanatidou, A. et al. Effect of elevated oxygen and carbon dioxide on the surface growth of vegetable-associated micro-organisms. Journal of Applied Microbiology 86:429-438. 1999.

Beuchat, L.R. Survival of enterohemorrhagic *Escherichia coli* O157:H7 in bovine feces applied to lettuce and the effectiveness of chlorinated water as a disinfectant. Journal of Food Protection 62:845-849. 1999.

Brackett, R.E. Incidence, contributing factors, and control of bacterial pathogens in produce. Postharvest Biology and Technology 15:305-311. 1999.

Cherry, D.P. Improving the safety of fresh produce with antimicrobials. Food Technology 53(11):54-60. 1999.

Delaquis, P.J. et al. Effect of warm, chlorinated water on the microbial flora of shredded iceberg lettuce. Food Research International 32:7-14. 1999.

Escudero, M.E. et al. Effectiveness of various disinfectants in the elimination of *Yersinia enterocolitica* on fresh lettuce. Journal of Food Protection 62:665-669. 1999.

Francis, G.A. et al. The microbiological safety of minimally processed vegetables. International Journal of Food Science and Technology 34:1-22. 1999.

Fukushima, H. et al. Long-term survival of shiga toxin-producing *Escherichia coli* O26, O111, and O157 in bovine feces. Applied and Environmental Microbiology 65:5177-5181. 1999.

Hurme, E.U. et al. The storage life of packed shredded iceberg lettuce dipped in glycine betaine solutions. Journal of Food Protection 62:363-367. 1999.

Izumi, H. Electrolyzed water as a disinfectant for fresh-cut vegetables. Journal of Food Science 64:536-539. 1999.

Jacksens, L. et al. Spoilage and safety of fresh-cut vegetables packaged under modified atmosphere: A case study of mixed lettuce followed through the distribution chain. In "Food Microbiology and Food Safety into the Next Millenium, Tuijtelaars, A.C.J. et al., ed. Ponsen & Looyen. Wageningen, The Netherlands. pp175-180. 1999.

Jacxsens, L. et al. Behavior of *Listeria monocytogenes* and *Aeromonas* spp. on fresh-cut produce package under equilibrium-modified atmosphere. Journal of Food Protection 62:1128-1135. 1999.

Kaneko, K.-I. et al. Bacterial contamination in the environment of food factories processing ready-to-eat fresh vegetables. Journal of Food Protection 62:800-804. 1999.

Kim, J.-G. et al. Use of ozone to inactivate microorganisms on lettuce. Journal of Food Safety 19:17-32. 1999.

Lindqvist, R. Detection of *Shigella* spp. in food with a nested PCR method – sensitivity and performance compared with conventional culture method. Journal of Applied Microbiology 86:971-978. 1999.

Little, C. Microbiological quality of retail imported unprepared whole lettuces: A PHLS Food Working Group study. Journal of Food Protection 62:325-328. 1999.

Seo, K.H. and Frank, J.F. Attachment of *Escherichia coli* O157:H7 to lettuce leaf surface and bacterial viability in response to chlorine treatment as demonstrated by using confocal scanning laser microscopy. Journal of Food Protection 62:3-9. 1999.

Sinigaglia, M. et al. Influence of process operations on shelf-life and microbial population of fresh-cut vegetables. Journal of Industrial Microbiology and Biotechnology 23:484-488. 1999.

Thayer, D.W. and Rajokowski, K.T. Developments in irradiation of fresh fruits and vegetables. Food Technology 53(11):62-65. 1999.

Wasteson, Y. et al. Analysis of faecal samples from wild animals for verocytotoxin producing *Escherichia coli* and *E. coli* O157. Veterinary Record 144:646-647. 1999.

Xu, L. Use of ozone to improve the safety of fresh fruits and vegetables. Food Technology 53(10):58-62. 1999.

Behrsing, J. et al. Efficiency of chlorine for inactivation of *Escherichia coli* on vegetables. Postharvest Biology and Technology 19:187-192. 2000.

Bidawid, S. et al. Inactivation of hepatitis A virus (HAV) in fruits and vegetables by gamma irradiation. International Journal of Food Microbiology 57:91-97. 2000.

Bidawid, S. et al. Rapid concentration and detection of hepatitis type A virus from lettuce and strawberries. Journal of Virological Methods 88:175-185. 2000.

Bidawid, S. et al. Contamination of foods by food handlers: Experiments on hepatitis A virus transfer to food and its interpretation. Applied and Environmental Microbiology 66:2759-2763. 2000.

Burnett, S.L. and Beuchat, L.R. Human pathogens associated with raw produce and unpasteurized juices, and difficulties in decontamination. Journal of Industrial Microbiology and Biotechnology 25:281-287. 2000.

Cizek, A. et al. Survival of *Escherichia coli* O157 in faeces of experimentally infected rats and pigeons. Letters in Applied Microbiology 31:349-352. 2000.

Heard, G. Microbial safety of ready-to-eat salads and minimally processed vegetables and fruits. Food Science and Technology Today 14:15-21. 2000.

Leggitt, P.R. and Jaykus, L.-A. Detection methods for human enteric viruses in representative foods. Journal of Food Protection 63:1738-1744. 2000.

Lin, C.-M. et al. Bactericidal activity of isothiocyanate against pathogens on fresh produce. Journal of Food Protection 63:25-30. 2000.

Mahony, J.O' et al. Rotavirus survival and stability in foods as determined by an optimised plaque assay procedure. International Journal of Food Microbiology 61:177-185. 2000.

Prakash, A. et al. Effects of low-dose gamma irradiation on the shelf life and quality characteristics of cut Romaine lettuce packaged under modified atmosphere. Journal of Food Science 65:549-553. 2000.

Robertson, L.J. et al. Isolation of *Cyclospora* oocysts from fruits and vegetables using lectin-coated paramagnetic beads. Journal of Food Protection 63:1410-1414. 2000.

Szabo, E.A. et al. Survey for psychrotrophic bacterial pathogens in minimally processed lettuce. Letters in Applied Microbiology 30:456-460. 2000.

Takeuchi, K. et al. Comparison of the attachment of *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Salmonella* Typhimurium, and *Pseudomonas fluorescens* to lettuce leaves. Journal of Food Protection 63:1433-1437. 2000.

Takeuchi, K and Frank, J.F. Penetration of *Escherichia coli* O157:H7 into lettuce tissue as affected by inoculum size and temperature and the effect of chlorine treatment on cell viability. Journal of Food Protection 63:434-440. 2000.

Thomas, C. and O'Beirne, D. Evaluation of the impact of short-term temperature abuse on the microbiology and shelf-life of a model ready-to-eat vegetable combination product. International Journal of Food Microbiology 59:47-57. 2000.

Villari, P. et al. Prevalence and molecular characterization of *Aeromonas* spp. in ready-to-eat foods in Italy. Journal of Food Protection 63:1754-1757. 2000.

Weissinger, W.R. et al. Survival and growth of *Salmonella* Baildon in shredded lettuce and diced tomatoes, and effectiveness of chlorinated water as a sanitizer. International Journal of Food Microbiology 62:123-131. 2000.

Wu, F.M. et al. Fate of *Shigella sonnei* on parsley and methods of disinfection. Journal of Food Protection 63:568-572. 2000.

Beuchat, L.R. et al. Development of a proposed standard method for assessing the efficacy of fresh produce sanitizers. Journal of Food Protection 64:1103-1109. 2001.

Bidawid, S. et al. Survival of hepatitis A virus on modified atmosphere-packaged (MAP) lettuce. Food Microbiology 18:95-102. 2001.

Campbell, J.V. et al. An outbreak of *Salmonella* serotype Thompson associated with fresh cilantro. Journal of Infectious Diseases 183:984-987. 2001.

Cao, H. et al. Common mechanisms for pathogens of plants and animals. Annual Reviews of Phytopathology 39:259-284. 2001.

Edgar, R. and Aidoo, K.E. Microflora of blanched minimally processed fresh vegetables as components of commercial chilled ready-to-use meals. International Journal of Food Science and Technology 36:107-110. 2001.

Francis, G.A. and O'Beirne, D. Effects of acid adaptation on the survival of *Listeria monocytogenes* on modified atmosphere packaged vegetables. International Journal of Food Science and Technology 36:477-487. 2001.

Francis, G.A. and O'Beirne, D. Effects of vegetable type, package type and storage atmosphere on growth and survival of *Escherichia coli* O157:H7 and *Listeria monocytogenes*. Journal of Industrial Microbiology and Biotechnology 27:111-116. 2001.

Guan, T.Y. et al. Fate of foodborne bacterial pathogens in pesticide products. Journal of the Science of Food and Agriculture 81:503-512. 2001.

Gulati, B.R. et al. Efficacy of commonly used disinfectants for the inactivation of calicivirus on strawberry, lettuce, and a food-contact surface. Journal of Food Protection 64:1430-1434. 2001.

Koseki, S. and Itoh, K. Prediction of microbial growth in fresh-cut vegetables treated with electrolyzed water during storage under various temperature conditions. Journal of Food Protection 64:1935-1941. 2001.

Koseki, S. et al. Decontamination of lettuce using acidic electrolyzed water. Journal of Food Protection 64:652-658. 2001

Kurdziel, A.S. et al. Survival of poliovirus on soft fruit and salad vegetables. Journal of Food Protection 64:706-709. 2001.

Li, Y. et al. Survival and growth of *Escherichia coli* O157:H7 inoculated onto cut lettuce before or after heating in chlorinated water, followed by storage at 5 or 15°C. Journal of Food Protection 64:305-309. 2001.

Li, Y. et al. Changes in appearance and natural microflora on iceberg lettuce treated in warm, chlorinated water and then stored at refrigeration temperature. Food Microbiology 18:299-308. 2001.

Liao, C.-H. and Fett, W.F. Analysis of native microflora and selection of strains antagonistic to human pathogens on fresh produce. Journal of Food Protection 64:1110-1115. 2001.

McMahon, M.A.S. and Wilson, I.G. The occurrence of enteric pathogens and *Aeromonas* species in organic vegetables. International Journal of Food Microbiology 70:155-162. 2001.

Melloul, A. et al. *Salmonella* contamination of vegetables irrigated with untreated wastewater. World Journal of Microbiology and Biotechnology 17:207-209. 2001.

Park, C.-M. et al. Pathogen reduction and quality of lettuce treated with electrolyzed oxidizing and acidified chlorinated water. Journal of Food Science 66:1368-1372. 2001.

Petterson, S.R. et al. Modeling virus inactivation on salad crops using microbial count data. Risk Analysis 21:1097-1108. 2001.

Pirovani, M.E. et al. Predictive models for available chlorine depletion and total microbial count reduction during washing of fresh-cut spinach. Journal of Food Science 66:860-864. 2001.

Poms, R.E. and Tatini, S.R. Survival of *Helicobacter pylori* in ready-to-eat foods at 4°C. International Journal of Food Microbiology 63:281-286. 2001.

Prakash, A. et al. Effects of low-dose gamma irradiation on the shelf life and quality characteristics of cut romaine lettuce packaged under modified atmosphere. Journal of Food Science 65:549-553. 2000.

Robertson, L.J. and Gjerde, B. Occurrence of parasites on fruits and vegetables in Norway. Journal of Food Protection 64:1793-1798. 2001.

Robertson, L.J. and Gjerde, B. Factors affecting recovery efficiency in isolation of *Cryptosporidium* oocysts and *Giardia* cysts from vegetables for standard method development. Journal of Food Protection 64:1799-1805. 2001.

Safarikova, M. and Safarik, I. Immunomagnetic separation of *Escherichia coli* O26, O111 and O157 from vegetables. Letters in Applied Microbiology 33:36-39. 2001.

Sawal, J. et al. Heated scallop-shell powder slurry treatment of shredded cabbage. Journal of Food Protection 64:1579-1582. 2001.

Seymour, I.J. and Appleton, H. Foodborne viruses and fresh produce. Journal of Applied Microbiology 91:759-773. 2001.

Shearer, A.E.H. et al. Evaluation of a polymerase chain reaction-based system for detection of *Salmonella* Enteritidis, *Escherichia coli* O157:H7, *Listeria* spp., and *Listeria monocytogenes* on fresh fruits and vegetables. Journal of Food Protection 64:788-795. 2001.

Sewell, A.M. and Farber, J.M. Foodborne outbreaks in Canada linked to produce. Journal of Food Protection 64:1863-1877. 2001.

Soriano, J.M. et al. Incidence of microbial flora in lettuce, meat and Spanish potato omelette from restaurants. Food Microbiology 18:159-163. 2001.

Soriano, J.M. et al. *Listeria* spp. in raw and ready-to-eat foods from restaurants. Journal of Food Protection 64:551-553. 2001.

Takeuchi, K. and Frank, J.F. Expression of red-shifted green fluorescent protein by *Escherichia coli* O157:H7 as a marker for the detection of cells on fresh produce. Journal of Food Protection 64:298-304. 2001.

Takeuchi, K. and Frank, J.F. Direct microscopic observation of lettuce leaf decontamination with a prototype fruit and vegetable washing solution and 1% NaCl-NaHCO<sub>3</sub>. Journal of Food Protection 64:1235-1239. 2001.

Takeuchi, K. and Frank, J.F. Quantitative determination of the role of lettuce leaf structures in protecting *Escherichia coli* O157:H7 from chlorine disinfection. Journal of Food Protection 64:147-151. 2001.

Takeuchi, K. et al. Penetration of *Escherichia coli* O157:H7 into lettuce as influence by modified atmosphere and temperature. Journal of Food Protection 64:(11) 1820-1823. 2001.

Wang, H. et al. Efficacy of cetylpyridinium chloride immersion treatment for reducing populations of pathogenic bacteria on fresh-cut vegetables. Journal of Food Protection 64:2071-2074. 2001.

Allende, A. et al. Effect of superatmospheric oxygen packaging on sensorial quality, spoilage, and *Listeria monocytogenes* and *Aeromonas caviae* growth in fresh processed mixed salads. Journal of Food Protection 65:1565-1573. 2002.

Bagamboula, C.F. et al. Growth and survival of *Shigella sonnei* and *S. flexneri* in minimal processed vegetables packed under equilibrium modified atmosphere and stored at 7°C and 12°C. Food Microbiology 19:529-536. 2002.

Brandl, M.T. and Mandrell, R.E. Fitness of *Salmonella enterica* serovar Thompson in the cilantro phyllosphere. Applied and Environmental Microbiology 68:3614-3621. 2002.

Croci, L. et al. The survival of hepatitis A virus in fresh produce. International Journal of Food Microbiology 73:29-34. 2002.

Delaquis, P. et al. Survival and growth of *Listeria monocytogenes* and *Escherichia coli* O157:H7 in ready-to-eat iceberg lettuce washed in warm chlorinated water. Journal of Food Protection 65:459-464. 2002.

Doller, P.C. et al. Cyclosporiasis outbreak in Germany associated with the consumption of salad. Emerging Infectious Diseases 8:992-994. 2002.

Dubois, E. et al. Modified concentration method for the detection of enteric viruses on fruits and vegetables by reverse transcriptase polymerase chain reaction or cell culture. Journal of Food Protection 65:1962-1969. 2002.

Fan, X. and Sokorai, K.J.B. Sensorial and chemical quality of gamma-irradiated freshcut iceberg lettuce in modified atmosphere packages. Journal of Food Protection 65:1760-1765. 2002.

Francis, G.A. and O'Beirne, D. Effects of vegetable type and antimicrobial dipping on survival and growth of *Listeria innocua* and *E. coli*. International Journal of Food Science and Technology 37:711-718. 2002.

Hirotani, H. et al. Demonstration of indicator microorganisms on surface of vegetables on the market in the United States and Mexico. Journal of Food Science 67:1847-1850. 2002.

Hough, A. J. et al. Rapid enumeration of *Listeria monocytogenes* in artificially contaminated cabbage using real-time polymerase chain reaction. Journal of Food Protection 65:1329-1332. 2002.

Johannessen, G.S. et al. Bacteriological analysis of fresh produce in Norway. International Journal of Food Microbiology 77:199-204. 2002.

Koseki, S. and Itoh, K. Effect of nitrogen gas packaging on the quality and microbial growth of fresh-cut vegetables under low temperature. Journal of Food Protection 65:326-332. 2002.

Koseki, S. et al. Decontaminative effect of frozen acidic electrolyzed water on lettuce. Journal of Food Protection 65:411-414. 2002.

Li, Y. et al. Mild heat treatment of lettuce leaves enhances growth of *Listeria monocytogenes* during subsequent storage at 5°C or 15°C. Journal of Applied Microbiology 92:269-275. 2002.

Li-Cohen, A.E. and Bruhn, C.M. Safety of consumer handling of fresh produce from the time of purchase to the plate: A comprehensive consumer survey. Journal of Food Protection 65:1287-1296. 2002.

Lin, C.-M. et al. Inactivation of *Escherichia coli* O157:H7, *Salmonella enterica* serotype Enteritidis, and *Listeria monocytogenes* on lettuce by hydrogen peroxide and lactic acid and by hydrogen peroxide with mild heat. Journal of Food Protection 65:1215-1220. 2002.

Loncarevic, S. et al. Bacteriological quality of organically grown leaf lettuce in Norway. Letters in Applied Microbiology 41:186-189. 2002.

McWatters, K.H. et al. Consumer acceptance of fresh-cut iceberg lettuce treated with 2% hydrogen peroxide and mild heat. Journal of Food Protection 65:1221-1226. 2002.

Natvig, E.E. et al. *Salmonella enterica* serovar Typhimurium and *Escherichia coli* contamination of root and leaf vegetables grown in soils with incorporated bovine manure. Applied and Environmental Microbiology 68:2737-2744. 2002.

Niemira, B.A. et al. Suspending lettuce type influences recoverability and radiation sensitivity of *Escherichia coli* O157:H7. Journal of Food Protection 65:1388-1393. 2002.

Piagentini, A.M. and Guemes, D.R. Shelf-life of fresh-cut spinach as affected by chemical treatment and type of packaging film. Brazilian Journal of Chemical Engineering 19:383-389. 2002.

Prazak, A.M. et al. Prevalence of *Listeria monocytogenes* during production and postharvest processing of cabbage. Journal of Food Protection 65:1728-1734. 2002.

Prazak, A.M. et al. Antimicrobial resistance of *Listeria monocytogenes* isolated from various cabbage farms and packing sheds in Texas. Journal of Food Protection 65:1796-1799. 2002.

Sair, A.I. et al. Improved detection of human enteric viruses in foods by RT-PCR. Journal of Virological Methods 100:57-69. 2002.

Schuenzel, K.M. and Harrision, M.A. Microbial antagonists of foodborne pathogens on fresh, minimally processed vegetables. Journal of Food Protection. 65:1909-1915. 2002.

Seymour, I.J. et al. Ultrasound decontamination of minimally processed fruits and vegetables. International Journal of Food Science and Technology 37:547-557. 2002.

Singh, N. et al. Effect of inoculation and washing methods on the efficacy of different sanitizers against *Escherichia coli* O157:H7 on lettuce. Food Microbiology 19:183-193. 2002.

Solomon, E.B. et al. Effect of irrigation method on transmission to and persistence of *Escherichia coli* O157:H7 on lettuce. Journal of Food Protection 65:673-676. 2002.

Solomon, E.B. et al. Transmission of *Escherichia coli* O157:H7 from contaminated manure and irrigation water to lettuce plant tissue and its subsequent internalization. Applied and Environmental Microbiology 68:397-400. 2002.

Stafford, R.J. et al. A statewide outbreak of *Salmonella* Bovismorbificans phage type 32 infection in Queensland. Communicable Disease Intelligence 26:568-573. 2002.

Thunberg, R.L. et al. Microbial evaluation of selected fresh produce obtained at retail markets. Journal of Food Protection 65:677-682. 2002.

Valero, M. et al. Characterization of *Bacillus cereus* isolates from fresh vegetables and refrigerated minimally processed foods by biochemical and physiological tests. Food Microbiology 19:491-499. 2002.

Vijayakumar, C. and Wolf-Hall, C.E. Evaluation of household sanitizers for reducing levels of *Escherichia coli* on iceberg lettuce. Journal of Food Protection 65:1646-1650. 2002.

Wachtel, M.R. and Charkowski, A.O. Cross-contamination of lettuce with *Escherichia coli* O157:H7. Journal of Food Protection 65:(3) 465-470. 2002.

Wachtel, M.R. et al. Association of *Escherichia coli* O157:H7 with preharvest leaf lettuce upon exposure to contaminated irrigation water. Journal of Food Protection 65:18-25. 2002.

Wachtel, M.R. et al. Prevalence of *Escherichia coli* associated with a cabbage crop inadvertently irrigated with partially treated sewage wastewater. Journal of Food Protection 65:471-475. 2002.

Allende, A. and Artes, F. UV-C radiation as a novel technique for keeping quality of fresh processed 'Lollo Rosso' lettuce. Food Research International 36:739-746. 2003.

Caldwell, K.N. et al. Ingestion of *Salmonella enterica* serotype Poona by a free-living nematode, *Caernorhabditis elegans*, and protection against inactivation by produce sanitizers. Applied and Environmental Microbiology 69:4103-4110. 2003.

Cooley, M.B. et al. Colonization of *Arabidopsis thaliana* with *Salmonella enterica* and enterohemorrhagic *Escherichia coli* O157:H7 and competition by *Enterobacter asburiae*. Applied and Environmental Microbiology 69:4915-4926. 2003.

Dontorou, C. et al. Isolation of *Escherichia coli* O157:H7 from foods in Greece. International Journal of Food Microbiology 82:273-279. 2003.

Fan, X. et al. Warm water treatment in combination with modified atmosphere packaging reduces undesirable effects of irradiation on the quality of fresh-cut iceberg lettuce. Journal of Agricultural and Food Chemistry 51:1231-1236. 2003.

Harp, E. and Gilliland, S.E. Evaluation of a select strain of *Lactobacillus delbrueckii* subsp. *lactis* as a biological control agent for pathogens on fresh-cut vegetables stored at 7°C. Journal of Food Protection 66:1013-1018. 2003.

Hassan, A.N. and Frank, J.F. Influence of surfactant hydrophobicity on the detachment of *Escherichia coli* O157:H7 from lettuce. International Journal of Food Microbiology 87:145-152. 2003.

Koseki, S. et al. Influence of inoculation method, spot inoculation site, and inoculation size of the efficacy of acidic electrolyzed water against pathogens on lettuce. Journal of Food Protection 66:2010-2016. 2003.

Leverentz, B. et al. Biological control of minimally processed fruits and vegetables. "Microbial Safety of Minimally Processed Food." (CRC PRESS) 15:319-332. 2003.

Liu, Y. et al. Rapid detection of *Escherichia coli* O157:H7 inoculated in ground beef, chicken carcass, and lettuce samples with an immunomagnetic chemiluminescence fiberoptic biosensor. Journal of Food Protection 66:512-517. 2003.

Moore, C.M. et al. Transfer of *Salmonella* and *Campylobacter* from stainless steel to romaine lettuce. Journal of Food Protection 66:2231-2236. 2003.

Nascimento, M.S. et al. Effects of different disinfection treatments on the natural microbiota of lettuce. Journal of Food Protection 66:1697-1700. 2003.

Niemira, B.A. et al. Ionizing radiation sensitivity of *Listeria monocytogenes* ATCC 49594 and *Listeria innocua* ATCC 51742 inoculated on endive (*Cichorium endiva*). Journal of Food Protection 66:993-998. 2003.

Niemira, B.A. Radiation sensitivity and recoverability of *Listeria monocytogenes* and *Salmonella* on 4 lettuce types. Journal of Food Science 68:2784-2787. 2003.

Nutt, J.D. et al. Growth kinetics response of a *Salmonella* Typhimurium poultry marker strain to fresh produce extracts. Bioresource Technology 89:313-316. 2003.

Ozaras, R. et al. Hepatopulmonary masses after eating romaine lettuce. Scandinavian Journal of Infectious Disease 35:914-915. 2003.

Quinero-Betancourt, W. et al. Assessment of methods for detection of infectious *Cryptosporidium* oocysts and *Giardia* cysts in reclaimed water. Applied and Environmental Microbiology 60:5380-5388. 2003.

Raiden, R.M. et al. Efficacy of detergents in removing *Salmonella* and *Shigella* spp. from the surface of fresh produce. Journal of Food Protection 66:2210-2215. 2003.

Rice, D.H. et al. Faecal culture of wild animals for *Escherichia coli* O157:H7. Veterinary Record 152:82-83. 2003.

Solomon, E.B. et al. Persistence of *Escherichia coli* O157:H7 on lettuce plants following spray irrigation with contaminated water. Journal of Food Protection 66:2198-2202. 2003.

Steele, M. et al. Sensitivity of PCR detection of *Cyclospora cayetanensis* in raspberries, basil, and mesclun lettuce. Journal of Microbiological Methods 54:277-280. 2003.

Suslow, T.V. et al. Production practices as risk factors in microbial food safety of fresh and fresh-cut produce. Comprehensive Reviews in Food Science and Food Safety 2(supplement):38-77. 2003.

Szabo, E.A. et al. Assessment of control measures to achieve a food safety objective of less than 100 cfu of *Listeria monocytogenes* per gram at the point of consumption for fresh precut iceberg lettuce. Journal of Food Protection 66:256-264. 2003.

Wachtel, M.R. et al. Cross-contamination of lettuce (*Lactuca sativa* L.) with *Escherichia coli* O157:H7 via contaminated ground beef. Journal of Food Protection 66:1176-1183. 2003.

Wahlstrom, H. et al. Survey of *Campylobacter* species, VTET O157 and *Salmonella* species in Swedish wildlife. Veterinary Record 153:74-80. 2003.

Warriner, K. et al. Interaction of *Escherichia coli* with growing salad spinach plants. Journal of Food Protection 66:1790-1797. 2003.

Yang, H. et al. Efficacy of cetylpyridinium chlorine on *Salmonella* Typhimurium and *Escherichia coli* O157:H7 in immersion spray treatment of fresh-cut lettuce. Journal of Food Science 68:1008-1012. 2003.

Yang, H. et al. The effect of pH on inactivation of pathogenic bacteria on fresh-cut lettuce by dipping treatment with electrolyzed water. Journal of Food Science 68:1013-1017. 2003.

Allende, A. et al. Microbial and sensory quality of commercial fresh processed red lettuce throughout the production chain and shelf life. International Journal of Food Microbiology 91:109-117. 2004.

Allwood, P.B. et al. Occurrence of *Escherichia coli*, noroviruses, and F-specific coliphages in fresh market-ready produce. Journal of Food Protection 67:2387-2390. 2004.

Allwood, P.B. et al. Effect of temperature and sanitizers on the survival of feline calicivirus, *Escherichia coli*, and F-specific coliphage MS2 on leafy salad vegetables. Journal of Food Protection 67:1451-1456. 2004.

Brandl, M.T. et al. Comparison of the survival of *Campylobacter jejuni* in the phyllosphere with that in the rhizosphere of spinach and radish plants. Applied and Environmental Microbiology 70:1182-1189. 2004.

Foley, D. et al. Irradiation and chlorination effectively reduces *Escherichia coli* O157:H7 inoculated on cilantro (*Coriandrum sativum*) without negatively affecting quality. Journal of Food Protection 67:2092-2098. 2004.

Hassan, A.N. and Frank, J.F. Attachment of *Escherichia coli* O157:H7 grown in tryptic soy broth and nutrient broth to apple and lettuce surfaces as related to cell hydrophobicity, surface charge, and capsule production. International Journal of Food Microbiology 96:103-109. 2004.

Honag, L.M.N. et al. Outbreaks of cyclosporiasis in British Columbia associated with imported Thai basil. Epidemiology and Infection 133:23-27. 2004.

Islam, M. et al. Persistence of enterohemorrhagic *Escherichia coli* O157:H7 in soil and on leaf lettuce and parsley grown in fields treated with contaminated manure composts or irrigation water. Journal of Food Protection 67:1365–1370. 2004.

Islam, M. et al. Persistance of *Salmonella enterica* serovar Typhimurium on lettuce and parsley and in soils on which they were grown in fields treated with contaminated manure composts or irrigation water. Foodborne Pathogens and Disease 1:27-35. 2004.

Johannessen, G.S. et al. Influence of bovine manure as a fertilizer on the bacteriological quality of organic iceberg lettuce. Journal of Applied Microbiology 96:787-794. 2004.

Karenlampi, R. and Hanninen, M.-L. Survival of *Campylobacter jejuni* on various fresh produce. International Journal of Food Microbiology 97:187-195. 2004.

Koseki, S. et al. Effect of mild heat pre-treatment with alkaline electrolyzed water on the efficacy of acidic electrolyzed water against *Escherichia coli* O157:H7 and *Salmonella* on lettuce. Food Microbiology 21:559-566. 2004.

Koseki, S. et al. Efficacy of acidic electrolyzed ice for pathogen control of lettuce. Journal of Food Protection 67:2544-2549. 2004.

Le Guyader, F.S. et al. Round-robin comparison of methods for the detection of human enteric viruses in lettuce. Journal of Food Protection 67:2315-2319. 2004.

Li, Y. and Mustapha, A. Simultaneous detection of *Escherichia coli* O157:H7, *Salmonella*, and *Shigella* in apple cider and produce by a multiplex PCR. Journal of Food Protection 67:27-33. 2004.

Lee, S.-Y. et al. Efficacy of chlorine dioxide gas as a sanitizer of lettuce leaves. Journal of Food Protection 67:1371-1376. 2004.

McKellar, R.C. et al. Influence of a commercial warm chlorinated water treatment and packaging on the shelf-life of ready-to-use lettuce. Food Research International 7:343-354. 2004.

Nicholl, P. et al. Growth dynamics of indigenous microbial populations on vegetables after decontamination and during refrigerated storage. Journal of Food Processing and Preservation 28:442-459. 2004.

Niemira, B.A. et al. Irradiaton and modified atmosphere packaging of endive influences survival and regrowth of *Listeria monocytogenes* and product sensory qualities. Radiation Physics and Chemistry 72:41-48. 2004.

Nightingale, K.K. et al. Ecology and transmission of *Listeria monocytogenes* infecting ruminants and in the farm environment. Applied and Environmental Microbiology 70:4458-4467. 2004.

Pirovani, M. et al. Reduction of chlorine concentration and microbial load during washing-disinfection of shredded lettuce. International Journal of Food Science and Technology 39:341-347. 2004.

Steel, M. and Odumeru, J. Irrigation water as a source of foodborne pathogens on fruit and vegetables. Journal of Food Protection 67:2839-2849. 2004.

Wang, H. et al. Microbial reduction and storage quality of fresh-cut cilantro washed with acidic electrolyzed water and aqueous ozone. Food Research International 37:949-956. 2004.

Ahn, H.-J. Combined effects of irradiation and modified atmosphere packaging on minimally processed Chinese cabbage (*Brassica rapa* L.). Food Chemistry 89:589-597. 2005.

Brandl, M.T. et al. Production of autotinducer 2 in *Salmonella enterica* serovar Thompson contributes to its fitness in chickens but not on cilantro leaf surfaces. Applied and Environmental Microbiology 71:2653-2662. 2005.

Bari, M.L. et al. Effectiveness of irradiation treatments in inactivating *Listeria monocytogenes* on fresh vegetables at refrigeration temperature. Journal of Food Protection 68:318-323. 2005.

Bari, M.L. et al. Combined efficacy of nisin and pediocin with sodium lactate, citric acid, phytic acid, and potassium sorbate and EDTA in reducing the *Listeria monocytogenes* population of inoculated fresh-cut produce. Journal of Food Protection 68:1381-1387. 2005.

Charles, F. et al. Influence of packaging conditions on natural microbial population growth on endive. Journal of Food Protection 68:1020-1025. 2005.

Dawson, D.J. et al. Survival of viruses on fresh produce, using MS2 as a surrogate for norovirus. Journal of Applied Microbiology 98:203-209. 2005.

Duffy, E.A. et al. Concentrations of *Escherichia coli* and genetic diversity and antibiotic resistance profiling of *Salmonella* isolated from irrigation water, packaging shed equipment, and fresh produce in Texas. Journal of Food Protection 68:70-79. 2005.

Duffy, E.A. et al. Survival of *Salmonella* transformed to express green fluorescent protein on Italian parsley as affected by processing and storage. Journal of Food Protection 68:687-695. 2005.

Erdogrul, O. and Sener, H. The contamination of various fruit and vegetable with *Enterobius vermicularis*, *Ascaris* eggs, and *Entamoeba histolyca* cysts and *Giardia* cysts. Food Control 16:559-562. 2005.

Francis, G.A. and O'Beirne, D. Variation among strains of *Listeria monocytogenes*: Differences in survival on packaged vegetables and in response to heat and acid conditions. Food Control 16:687-694. 2005.

Franz, E. et al. Effects of cattle feeding regimen and soil management type on the fate of *Escherichia coli* O157:H7 and *Salmonella enterica* serovar Typhimurium in manure, manure-amended soil, and lettuce. Applied and Environmental Microbiology 71:6165-6174. 2005.

Gale, P. Land application of treated sewage sludge: Quantifying pathogen risks from consumption of crops. Journal of Applied Microbiology 98:380-396. 2005.

Gibbs, D.S. et al. Potential role of *Diploscapter* sp. Strain LKC25, a bacterivorous nematode from soil, as a vector of food-borne pathogenic bacteria to preharvest fruits and vegetables. Applied and Environmental Microbiology 71:2433-2437. 2005.

Girardin, H. et al. Behavior of the pathogen surrogates *Listeria innocua* and *Clostridium sporogenes* during production of parsley in fields fertilized with contaminated amendments. FEMS Microbiology Ecology 54:287-295. 2005

Gleeson, E. and O'Beirne, D. Effect of process severity on survival and growth of *Escherichia coli* and *Listeria innocua* on minimally processed vegetables. Food Control 16:677-685. 2005.

Gomez-Lopez, V.M. et al. Intense light pulses decontamination of minimally processed vegetables and their shelf-life. International Journal of Food Microbiology 103:79-89. 2005.

Hora, R. et al. Internalization of *Escherichia coli* O157:H7 following biological and mechanical disruption of growing spinach plants. Journal of Food Protection 68:2506-2509. 2005.

Hutchison, M.L. et al. Analyses of livestock production, waste storage, and pathogen levels and prevalences in farm manures. Applied and Environmental Microbiology 71:1231-1236. 2005.

Inatsu, Y. et al. Efficacy of acidified sodium chlorite treatments in reducing *Escherichia coli* O157:H7 on Chinese cabbage. Journal of Food Protection 68:251-255. 2005.

Ingham, S.C. et al. Evaluation of fertilization-to-planting and fertilization-to-harvest intervals for safe use of noncomposted bovine manure in Wisconsin vegetable production. Journal of Food Protection 68:1134-1142. 2005.

Jablasone, J. et al. Interactions of *Escherichia coli* O157:H7, *Salmonella* Typhimurium and *Listeria monocytogenes* plants cultivated in a gnotobiotic system. International Journal of Food Microbiology 99:7-18. 2005.

Johannessen, G.S. et al. Potential uptake of *Escherichia coli* O157:H7 from organic manure into crisphead lettuce. Applied and Environmental Microbiology 71:2221-2225. 2005.

Johnston, L.M. et al. A field study of the microbiological quality of fresh produce. Journal of Food Protection 69:1840-1847. 2005.

Khattak, A.B. et al. Shelf life extension of minimally processed cabbage and cucumber through gamma irradiation. Journal of Food Protection 68:105-110. 2005.

Kim, H. and Beuchat, L.R. Survival and growth of *Enterobacter sakazakii* on fresh-cut fruits and vegetables and in unpasteurized juices as affected by storage temperature. Journal of Food Protection 68:2541-2552. 2005.

Kniel, K.E. and JENKINS, M.C. Detection of *Cryptosporidium parvuum* oocysts on fresh vegetables and herbs using antibodies specific for a *Cryptosporidiumn parvuum* viral antigen. Journal of Food Protection 68:1093-1096. 2005.

Koseki, S. and Isobe, S. Growth of *Listeria monocytogenes* on iceberg lettuce and solid media. International Journal of Food Microbiology 101:217-225. 2005.

Kozan, E. et al. Prevalence of helminth eggs on raw vegetables used for salads. Food Control 16:239-242. 2005.

Lemunier, M. et al. Long-term survival of pathogenic and sanitation indicator bacteria in experimental biowaste composts. Applied and Environmental Microbiology 71:5779-5786. 2005.

Loncarevic, S. et al. Bacteriological quality of organically grown leaf lettuce in Norway. Letters in Applied Microbiology 41:186-189. 2005.

Martin-Diana, A.B. et al. Calcium lactate washing treatments for salad-cut Iceberg lettuce: Effect of temperature and concentration on quality retention parameters. Food Research International 38:729-740. 2005.

Martin-Diana, A.B. et al. Comparison of calcium lactate with chlorine as a washing treatment for fresh-cut lettuce and carrots: Quality and nutritional parameters. Journal of the Science of Food and Agriculture 85:2260-2268. 2005.

Niemira, B.A. Nalidixic acid resistance increases sensitivity of *Escherichia coli* O157:H7 to ionizing radiation in solution and on green leaf lettuce. Journal of Food Science 70:M121-M124. 2005.

Nguz, K. et al. Microbiological evaluation of fresh-cut organic vegetables produced in Zambia. Food Control 16:623-628. 2005.

Oh, S.-W. et al. Efficacy of aerosolized peroxyacetic acid as a sanitizer of lettuce leaves. Journal of Food Protection 68:1743-1747. 2005.

Palumbo, J.D. et al. Identification of genes induced in *Listeria monocytogenes* during growth and attachment to cut cabbage, using differential display. Applied and Environmental Microbiology 71:5236-5243. 2005.

Phillips, C.A. and Harrison, M.A. Comparison of the microflora of organically and conventionally grown spring mix from a California processor. Journal of Food Protection 68:1143-1146. 2005.

Pivarnik, L.R. et al. New England consumers' willingness to pay for fresh fruits and vegetables grown on GAP-certified farms. Food Protection Trends 25:256-266. 2005

Rhee, L. et al. Growth inhibitors of lettuce seedlings from *Bacillus cereus* EJ-121. Plant Growth Regulation 47:149-154. 2005.

Sela, S. et al. Mediterranean fruit fly as a potential vector of bacterial pathogens. Applied and Environmental Microbiology 71:4052-4056. 2005.

Song, I. et al. Application of microbial risk assessment to the development of standards for enteric pathogens in water used to irrigate fresh produce. Journal of Food Protection 68:913-918. 2005.

Soriano, J.M. et al. A review of the application of the hazard analysis and critical control point systems to salads served in the restaurant of Valencia University. International Journal of Food Science and Technology 40:333-336. 2005.

Steele, M. et al. Microbial assessment of irrigation water used for production of fruit and vegetables in Ontario, Canada. Journal of Food Protection 68:1388-1392. 2005.

Stine, S.W. et al. Effect of relative humidity on preharvest survival of bacterial and viral pathogens on the surface of cantaloupe, lettuce, and bell peppers. Journal of Food Protection 68:1352-1358. 2005.

Sy, K.V. et al. Evaluation of gaseous chlorine dioxide as a sanitizer for killing *Salmonella*, *Escherichia coli* O157:H7, *Listeria monocytogenes*, and yeasts and molds on fresh and fresh-cut produce. Journal of Food Protection 68:1176-1187. 2005.

Tournas, V.H. Mould and yeasts in fresh and minimally processed vegetables and sprouts. International Journal of Food Microbiology 99:71-77. 2005.

Wang, H. and Slavik, M.F. A multiplex polymerase chain reaction assay for rapid detection of *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Salmonella* Typhimurium and *Campylobacter jejuni* in artificially contaminated food samples. Journal of Rapid Methods and Automation in Microbiology 13:213-223. 2005.

Warriner, K. et al. Seed decontamination as an intervention step for eliminating *Escherichia coli* on salad vegetables and herbs. Journal of the Science of Food and Agriculture 85:2307-2313. 2005.

Wasteson, Y. et al. Fluctuations in the occurrence of *Escherichia coli* O157:H7 on a Norwegian farm. Letters in Applied Microbiology 40:373-377. 2005.

Wei, H. et al. Combination of warm water and hydrogen peroxide to reduce the numbers of *Salmonella* Typhimurium and *Listeria innocua* on field salad (*Valerianella locusta*). European Food Research and Technology 221:180-186. 2005.

Ajlouni, S. et al. Ultrasonication and fresh produce (Cos lettuce) preservation. Journal of Food Science 71:M62-M68. 2006.

Allende, A. et al. Effectiveness of two-sided UV-C treatments in inhibiting natural microflora and extending the shelf-life of minimally processed 'red oak leaf' lettuce. Food Microbiology 23:241-249. 2006.

Aruscavage D. et al. Interactions affecting the proliferation and control of human pathogens on edible plants. Journal of Food Science 71:R89-R99. 2006.

Brandl, M.T. Fitness of enteric human pathogens on plants and implications for food safety. Annual Review of Phytopathology 44:367-392. 2006.

Cook, N. et al. Towards standard methods for the detection of *Cryptosporidium parvuum* on lettuce and raspberries. Part 1: Development and optimization of methods. International Journal of Food Microbiology 109:215-221. 2006.

Cook, N. et al. Towards standard methods for the detection of *Cryptosporidium parvuum* on lettuce and raspberries. Part 2: Validation. International Journal of Food Microbiology 109:222-228. 2006.

Cooley, M.B. et al. *Escherichia coli* O157:H7 survival and growth on lettuce is altered by the presence of epiphytic bacteria. Journal of Food Protection 69:2329-2335. 2006.

Corbo, M.R. et al. A novel approach for calculating shelf life of minimally processed vegetables. International Journal of Food Microbiology 106:69-73. 2006.

Dallaire, R. et al. A methodological approach for assessing the microbial contamination of fresh produce from harvest to retail. Food Protection Trends 26:218-225. 2006.

Delaquis, P.J. et al. Evidence of an antilisterial factor induced by wounding of iceberg lettuce tissue. Letters in Applied Microbiology 42:289-295. 2006.

Dubois, E. et al. Intra-laboratory validation of a concentration method adapted for the enumeration of infectious F-specific RNA coliphage, enteroviruses, and hepatitis A virus from inoculated leaves of salad vegetables. International Journal of Food Microbiology 108:164-171. 2006.

Ells, T.C. and Hansen, L.T. Strain and growth temperature influence *Listeria* spp. attachment to intact and cut cabbage. International Journal of Food Microbiology 111:34-42. 2006.

Fonseca, J.M. Postharvest quality and microbial population of head lettuce as affected by moisture at harvest. Journal of Food Science 71:M45-M49. 2006.

Foster, G. et al. Analysis of feces samples collected from a wild-bird garden feeding station in Scotland for the presence of verocytotoxin-producing *Escherichia coli* O157. Applied and Environmental Microbiology 72:2265-2267. 2006.

Francis, G.A. and O'Beirne, D. Isolation and pulsed-field gel electrophoresis typing of *Listeria monocytogenes* from modified atmosphere packaged fresh-cut vegetables collected in Ireland. Journal of Food Protection 69:2524-2528. 2006.

Geysen, S. et al. Validaton of predictive growth models describing superatmospheric oxygen effects on *Pseudomonas fluorescens* and *Listeria monocytogenes* on fresh-cut lettuce. International Journal of Food Microbiology 111:48-58. 2006.

Hamilton, A.J. et al. Quantitative microbial risk assessment models for consumption of raw vegetables irrigated with reclaimed water. Applied and Environmental Microbiology 72:3284-3290. 2006.

Hellstrom, S. et al. Efficacy of disinfectants to reduce *Listeria monocytogenes* on precut iceberg lettuce. Journal of Food Protection 69:1565-1570. 2006.

Huang, T.-S. et al. Decontamination efficacy of combined chlorine dioxide with ultrasonication on apples and lettuce. Journal of Food Science 71:M134-M139. 2006.

Johnston, L.M. et al. A field study of the microbiological quality of fresh produce of domestic and Mexican origin. International Journal of Food Microbiology 112:83-95. 2006.

Kenney, S.J. et al. Migration of *Caenorhabditis elegans* to manure and manure compost and potential transport of Salmonella Newport to fruits and vegetables. International Journal of Food Microbiology 106:61-68. 2006.

Kilonzo-Nthenge, A. et al. Efficacy of home washing methods in controlling surface microbial contamination on fresh produce. Journal of Food Protection 69:330-334. 2006.

Kim, J.-H. et al. Effect of gamma irradiation on *Listeria ivanovii* inoculated to iceberg lettuce stored at cold temperature. Food Control 17:397-401. 2006.

Kondo, N. et al. Efficiency of sodium hypochlorite, fumaric acid, and mild heat in killing native microflora and *Escherichia coli* O157:H7, *Salmonella* Typhimurium DT104, and *Staphylococcus aureus* attached to fresh-cut lettuce. Journal of Food Protection 69:323-329. 2006.

Koseki, S. and Isobe, S. Effect of ozonated water treatment on microbial control and on browning of iceberg lettuce (*Lactuca sativa L.*). Journal of Food Protection 69:154-160. 2006.

Kostrzynska, M. and Bachand, A. Use of microbial antagonism to reduce pathogen levels on produce and meat products: A review. Canadian Journal of Microbiology 52:1017-1026. 2006.

Lapidot, A. et al. Biofilm formation and the survival of *Salmonella* Typhimurium on parsley. International Journal of Food Microbiology 109:229-233. 2006.

Lee, N.Y. et al. Effect of gamma-irradiation on pathogens inoculated into ready-to-use vegetables. Food Microbiology 23:649-656. 2006.

Lonigro, A. et al. *Giardia* cysts and *Cryptosporidium* oocysts in membrane-filtered municipal wastewater used for irrigation. Applied and Environmental Microbiology 72:7916-7918. 2006.

Mintier, A.M. and Foley, D.M. Electron beam and gamma irradiation effectively reduce *Listeria monocytogenes* populations on chopped romaine lettuce. Journal of Food Protection 69:570-574. 2006.

Moreira, M. del R. et al. Ascorbic acid retention, microbial growth, and sensory acceptability of lettuce leaves subjected to mild heat shocks. Journal of Food Science 71:S188-S192. 2006.

Mukherjee, A. et al. Longitudinal microbiological survey of fresh produce grown by farmers in the upper midwest. Journal of Food Protection 69:1928-1936. 2006.

Ongeng, D. et al. The efficacy of eletrolysed oxidising water for inactivating spoilage microorganisms in process water and on minimally processed vegetables. International Journal of Food Microbiology 109:187-197. 2006.

Osman, M. et al. Differential killing activity of cetylpyridinium chloride with or without Bacto neutralizing buffer quench against firmly adhered *Salmonella* Gaminara and *Shigella sonnei* on cut lettuce stored at 4°C. Journal of Food Protection 69:1286-1291. 2006.

Rutjes, S.A. et al. Detection of noroviruses in foods: A study on virus extraction procedures in foods implicated in outbreaks of human gastroenteritis. Journal of Food Protection 69:1949-1956. 2006.

Simmons, J.L. et al. Comparision of treatment of fresh-cut lettuce and diced tomatoes with sodium hypochlorite and calcium hypochlorite for effects on microbiological and sensory qualities. Food Protection Trends 26:662-667. 2006.

Solomon, E.B. and Matthews, K.R. Interaction of live and dead *Escherichia coli* O157:H7 and fluorescent microspheres with lettuce tissue suggest bacterial processes do not mediate adherence. Letters in Applied Microbiology 42:88-93. 2006.

Sproston, E.L. et al. Slugs: Potential novel vectors of *Escherichia coli* O157. Applied and Environmental Microbiology 72:144-149. 2006.

Tyrrel, S.F. et al. Microbiological water quality requirements for salad irrigation in the United Kingdom. Journal of Food Protection 69:2029-2035. 2006.

Vega, E. et al. Variability of virus attachment patterns to butterhead lettuce. Journal of Food Protection 69:2112-2117. 2006.

You, Y. et al. Survival of *Salmonella enterica* serovar Newport in manure and manure-amended soils. Applied and Environmental Microbiology 72:5777-5783. 2006.

Yuk, H.-G. et al. Effect of combined ozone and organic acid treatment for control of *Escherichia coli* O157:H7 and *Listeria monocytogenes* on lettuce. Journal of Food Science 71:M83-M87. 2006.

Zhang, L. et al. Effect of gamma irradiation on microbial growth and sensory quality of fresh-cut lettuce. International Journal of Food Microbiology 106:348-351. 2006.

Zhang, L. et al. Effect of  $\gamma$  irradiation on quality-maintaining of fresh-cut lettuce. Food Control 17:225-228. 2006.

Akbas, M.Y. and Olmez, H. Inactivation of *Escherichia coli* and *Listeria monocytogenes* on iceberg lettuce by dip treatments with organic acids. Letters in Applied Microbiology 44:619-624. 2007.

Allende, A. et al. Growth and bacteriocin production by lactic acid bacteria in vegetable broth and their effectiveness at reducing *Listeria moncytogenes* in vitro and in fresh-cut lettuce. Food Microbiology 24:759-766. 2007.

Badosa, E. et al. Microbiological quality of fresh fruit and vegetable products in Catalonia (Spain) using normalized plate-counting methods and real time polymerase chain reaction (QPCR). Journal of the Science of Food and Agriculture 2007.

Bernstein, N. et al. Assessment of contamination potential of lettuce by *Salmonella enterica* serovar Newport added to the plant growing medium. Journal of Food Protection 70:1717-1722. 2007.

Boyer, R.R. et al. Influence of curli expression by *Escherichia coli* O157:H7 on the cell's overall hydrophobicity, charge, and ability to attach to lettuce. Journal of Food Protection 70:1339-1345. 2007.

Butot, S. et al. Procedure for rapid concentration and detection of enteric viruses from berries and vegetables. Applied and Environmental Microbiology 73:186-192. 2007.

Carrasco, E. et al. Survey of temperature and consumption patterns of fresh-cut leafy green salads: Risk factors for listeriosis. Journal of Food Protection 70:2407-2412. 2007.

Chang, J.-M. and Fang, T.J. Survival of *Escherichia coli* O157:H7 and *Salmonella entrica* serovar Typhimurium in iceberg lettuce and the antimicrobial effect of rice vinegar against *E. coli* O157:H7. Food Microbiology 24:745-751. 2007.

Chai, L.C. et al. Thermophilic *Campylobacter* spp. in salad vegetables in Malaysia. International Journal of Food Microbiology 117:106-111. 2007.

Cook, N. et al. Development of a method for detection of *Giardia duodenalis* cysts on lettuce and for simultaneous analysis of salad products for the presence of *Giardia* cysts and *Cryptosporidium* oocysts. Applied and Environmental Microbiology 73:7388-7391. 2007.

Cooley, M. et al. Incidence and tracking of Escherichia coli O157:H7 in a major produce production region in California. PLoS One (www.plosone.org) Issue 11:e1159. 2007.

Crepet, A. et al. Estimation of microbial contamination of food from prevalence and concentration data: Application to *Listeria monocytogenes* in fresh vegetables. Applied and Environmental Microbiology 73:250-258. 2007.

Critzer, F.J. et al. Atmospheric plasma inactivation of foodborne pathogens on fresh produce surfaces. Journal of Food Protection 70:2290-2296. 2007.

Delaquis, P. et al. Behavior of *Escherichia coli* O157:H7 in leafy vegetables. Journal of Food Protection 70:1966-1974. 2007.

Dreux, N. et al. Viable but non-culturable *Listeria monocytogenes* on parsley leaves and absence of recovery to a culturable state. Journal of Applied Microbiology 103:1272-1281. 2007.

Dreux, N. et al. Fate of *Listeria* spp. on parsley leaves grown in laboratory and field cultures. Journal of Applied Microbiology 103:1821-1827. 2007.

Dubois, E. et al. Detection and quantitation by real-time RT-PCR of hepatitis A virus from inoculated tap waters, salad vegetables, and soft fruits: Characterization of the method performances. International Journal of Food Microbiology 117:141-149. 2007.

Franz, E. et al. Quantification of contamination of lettuce by GFP-expressing *Escherichia coli* O157:H7 and *Salmonella enterica* serovar Typhimurium. Food Microbiology 24:106-112. 2007.

Froder, H. et al. Minimally processed vegetable salads: Microbial quality evaluation. Journal of Food Protection 70:1277-1280. 2007.

Geysen, S. et al. Modelling the effect of super-atmospheric oxygen and carbon dioxide concentrations on the respiration of fresh-cut butterhead lettuce. Journal of the Science of Food and Agriculture 87:218-226. 2007.

Gomez-Lopez, V.M. et al. Shelf-life of minimally processed cabbage treated with neutral electrolysed oxidizing water and stored under equilibrium modified atmosphere. International Journal of Food Microbiology 117:91-98. 2007.

Groth, E. Food irradiation for fresh produce. The Organic Center Critical Issue Report (April). 2007.

Hassenberg, K. et al. Use of ozone in a lettuce-washing process: An industrial trial. Journal of the Science of Food and Agriculture 87:914-919. 2007.

Himathongkham, S. et al. Recirculating immunomagnetic separation and optimal enrichment conditions for enhanced detection and recovery of low levels of *Escherichia coli* O157:H7 from fresh leafy produce and surface water. Journal of Food Protection 70:2717-2724. 2007.

Ibekwe, A.M. et al. Survival of *Escherichia coli* O157:H7 in soil and on lettuce after soil fumigation. Canadian Journal of Microbiology 53:623-635. 2007.

Ingram, D.T. and Millner, P.D. Factors affecting compost tea as a potential source of *Escherichia coli* and *Salmonella* on fresh produce. Journal of Food Protection 70:828-834. 2007.

Jay, M.T. et al. *Escherichia coli* O157:H7 in feral swine near spinach fields and cattle, central California coast. Emerging Infectious Diseases 13:1908-1911. 2007.

Jedrzejewski, S. et al. Quantitative assessment of contamination of fresh food produce of various retail types by human-virulent Microsporidian spores. Applied and Environmental Microbiology 73:4071-4073. 2007.

Karapinar, M. and Sengun, I.Y. Antimicrobial effect of koruk (unripe grape – *Vitis vinifera*) juice against *Salmonella* Typhimurium on salad vegetables. Food Control 18:702-706. 2007.

Klerks, M.M. et al. Physiological and molecular responses of *Lactuca sativa* to colonization by *Salmonella enterica* serovar Dublin. Applied and Environmental Microbiology 73:4905-4914. 2007.

Little, C.L. et al. Prevalence and level of *Listeria monocytogenes* and other *Listeria* species in retail pre-packaged mixed vegetable salads in the UK. Food Microbiology 24:711-717. 2007.

Lu, F.-X. et al. Predictive modeling and growth models on aerobic mesophilic bacteria on fresh-cut lettuce by hypochlorite-washing. Journal of Food Safety 27:157-168. 2007.

Lu, Z. et al. Model of microbial growth on fresh-cut lettuce treated with chlorinated water during storage under different temperatures. Journal of Food Process Engineering 30:106-108. 2007.

Luo, Y. Fresh-cut produce wash water reuse affects water quality and packaged product quality and microbial growth in Romaine lettuce. HortScience 42:1413-1419. 2007.

Maraldo, D. and Mutharasan, R. Preparation-free method for detecting *Escherichia coli* O157:H7 in the presence of spinach, spring lettuce mix, and ground beef particulates. Journal of Food Protection 70:2651-2655. 2007.

Mattison, K. et al. Survival of calicivirus in foods and on surfaces: Experiments with feline calicivirus as a surrogate for norovirus. Journal of Food Protection 70:500-503. 2007.

Moore, J.E. et al. Detection of *Cryptosporidium parvuum* in lettuce. International Journal of Food Science and Technology 42:385-393. 2007.

Mukherjee, A. et al. Association of farm management practices with risk of *Escherichia coli* contamination in pre-harvest produce grown in Minnesota and Wisconsin. International Journal of Food Microbiology 120:296-302. 2007.

Niemira, B.A. Relative efficacy of sodium hypochlorite wash versus irradiation to inactivate *Escherichia coli* O157:H7 internalized in leaves of Romaine lettuce and baby spinach. Journal of Food Protection 2526-2532. 2007.

Nthenge, A.K. et al. Efficacy of gamma radiation and aqueous chlorine on *Escherichia coli* O157:H7 in hydroponically grown lettuce plants. Journal of Food Protection 70:748-752. 2007.

Ongeng, D. et al. The effect of micro-architectural structure of cabbage substratum and or background bacterial flora on the growth of *Listeria monocytogenes*. International Journal of Food Microbiology 119:291-299. 2007.

Palumbo, M.S. et al. Recommendations for handling fresh-cut leafy green salads by consumers and retail foodservice operators. Food Protection Trends 27:892-898. 2007.

Park, E.-J. and Kang, D.-H. The use of bacterial alkaline phosphatase assay for rapid monitoring of bacterial counts on spinach. Journal of Food Science 73:M236-M238. 2008.

Selma, M.V. et al. Elimination by ozone of *Shigella sonnei* in shredded lettuce and water. Food Microbiology 24:492-499. 2007.

Valero, M. et al. Survival, isolation and characterization of a psychrotrophic *Bacillus cereus* strain from a mayonnaise-based ready-to-eat vegetable salad. Food Microbiology 24:671-677. 2007.

Abadias, M. et al. Microbiological quality of fresh, minimally-processed fruit and vegetables, and sprouts from retail establishments. International Journal of Food Microbiology 123:121-129. 2008.

Abadias, M. et al. Efficacy of neutral electrolyzed water (NEW) for reducing microbial contamination on minimally-processed vegetables. International Journal of Food Microbiology 123:151-158. 2008.

Abong'o, B.O. et al. Prevalence and antimicrobial susceptibility of *Escherichia coli* O157:H7 in vegetables sold in the Amathole District, Eastern Cape Province of South Africa. Journal of Food Protection 71:816-819. 2008.

Abriouel, H. et al. Comparative analysis of genetic diversity and incidence of virulence factors and antibiotic resistance among enterococcal populations from raw fruit and vegetable foods, water and soil, and clinical samples. International Journal of Food Microbiology 123:38-49. 2008.

Abuladze, T. et al. Bacteriophages reduce experimental contamination of hard surfaces, tomato, spinach, brococcli, and ground beef by *Escherichia coli* o157:H7. Applied and Environmental Microbiology 74:6230-6238. 2008.

Ailes E.C. et al. Microbial concentrations on fresh produce are affected by postharvest processing, importation, and season. Journal of Food Protection 71:2389-2397. 2008.

Allende, A. et al. Impact of wash water quality on sensory and microbial quality including *Escherichia coli* cross-contamination of fresh-cut escarole. Journal of Food Protection 71:2514-2518. 2008.

Aruscavage, D. et al. Survival and dissemination of *Escherichia coli* O157:H7 on physically and biologically damaged lettuce plants. Journal of Food Protection 71:2384-2388. 2008.

Baert, L. et al. Survival and transfer of murine norovirus 1, a surrogate for human noroviruses, during the production process of deep-frozen onions and spinach. Journal of Food Protection 71:1590-1597. 2008.

Barak, J.D. et al. Differential attachment to and subsequent contamination of agricultural crops by *Salmonella enterica*. Applied and Environmental Microbiology 74:5568-5570. 2008.

Bezanson, G.S. et al. Presence and potential for horizontal transfer of antibiotic resistance in oxidase-positive bacteria populating raw salad vegetables. International Journal of Food Microbiology 127:37-42. 2008.

Brandl, M.T. Plant lesions promote the rapid multiplication of *Escherichia coli* O157:H7 on postharvest lettuce. Applied and Environmental Microbiology 74:5285-5289. 2008.

Brandl, M.T. and Amundson, R. Leaf age as a risk factor in contamination of lettuce with *Escherichia coli* O157:H7 and *Salmonella enterica*. Applied and Environmental Microbiology 74:2298-2306. 2008.

Butot, S. et al. Effects of sanitation, freezing and frozen storage on enteric viruses in berries and herbs. International Journal of Food Microbiology 126:30-35. 2008.

California Food Emergency Response Team. Investigation of the Taco John's *Escherichia coli* O157:H7 outbreak associated with iceberg lettuces. California Department of Public Health and U.S. Food and Drug Administration. February 15, 2008.

Casteel, M.J. et al. Chlorine disinfection of produce to inactivate hepatitis A virus and coliphage MS2. International Journal of Food Microbiology 125:267-273. 2008.

Chua, D. et al. Fresh-cut lettuce in modified atmosphere packages stored at improper temperatures supports enterohemorrhagic *E. coli* isolates to survive gastric acid challenge. Journal of Food Science (Early on-line release). 2008.

Chua, T. and Bhagwat, A.A. A rapid and simple DNA extraction procedure to detect *Salmonella* spp. and *Listeria monocytogenes* from fresh produce using real-time PCR. Food Analytical Methods June (on line) 2008.

Daryani, A. et al. Prevalence of intestinal parasites in vegetables consumed in Ardabil, Iran. Food Control 19:790-794. 2008.

Dreux, N. et al. Glycine betaine improves *Listeria monocytogenes* tolerance to desiccation on parsley leaves independent of the osmolyte transporters BetL, Gbu and OpuC. Journal of Applied Microbiology 104:1221-1227. 2008.

Elizaquivel, P. and Aznar, R. A multiplex RTi-PCR reaction for simultaneous detection of *Escherichia coli* O157:H7, *Salmonella* spp., and *Staphylococcus aureus* on fresh, minimally processed vegetables. Food Microbiology 25:705-713. 2008.

Fan, X. and Sokorai, K.J.B. Retention of quality and nutritional value of 13 fresh-cut vegetables treated with low-dose radiation. Journal of Food Science 73:S367-S372. 2008.

Fino, V.R. and Kniel, K.E. UV light inactivation of hepatitis A virus, aichi virus, and feline calicivirus on strawberries, green onions, and lettuce. Journal of Food Protection 71:908-913. 2008.

Grant, M.A. Comparison of *Escherichia coli* O157:H7 enrichment in spiked produce samples. Journal of Food Protection 71:139-145. 2008.

Grant, J. et al. Spinach-associated *Escherichia coli* O157:H7 outbreak, Utah and New Mexico, 2006. Emerging Infectious Diseases 14:1633-1636.

Gomes, C. et al. E-beam irradiation of bagged, ready-to-eat spinach leaves (*Spinacea oleracea*): An engineering approach. Journal of Food Science 73:E95-E102. 2008.

Gomez-Lopez, V.M. et al. Shelf-life of minimally processed lettuce and cabbage treated with gaseous chlorine dioxide and cysteine. International Journal of Food Microbiology 121:74-83. 2008.

Gourabathini, P. et al. Interactions between food-borne pathogens and protozoa isolated from lettuce and spinach. Applied and Environmental Microbiology 74:2518-2525. 2008.

Guentzel, J.L. et al. Reduction of bacteria on spinach, lettuce, and surfaces in food service areas using neutral electrolyzed water. Food Microbiology 25:36-41. 2008.

Gutierrez, J. et al. Efficacy of plant essential oils against foodborne pathogens and spoilage bacteria associated with ready-to-eat vegetables: Antimicrobial and sensory screening. Journal of Food Protection 71:1846-1854. 2008.

Hadjok, C. et al. Inactivation of human pathogens and spoilage bacteria on the surface and internalized within fresh produce by using a combination of ultraviolet light and hydrogen peroxide. Journal of Applied Microbiology 104:1014-1024. 2008.

Horsfall, E.S. California Leafy Greens Marketing Agreement Emerges as a Model Program for Food Safety. Food Safety Magazine 14(4):62-66. 2008.

Hutchison, M.L. et al. The air-borne distribution of zoonotic agents from livestock waste spreading and microbiological risk to fresh produce from contaminated irrigation sources. Journal of Applied Microbiology 105:848-857. 2008.

Ilic, S. et al. Coliforms and prevalence of *Escherichia coli* and foodborne pathogens on minimally processed spinach in two packing plants. Journal of Food Protection 71:2398-2403. 2008.

Insulander, M. et al. A food-borne outbreak of cryptosporidiosis among guests and staff at a hotel restaurant in Stockholm County, Sweden, September 2008. Eurosurveillance 13(51): 18 December. 2008.

Kim, J.K. and Harrison, M.A. Transfer of *Escherichia coli* O157:H7 to Romaine lettuce due to contact water from melting ice. Journal of Food Protection 71:252-256. 2008.

Kim, Y.-K. et al. Inactivation of *Escherichia coli* O157:H7, *Salmonella typhimurium*, and *Listeria monocytogenes* on stored iceberg lettuce by aqueous chlorine dioxide treatment. Journal of Food Science 73:M418-M422. 2008.

Kotewicz, M.L. et al. Optical mapping and 454 sequencing of *Escherichia coli* O157:H7 isolates linked to the US 2006 spinach-associated outbreak. Microbiology 154:3518-3528. 2008.

Li, H. et al. Impact of vacuum cooling on *Escherichia coli* O157:H7 infiltration into lettuce tissue. Applied and Environmental Microbiology 74:3138-3142. 2008.

Mahmoud, B.S.M. and Linton, R. H. Inactivation kinetics of inoculated *Escherichia coli* O157:H7 and *Salmonella enterica* on lettuce by chlorine dioxide gas. Food Microbiology 25:244-252. 2008.

Mukherjee, A. et al. Altered utilization of N-acetyl-D-galactosamine by *Escherichia coli* O157:H7 from the 2006 spinach outbreak. Journal of Bacteriology 190:1710-1717. 2008.

Neal, J.A. et al. Reduction of *Escherichia coli* O157:H7 and *Salmonella* on baby spinach, using electron beam radiation. Journal of Food Protection 71:2415-2420. 2008.

Niemira, B.A. Irradiation compared with chlorination for elimination of *Escherichia coli* O157:H7 internalized in lettuce leaves: Influence of lettuce variety. Journal of Food Science 73:M208-M213. 2008.

Nygard, K. et al. Outbreak of *Salmonella* Thompson infections linked to imported Rucola lettuce. Foodborne Pathogens and Disease 5:165-173. 2008.

Pappelbaum, K. et al. Monitoring hygiene on- and at-line is critical for controlling *Listeria monocytogenes* during produce processing. Journal of Food Protection 71:735-741. 2008.

Park, E.-J. et al. Effect of electrolyzed water for reduction of foodborne pathogens on lettuce and spinach. Journal of Food Science 73:M268-M272. 2008.

Pezzoli, L. et al. Packed with *Salmonella* – Investigation of an international outbreak of *Salmonella* Senftenberg infection linked to contamination of prepacked basil in 2007. Foodborne Pathogens and Disease 5:661-668. 2008.

Ponce, A.G. et al. Dynamics of indigenous microbial populations of butter head lettuce grown in mulch and on bare soil. Journal of Food Science 73:M257-M263. 2008.

Rajkowski, K.T. and Fan, X. Microbial quality of fresh-cut iceberg lettuce washed in warm or cold water and irradiated in a modified atmosphere package. Journal of Food Safety 28:248-260. 2008.

Selma, M.V. et al. Heterogeneous photocatalytic disinfection of wash waters from the fresh-cut vegetable industry. Journal of Food Protection 71:286-292. 2008.

Selma, M.V. et al. Disinfection potential of ozone, ultraviolet-C and their combination in wash water for the fresh-cut industry. Food Microbiology 25:809-814. 2008.

Shaw, R.K. et al. Enterohemorrhagic *Escherichia coli* exploits EspA filaments for attachment to salad leaves. Applied and Environmental Microbiology 74:2908-2914. 2008.

Stopforth, J.D. et al. Effect of acidified sodium chlorite, chlorine, and acidic electrolyzed water on *Escherichia coli* O157:H7, Salmonella, and *Listeria monocytogenes* inoculated onto leafy greens. Journal of Food Protection 71:625-628. 2008.

Suthiluk, P. et al. Possibility of using near infrared spectroscopy for evaluation of bacterial contamination in shredded cabbage. International Journal of Food Science and Technology 43:160-165. 2008.

Trias, R. et al. Bioprotection of golden delicious apples and iceberg lettuce against foodborne bacterial pathogens by lactic acid bacteria. International Journal of Food Microbiology 123:50-60. 2008.

Trias, R. et al. Bioprotective *Leuconostoc* strains against *Listeria monocytogenes* in fresh fruits and vegetables. International Journal of Food Microbiology 127:91-98. 2008.

Uhlich, G.A. et al. Characterization of shiga toxin-producing *Escherichia coli* isolates associated with two multistate food-borne outbreaks that occurred in 2006. Applied and Environmental Microbiology 74:1268-1272. 2008.

Vega, E. et al. Electrostatic forces control nonspecific virus attachment to lettuce. Journal of Food Protection 71:522-529. 2008.

Valentin-Bon, I. et al. Microbiological quality of bagged cut spinach and lettuce mixes. Applied and Environmental Microbiology 74:1240-1242. 2008.

Xie, Y. et al. Inactivation of MS2 F(+) coliphage on lettuce by a combination of UV light and hydrogen peroxide. Journal of Food Protection 71:903-907. 2008.

Zhong, Q. et al. Nonthermal inactivation of *Escherichia coli* K-12 on spinach leaves, using dense phase carbon dioxide. Journal of Food Protection 71:1015-1017. 2008.

Baert, L. et al. Efficacy of sodium hypochlorite and peroxyacetic acid to reduce murine norovirus 1, B40-8, *Listeria monocytogenes*, and *Escherichia coli* O157:H7 on shredded iceberg lettuce and in residual wash water. Journal of Food Protection 72:1047-1054. 2009.

Barker-Reid, F. et al. Persistence of *Escherichia coli* on injured Iceberg lettuce in the field, overhead irrigated with contaminated water. Journal of Food Protection 72:458-464. 2009.

Bohaychuk, V. M. et al. A microbiological survey of selected Alberta-grown fresh produce from farmers' markets in Alberta, Canada. Journal of Food Protection 72:415-420. 2009.

Butot, S. et al. Inactivation of enteric viruses in minimally processed berries and herbs. Applied and Environmental Microbiology 75:4155-4161. 2009.

Cordano, A.M. and Jacquet, C. *Listeria monocytogenes* isolated from vegetable salads sold at supermarkets in Santiago, Chile: Prevalence and strain characterization. International Journal of Food Microbiology 132:176-179. 2009.

Crepet, A. et al. Development of a hierarchical Bayesian model to estimate the growth parameters of *Listeria monocytogenes* in minimally processed fresh leafy salads. International Journal of Food Microbiology 131:112-119. 2009.

Doering, H.J. et al. Use of the systems approach to determine the fate of *Escherichia coli* O157:H7 on fresh lettuce and spinach. Journal of Food Protection 72:1560-1568. 2009.

Elviss, N.C. et al. Microbiological study of fresh herbs from retail uncovers an international outbreak of salmonellosis. International Journal of Food Microbiology 134:83-88. 2009.

Gil, M.I. et al. Fresh-cut product sanitation and wash water disinfection: Problems and solutions. International Journal of Food Microbiology 134:37-45. 2009.

Gunduz, G.T. et al. Efficacy of myrtle oil against *Salmonella* Typhimurium of fresh produce. International Journal of Food Microbiology 130:147-150. 2009

Hanning I.B. et al. Salmonellosis: Outbreaks in the United States due to fresh produce: Sources and potential intervention measures. Foodborne Pathogens and Disease 6:635-648. 2009.

Hawaree, N. et al. Effects of drying temperature and surface characeristics of vegetable on the survival of *Salmonella*. Journal of Food Science 74:E16-E22. 2009.

Johnston, M.A. et al. Microbial antagonists of *Escherichia coli* O157:H7 on fresh-cut lettuce and spinach. Journal of Food Protection 12:1569-1575. 2009.

Keskinen, L.A. et al. Efficacy of chlorine, acidic electrolyzed water and aqueous chlorine dioxide solutions to decontaminate *Escherichia coli* O157:H7 from lettuce leaves. International Journal of Food Microbiology 132:134-140. 2009.

Kim, J.K. and Harrison, M.A. Surrogated selection for *Escherichia coli* O157:H7 based on cryptolerance and attachment to Romaine lettuce. Journal of Food Protection 72:1385-1391. 2009.

Kim, J. et al. Factors impacting the regrowth of *Escherichia coli* O157:H7 in dairy manure compost. Journal of Food Protection 72:1576-1584. 2009.

Kim, Y. et al. Disinfection of iceberg lettuce by titanium dioxide – UV photocatlytic reaction. Journal of Food Protection 72:1916-1922. 2009.

Lopez-Galvez, F. et al. Prevention of *Escherichia coli* cross-contamination by different commercial sanitizers during washing of fresh-cut lettuce. International Journal of Food Microbiology 133:167-171. 2009

McEvoy, J.L. et al. Potential of *Escherichia coli* O157:H7 to grow on field-cored lettuce as impacted by postharvest storage time and temperature. International Journal of Food Microbiology 128:506-509. 2009.

Meldrum, R.J. et al. Assessment of the microbiological safety of salad vegetables and sauces from kebab take-away restaurants in the United Kingdom. Food Microbiology 26:573-577. 2009.

Miranda, J.M. et al. Prevalence and antimicrobial resistance patterns of *Salmonella* from different raw foods in Mexico. Journal of Food Protection 72:966-971. 2009.

Mitra, R., et al. Effect of route of introduction and host cultivar on the colonization, internalization, and movement of the human pathogen *Escherichia coli* O157:H7 in spinach. Journal of Food Protection 72:1521-1530. 2009.

Pakalniskiene, J. et al. A foodborne outbreak of enterotoxigenic *E. coli* and *Salmonella* Anatum infection after a high-school dinner in Denmark, November 2006. Epidemiology and Infection 137:396-401. 2009.

Pangloli, P. et al. Reduction of *Escherichia coli* O157:H7 on produce by use of electrolyzed water under simulated food service operations conditions. Journal of Food Protection 72:1854-1861. 2009.

Quiroz-Santiago, C. et al. Prevalence of *Salmonella* in vegetables from Mexico. Journal of Food Protection 1279-1282. 2009

Randazzo, C.L. et al. Polyphasic characterization of bacterial community in fresh cut salads. International Journal of Food Microbiology 128:484-490. 2009.

Samadi, N. et al. Efficacy of detergents and fresh produce disinfectants against microorganisms associated with raw vegetables. Journal of Food Protection 72:1486-1490. 2009.

Samara, A. et al. Effect of treating lettuce surfaces with acidulants on the behaviour of *Listeria monocytogenes* during storage at 5 and 20 °C and subsequent exposure to simulated gastric fluid. International Journal of Food Microbiology 129:1-7. 2009.

Semenov, A.V. et al. Percolation and survival of *Escherichia coli* O157:H7 and *Salmonella enterica* serovar Typhimurium in soil amended with contaminated dairy manure or slurry. Applied and Environmental Microbiology 75:3206-3215. 2009.

Sharma, M. et al. A novel approach to investigate the uptake and internalization of *Escherichia coli* O157:H7 in spinach cultivated in soil and hydroponic medium. Journal of Food Protection 72:1513-1520. 2009.

Sharma, M. et al. Effectiveness of bacteriophages in reducing *Escherichia coli* O157:H7 on fresh-cut cantaloupes and lettuce. Journal of Food Protection 72:1481-1485. 2009.

Silagyi, K. et al. Production of biofilm and quorum sensing by *Escherichia coli* O157:H7 and its transfer from contact surfaces to meat, poultry, ready-to-eat deli, and produce products. Food Microbiology 26:514-519. 2009

Talley, J.L. et al. Association of *Escherichia coli* O157:H7 with filth flies (Muscidae and Calliphoridae) captured in leafy green fields and experimental transmission of *E. coli* 

O157:H7 to spinach leaves by house flies (Diptera: Muscidae). Journal of Food Protection 72:1547-1552. 2009.

Taormina, P.J. et al. Transfer of *Escherichia coli* O157:H7 to Iceberg lettuce via simulated field coring. Journal of Food Protection 72:465-472. 2009.

Theofel, C.G. and Harris. L.J. Impact of preinoculation culture conditions on the behavior of *Escherichia coli* O157:H7 inoculated onto Romaine lettuce (*Lactuca sativa*) plants and cut leaf surfaces. Journal of Food Protection 72:1553-1559. 2009.

Vurma, M. et al. Inactivation of Escherichia coli O157:H7 and natural microbiota on spinach leaves using gaseous ozone during vacuum cooling and simulated transportation. Journal of Food Protection 72:1538-1546. 2009.

Wilson, R.S. et al. Contamination prevention and response related to fresh and fresh-cut produce: An expert perspective on the farmer decision making process. Food Protection Trends 29:488-492. 2009.

Xicohtencatl-Cortes, J. et al. Interaction of *Escherichia coli* O157:H7 with leafy green produce. Journal of Food Protection 72:1531-1537. 2009.

Zhang, G., et al. Evaluation of treatments for elimination of foodborne pathogens on the surface of leaves and roots of lettuce (*Lactuca sativa* L.). Journal of Food Protection 72:228-234. 2009.

Zhang, G. et al. Efficacy of antimicrobial agents in lettuce leaf processing water for control of *Escherichia coli* O157:H7. Journal of Food Protection 72:1392-1397.

Zhao, T. et al. Inactivation of *Salmonella* and *Escherichia coli* O157:H7 on lettuce and poultry skin by combinations of levulinic acid and sodium dodecyl sulfate. Journal of Food Protection 72:928-936. 2009.

Zhou, B. et al. Ultrasound enhanced sanitizer efficacy in reduction of Escherichia coli O157:H7 population on spinach leaves. Journal of Food Science 74:M308-M313. 2009.